



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : A01K 67/027, C12N 9/16	A1	(11) International Publication Number: WO 00/64247 (43) International Publication Date: 2 November 2000 (02.11.00)
(21) International Application Number: PCT/CA00/00430 (22) International Filing Date: 20 April 2000 (20.04.00) (30) Priority Data: 60/130,508 23 April 1999 (23.04.99) US (71) Applicant (for all designated States except US): UNIVERSITY OF GUELPH [CA/CA]; College of Biological Science, Guelph, Ontario N1G 2W1 (CA). (72) Inventors; and (75) Inventors/Applicants (for US only): FORSBERG, Cecil, W. [CA/CA]; 44 Hands Drive, Guelph, Ontario N1G 2W1 (CA). GOLOVAN, Serguei [CA/CA]; 89-252 Stone Road, Guelph, Ontario N1G 2V7 (CA). PHILLIPS, John, P. [US/CA]; General Delivery, Arkell, Ontario N0B 1C0 (CA). (74) Agents: CHARI, Santosh, K. et al.; Orange & Chari, 4900-55 King Street West, P.O. Box 190, Toronto Dominion Bank Tower, Toronto-Dominion Centre, Toronto, Ontario M5K 1H6 (CA).		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
(54) Title: TRANSGENIC ANIMALS EXPRESSING SALIVARY PROTEINS		
(57) Abstract <p>The invention provides a transgenic animal having within its genome a transgene construct for gastrointestinal tract specific expression of a protein. In a preferred embodiment, the protein is a phytase or a homologue thereof. Such proteins may be heterologous and may be specifically expressed in the salivary gland of the animal by operably linking the nucleic acid sequence encoding the protein with regulatory sequence including a salivary gland protein promoter/enhancer. Also provided are methods of expressing and producing proteins using such nucleic acid constructs. Further, antibodies specific to such proteins and immunological diagnostic kits are also provided.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

TRANSGENIC ANIMALS EXPRESSING SALIVARY PROTEINS

FIELD OF THE INVENTION

5 The present invention relates to transgenic animals and, more specifically, to animals genetically modified to express a desired protein.

BACKGROUND OF THE INVENTION

10 Phosphorus is an essential element for the growth of all organisms. In livestock production, phosphorus deficiency has been described as the most prevalent mineral deficiency throughout the world and feed must often be supplemented with inorganic phosphorus in order to obtain desired growth performance of monogastric animals (e.g. pigs, poultry etc.).

15 Phytic acid, or phytate, (*myo*-inositol 1,2,3,4,5,6-hexakis dihydrogen phosphate) is a major storage form of phosphorus in cereals and legumes, representing 18% to 88% of the total phosphorus content (Reddy *et al.* 1982). The enzyme phytase (*myo*-inositol hexakisphosphate phosphohydrolase) belongs to the group of phosphoric monoester hydrolases: it catalyzes the hydrolysis of phytate (*myo*-inositol hexakis phosphate) to inorganic monophosphate and lower phosphoric esters of *myo*-inositol or, in some cases, free
20 *myo*-inositol. Phytases are classified either as 3-phytases or 6-phytases based on the first phosphate group attacked by the enzyme. 3-phytase is typical for microorganisms and 6-phytase for plants (Cosgrove, 1980).

25 Phytase is either absent or present at a very low levels in monogastric animals (Bitar and Reinhold 1972; Iqbal *et al.* 1994). Consequently, dietary phytate is not digested or absorbed from the small intestine and instead is concentrated in fecal material, thereby contributing to phosphorus pollution in areas of intensive livestock production. Runoff from animal farms leads to contamination of rivers and streams. Such runoff has resulted in rapid drops in the oxygen concentration in rivers and streams due to excessive algal growth in water, which, in turn, has led to an increase in the mortality rate of fish and existing flora and
30 fauna. This is becoming a global problem as pig and poultry production is increased (Miner 1999; Mallin 2000). Furthermore, phytic acid is viewed as an anti-nutritional factor because it interacts with essential dietary minerals and proteins limiting the nutritional values of cereals and legumes in man and animals (Harland and Morris 1995).

For the above reasons, various attempts have been made to enable animals to utilize available phytate in feed. Such attempts have included production of low phytate plants (Abelson 1999), addition of phytase to the animal feed (Simons *et al.* 1990) (Stahl *et al.* 1999) or transformation of the fodder plants to produce the required phytase (Pen *et al.* 1993, 5 Verwoerd *et al.* 1995). A combination of these options, the feeding of phytase to poultry receiving low phytate corn has also been tested (Huff *et al.* 1998). However, these solutions increase the cost of animal production. Also because phytase is an enzyme, it is susceptible to inactivation by heat and moisture and is generally unstable at the high temperatures used for feed pelleting.

10 The primary phytase used for supplementing animal feeds is from *Aspergillus* sp.; however, phytases are produced by a large number of plants and microorganisms (Wodzinski and Ullah 1996) (Dvorakova 1998). A phytase produced by *Escherichia coli* has been reported to exhibit the highest activity of those reported (Wodzinski and Ullah 1996). This phytase from *E. coli* was initially cloned as an acid phosphatase gene that was designated 15 *APPA* (Dassa *et al.* 1990). Greiner *et al.* (1991; 1993) purified phytase from *E. coli* and reported that some of the kinetic properties of the acid phosphatase activity of the native phytase of *E. coli* were similar to those of the *APPA*-encoded acid phosphatase. However, the authors did not clone the phytase gene to prove that it was identical to *APPA* gene. We have subsequently cloned, overexpressed and characterized *APPA* gene, and shown that the 20 *E. coli* gene *APPA* codes for a bifunctional enzyme exhibiting both phytase and acid phosphatase activities (Golovan *et al.* 2000). Phytases exhibit phosphatase activity, however the relative activities differ widely among enzymes (Wodzinski and Ullah 1996).

Therefore, there is a need for an improved method of allowing access by animals to phytase so as to enable efficient phytate metabolism and, thereby reducing phosphate 25 pollution.

In the field of protein production using recombinant methods, one of the associated problems relates to the lack of required glycosylation. Therefore, a method of producing such glycoproteins is also needed.

30 SUMMARY OF THE INVENTION

In one embodiment, the invention provides a transgenic non-human animal that carries in the genome of its somatic and/or germ cells a nucleic acid sequence including a heterologous transgene construct, the construct including a transgene encoding a protein, the

transgene being operably linked to a first regulatory sequence for salivary gland specific expression of the protein.

In another embodiment, the invention provides a transgenic non-human animal that carries in the genome of its somatic and/or germ cells a nucleic acid sequence including a
5 heterologous transgene construct, the construct including a transgene encoding phytase or a homologue thereof.

In yet another embodiment, the invention provides a method of expressing a protein, the method comprising the steps of:

a) introducing a transgene construct into a non-human animal embryo such that a non-
10 human transgenic animal that develops from the embryo has a genome that comprises the transgene construct, wherein the transgene construct comprises:

- i) a transgene encoding the protein, and
- ii) at least one regulatory sequence for gastrointestinal tract specific expression of the protein,

b) transferring the embryo to a foster female; and,
c) developing the embryo into the transgenic animal

wherein the transgene is produced in the gastrointestinal tract of the animal.

In a further embodiment, the invention provides a transgenic animal adapted for expressing a protein according to the above method. The invention also provides for the
20 progeny of such animal.

In another embodiment, the invention provides a process for producing a protein comprising the steps of:

a) obtaining saliva containing the protein from a non-human transgenic animal, the animal containing within its genome a transgene construct, wherein the transgene construct
25 comprises:

- i) a transgene encoding the protein, and
- ii) at least one regulatory sequence for salivary gland specific expression of the protein, and

extracting the protein from the saliva.

In a further embodiment, the invention provides a method for expressing a phytase or a homologue thereof in a non-human animal, the method comprising:

- a) constructing a nucleic acid sequence including a transgene construct comprising:
 - i) a transgene encoding the phytase or a homologue thereof, and

ii) at least one regulatory sequence for gastrointestinal tract specific expression of the protein, and

b) transfecting the animal with the nucleic acid sequence;

whereby the animal carries within the genome of its somatic and/or germ cells the transgene construct and wherein the animal expresses the phytase or a homologue thereof in its gastrointestinal tract.

In another embodiment the invention provides a nucleic acid molecule comprising a nucleic acid sequence including a gene encoding a protein, the gene being operably linked to at least one regulatory sequence for gastrointestinal tract specific expression of the protein.

In another embodiment the invention provides an antibody specific to the protein expressed by the above nucleic acid sequence and a test kit for immunologically detecting such protein. The invention also provides for hybridomas secreting such antibodies.

In another embodiment the invention provides cells that are transfected with the above nucleic acid sequence.

In another embodiment, the invention provides a method for producing a protein molecule comprising a glycosylated protein secreted in the saliva that exhibits a novel physiological activity. One example of such an activity is phytase.

BRIEF DESCRIPTION OF THE DRAWINGS

These and other features of the preferred embodiments of the invention will become more apparent in the following detailed description in which reference is made to the appended drawings wherein:

Figure 1 is a schematic diagram representing a method for producing the gene construct of the present invention containing the inducible proline-rich protein (PRP) promoter/enhancer. More specifically, Figure 1 is a schematic diagram illustrating the steps in the construction of the transgenes R15/APPA+intron and R15/APPA used for the generation of transgenic mice.

Figure 2 is a schematic diagram representing a method for producing the gene construct of the present invention containing the SV40 promoter. More specifically, Figure 2 is a schematic diagram illustrating the steps in construction of the plasmid containing the transgene SV40/APPA+intron that was introduced by transfection into mammalian cell lines.

Figure 3 is a schematic diagram representing a method for producing the gene construct of the present invention containing the constitutive parotid secretory protein (PSP) promoter/enhancer. More specifically, Figure 3 is a schematic diagram illustrating the steps

in construction of the transgenes Lama2/APPA that codes for the native AppA phytase and the Lama2/PSP/APPA that codes for the AppA phytase with the PSP signal peptide sequence.

Figure 4 is a schematic diagram of the Lama2-APPA plasmid containing the APPA transgene.

Figure 5 illustrates the nucleic acid sequence of the Lama2/APPA plasmid containing the *E. coli* APPA gene (SEQ ID NO: 1).

Figure 6 illustrates the PCR results for transformed mice. More specifically, figure 6 is a picture of an agarose gel illustrating APPA PCR products from genomic tail DNA of third generation offspring from the transgenic female founder mouse 3-1 generated using the *Xho*I and *Not*I fragment of the Lama2/APPA construct. A second generation phytase gene positive male was crossed with each of two phytase positive transgenic females 9f and 11f (Table 3). From litter 18m x 9f offspring 3, 4, 5 & 6 are PCR positive and from litter 18m x 11f offspring 2 and 3 are PCR positive. Std is the oligonucleotide standard and the numbers on the left are the bp sizes of the standard. Lane C is a negative control reaction mixture that lacks a DNA template and *appa*A is a positive control containing an amplified segment of the phytase gene. The primers used were APPA-UP2 and APPA-KPN.

Figure 7 illustrates the PCR results for transformed founder pigs. More specifically, Figure 7 is a picture of an agarose gel illustrating phytase gene PCR products and β -globin PCR products from genomic tail DNA of five founder piglets from litter 167. Std is a 1 kb ladder. Lane 2 using the phytase primer set is positive for the phytase gene, and all of the samples were positive for the β -globin gene. Lane C is a negative control not containing template DNA. The phytase transgene primer set included APPA-UP2 and APPA-KPN gave an expected fragment size of 750 bp. The primer set for the β -globin gene included PIG-BGF and PIG-BRG gives an expected fragment size of 207 bp.

Figure 8 illustrates the PCR results for transgene rearrangement tests. More specifically, Figure 8 is a picture of an agarose gel showing the PCR products of four separate primer sets used to amplify different segments of the transgene introduced into pig 167-02. The Std contained a kilobase DNA ladder. The primers used included lane 1, APPA-UP2 and APPA-KPN (750 bp); lane 2, APPA -MATURE and APPA-KPN (1235 bp); lane 3 APPA MATURE and APPA-DOWN2 (608 bp); lane 4, PIG-BGF and PIG-BGR (207 bp). lane 5, a negative control without DNA template added; lane 6, the *appa*A gene & primers APPA-UP2 and APPA-KPN. The numbers on the left indicate the sizes of the bands in the standard. No PCR products were detected in the absence of either DNA template or primers.

Figure 9 illustrates weight and salivary phytase activity of the transgenic boar 167-02 and average weight of the pen-mates at intervals during growth. Symbols: Weight of 167-02, \square ; Average weight \pm SD of four penmates, \blacktriangle ; phytase activity of 167-02, \blacksquare ; Phytase specific activity, \square . Arrows indicate sampling for fecal phosphorus concentration.

5 Figure 10 illustrates weight and salivary phytase activity of the transgenic boar 282-02 and average weight of the pen-mates at intervals during growth. Symbols: Weight of 282-02, \square ; Average weight \pm SD of five penmates, \blacktriangle ; phytase activity of 282-02, \blacksquare ; Phytase specific activity, \square . Arrows indicate sampling for fecal phosphorus concentration.

10 Figure 11 illustrates weight and salivary phytase activity of the transgenic boar 282-04 and average weight of the pen-mates at intervals during growth. Symbols: Weight of 282-04, \bullet ; Average weight \pm SD of five penmates, \blacktriangle ; phytase activity of 282-04, \blacksquare ; Phytase specific activity, \square . Arrows indicate sampling for fecal phosphorus concentration.

15 Figure 12 illustrates weight and salivary phytase activity of the transgenic boar 405-02 and average weight of the pen-mates at intervals during growth. Symbols: Weight of 405-02, \square ; Average weight \pm SD of four penmates, \blacktriangle ; phytase activity of 405-02, \blacksquare ; Phytase specific activity, \square . Arrows indicate sampling for fecal phosphorus concentration.

20 Figure 13 illustrates weight and salivary phytase activity of the transgenic boar 421-06 and average weight of the pen-mates at intervals during growth. Symbols: Weight of 421-06, \bullet ; Average weight \pm SD of four penmates, \blacktriangle ; phytase activity of 421-06, \blacksquare ; Phytase specific activity, \square . Arrows indicate sampling for fecal phosphorus concentration.

Figure 14 illustrates the PCR results of first generation pigs. More specifically, Figure 14 is a picture of an agarose gel showing the PCR analysis of eight litter 154 piglets. The phytase transgenic boar 167-02 was used to breed a non-transgenic female. Std, 100 bp ladder, numbers on left are the sizes of the fragments in each band in bp; lane 167-02, DNA from boar 167-02 1, DNA from 167-02; lane C, is a lane without added DNA; lanes 1-8, are amplified DNA inserts from each of the offspring piglets of the litter. Phytase primers were Lama-UP and APPA-DOWN4. β -globin primers were PIG-BGF and PIG-BGR.

30 Figure 15 illustrates a sodium dodecylsulfate gel stained with silver demonstrating the sizes of the *E. coli* produced APPA phytase and the APPA phytase produced by the pig and a demonstration that the pig phytase is glycosylated. More specifically, Figure 15 is a picture of a sodium dodecylsulfate polyacrylamide gel electrophoresis (SDS-PAGE) profile of the purified AppA phytase produced in *E. coli* and the purified pig salivary phytase stained directly with silver (A) and a transfer from a similar SDS-PAGE gel transferred to

nitrocellulose and stained for glycoproteins (B). Creatinase is not glycosylated while transferring is glycosylated. The numbers on the left are the masses in of the molecular mass standards (Std) expressed in kDa.

Figure 15B is a picture of Western blot of the untreated pig AppA phytase and the same phytase after treatment with a combination of three deglycosylating enzymes. Lane 1, Purified AppA phytase produced in *E. coli* (untreated); lane 2, purified pig phytase (untreated); lane 3, purified pig phytase treated with the combination of deglycosylating enzymes including N-glycosidase F, O-glycosidase and neuraminidase.

Figure 16 illustrates a Western blot of the pig phytase and the *E. coli* produced APPA phytase using monoclonal antibodies directed to the APPA phytase documenting that they have homologous epitopes. More specifically, Figure 6 is a Western blot of the AppA phytase from pig saliva after various purification steps and of purified phytase produced in *E. coli*. A monoclonal antibody prepared against the *E. coli* phytase was used as the primary antibody for detection. Lane 1, saliva from non-transgenic pig 164-04; lane 2, saliva from transgenic pig 167-02; Lane 3, saliva fraction not bound to DEAE-Sepharose; lane 4, salivary phytase bound to DEAE-Sepharose and released with an NaCl gradient; lane 5, salivary phytase further purified by Chromatofocusing with a pH gradient of 4 to 7; lane 6, phytase purified from *E. coli*. The numbers on the left are the masses of molecular mass standards (not shown) expressed in kDa.

Figure 17 illustrates an SDS-Page of the *E. coli* APPA phytase, saliva samples from phytase negative and positive pigs and mice and a corresponding Western blot documenting that phytases from all three sources have homologous antigenic epitopes, but the animal phytases are larger than that produced in *E. coli*. More specifically, Figure 6 is a SDS-PAGE profile of the purified *E. coli* produced AppA phytase and the AppA phytases produced by pigs and mice stained with silver (A) and a Western blot of an identical set of protein samples (B). A polyclonal antibody prepared against the *E. coli* phytase was used as the primary antibody for detection. Lane 1, Purified AppA phytase produced in *E. coli*; lane 2, Saliva from a non-transgenic pig 164-01; lane 3, Saliva from a AppA producing transgenic pig 167-02; lane 4, Purified phytase from pig 167-02; lane 5, Saliva from a non-transgenic mouse; lane 6, Saliva from a transgenic mouse containing R15/APPA transgene induced with isoproterenol; lane 7, Saliva from a transgenic mouse containing the Lama/APPA transgene; Std, Molecular mass markers. The numbers on the left are the masses of molecular mass standards (not shown) expressed in kDa.

Figure 18 illustrates the nucleic acid sequence of the known segment of the R15/APPA + intron plasmid including the vector sequences of pBLCAT3 (SEQ ID NO:2).

Figure 19 illustrates the nucleic acid sequence of the known segment of the R15/APPA + intron transgene construct used for the generation of transgenic mice (SEQ ID NO:3).

Figure 20 illustrates the nucleic acid sequence of the known segment of the R15/APPA plasmid including the vector sequences of pBLCAT3 (SEQ ID NO:4).

Figure 21 illustrates the nucleic acid sequence of the known segment of the R15/APPA transgene construct used for the generation of transgenic mice (SEQ ID NO:5).

Figure 22 illustrates the nucleic acid sequence of the SV40/APPA + intron plasmid (SEQ ID NO:6).

Figure 23 illustrates the nucleic acid sequence of the Lama2/APPA transgene construct used for the generation of transgenic mice and transgenic pigs (SEQ ID NO: 7).

DESCRIPTION OF THE PREFERRED EMBODIMENTS

In the following description, a number of recombinant DNA technology terms are used. The following definitions have been provided in order to enable a clearer understanding of the specification and appended claims:

"Promoter" - a DNA sequence generally described as the 5' region of a gene and located proximal to the start codon. The transcription of an adjacent gene is initiated at the promoter region. If a promoter is an inducible promoter then the rate of transcription increases in response to an inducing agent. A constitutive promoter is one that initiates transcription of an adjacent gene without additional regulation.

"Operably Linked" - a nucleic acid sequence is "operably linked" when placed into a functional relationship with another nucleic acid sequence. For instance, a promoter or enhancer is "operably linked" to a coding sequence if the promoter causes the transcription of the sequence. Generally, operably linked means that the linked nucleic acid sequences are contiguous and, where it is necessary to join two protein coding regions, contiguous and in one reading frame.

"Phytase" - any protein that liberates phosphate from myo-inositolhexakis-phosphate or other inositol phosphates. Its catalytic capability may be limited to phytic acid or one of its salts, or it may show less specificity and hydrolyze a variety of phosphorylated compounds.

"Gene" - a DNA sequence that contains a template for an RNA polymerase and contains information needed for expressing a polypeptide or protein.

"Polynucleotide Molecule" - a polydeoxyribonucleic (DNA) acid molecule or a polyribonucleic acid (RNA) molecule.

5 "Expression" - the process by which a polypeptide is produced from a structural gene.

"Cloning vehicle" - is a plasmid or phage DNA or other DNA sequence which is capable of carrying genetic information into a host cell. A cloning vehicle is often characterized by one or more endonuclease recognition sites at which such DNA sequences may be cut in a determinable fashion without loss of an essential biological function of the vehicle. A cloning vehicle is a DNA sequence into which a desired DNA may be spliced in order to bring about its cloning into the host cell.

"Vector" - is a term also used to refer to a cloning vehicle.

"Plasmid" - is a cloning vehicle generally comprising a circular DNA molecule that is maintained and replicates autonomously in at least one host cell.

15 "Expression vehicle" - a vehicle or vector similar to a cloning vehicle but which supports expression of a gene that has been cloned into it, after transformation of a host. The cloned gene is usually placed under the control of (i.e. is operably linked to) certain control sequences such as promoter sequences.

"Host" - a cell that is utilized as the recipient and carrier of recombinant material.

20 "Homologous" - refers to a nucleic acid molecule that originates from the same genus or species as the host.

"Heterologous" - refers to a nucleic acid molecule that originates from a different genus or species than that of the host.

"Glycoprotein" - refers to a peptide molecule that has undergone glycosylation.

25 "Glycosylation" - refers to the addition of carbohydrate groups to a amino acid residues of a peptide molecule.

In recent years, transgenic animals have been developed for many purposes (Pinkert *et al.* 1990) (Wall *et al.* 1997). One premise, therefore, for the present invention is that by providing a transgenic animal capable of expressing phytase, the problems discussed above would be obviated. The options for heterologous phytase expression in animals include (i) salivary gland secretion of a phytase, (ii) pancreatic secretion of the enzyme into the small intestine along with the digestive enzymes, or (iii) secretion from the intestinal epithelial cells much like that of indigenous alkaline phosphatase and glycosidases (Low, 1989). The *E. coli* phytase would appear to be best suited for hydrolytic activity in the monogastric stomach

because the enzyme has a pH optimum in the range of 2.5 to 4.5 and it is resistant to pepsin, the predominant protease active in the stomach. The phytase has a periplasmic location in *E. coli* and has an N-terminal signal peptide sequence (Golovan et al., 1999) that seemed optimally adapted for secretion from the parotid gland. Phytase could be expressed in either the pancreas
5 for secretion into the small intestine or it could be expressed in the intestinal epithelial tissue and secreted into the intestinal milieu. However, if these choices of expression locations were chosen, it would be necessary to select an enzyme active at the more neutral pH of the small intestine and one which was more resistant to pancreatic enzymes including trypsin, chymotrypsin and elastase.

10 Factors of importance in terms of the expressed enzyme when selecting a phytase for expression in the gastrointestinal tract include a pH that is optimum for activity, high catalytic activity, broad substrate specificity, and protease resistance. If any of these properties, or indeed others, is not acceptable, there are now sophisticated molecular methods for modifying the properties of an enzyme. These include site directed mutagenesis, random
15 mutagenesis and various modifications of DNA shuffling (Harayama, 1998; Cramer et al., 1998).

Synthesis of phytase in the salivary gland and secretion in the saliva would, therefore, provide for early contact of the enzyme with phytic acid present in the feed and provide sufficient time for hydrolysis.

20 The salivary gland system of the pig consists of three pairs of glands, the parotid gland, which secretes through a duct on each cheek, and mandibular and submaxillary glands that have joint ducts that secrete beneath the front on the tongue. Saliva secreted in the pig via these ducts is discontinuous and is produced during consumption of solid foods, and can equal the weight of food consumed when water is limited during feed consumption (Corring, 1980; Arkhipovets,
25 1956). For example, the quantity of saliva produced by a 45 kg pig can vary from near zero when the pig receives a mainly liquid diet to 500 g when a dry diet is consumed without access to water. The salivary glands of the pig secrete amylase (Rozhkov and Galimov, 1990) and a variety of other salivary proteins and mucopolysaccharides.

To our knowledge no porcine genes coding for salivary proteins have been cloned.
30 However, genes coding for major proteins secreted by the rat and mouse have been cloned and characterized. A multigene family encoding a group of unique proteins high in proline, the so-called proline-rich proteins (PRPs) are produced when either mice or rats consume tannins or are injected with isoproterenol.

It would be advantageous to develop an animal that is transformed to express phytase, preferably in the salivary gland. In such case, the phytate naturally occurring in the animal feed can be utilized by the animal without any additives being used. This will decrease the cost of animal production, and furthermore, will avoid polluting the environment with phosphorus. Therefore, the present invention aims to overcome the deficiencies of the prior art relating to increasing phytate utilization and, particularly, to provide transgenic animals which express phytase.

In the production of heterologous proteins by means of recombinant methods, several hurdles have been faced. One such hurdle that is often faced is the lack of required post-translational modification of the expressed protein thereby resulting in a protein that is structurally and/or functionally, different from the desired molecule. Glycosylation is one such post-translational modification that is desired. However, such modification is generally found to occur in more complex mammalian systems. Therefore in one embodiment of the present invention there is provided a method of producing recombinant glycoproteins.

In one embodiment, the present invention provides an animal capable of inducible or constitutive salivary expression of a heterologous protein. To illustrate this, the mouse was chosen as the animal model and the gene constructs used for transformation were created using the rat proline-rich protein (PRP) promoter/enhancer (inducible promoter) and the mouse parotid secretory protein (PSP) promoter/enhancer (constitutive promoter). In this illustration, phytase was used for expression in saliva.

After finding that an inducible phytase could be expressed in the parotid gland of mice the expression of the phytase transgene under the control of the constitutive PSP promoter was then tested. Two mice transgenic for the PSP construct were produced under contract at the University of Alabama.

Following the testing of the mice described above, transgenic pigs were developed by introduction into the genome a phytase transgene consisting of a constitutive promoter driving the synthesis of a highly active phytase. The pigs so generated were found to excrete less phosphorus in their feces than non-transgenic pigs.

Expression in the Salivary Glands

Saliva is a clear colorless fluid secreted by major salivary glands (parotid, submandibular, sublingual and minor salivary) that lubricates and cleans the oral structure, as well as initiates the process of digestion. The parotid glands are two of six major glands associated with the production of saliva. The parotid gland is composed mainly of two cell

types: acinar and interglobular duct cells. The acinar cells, which represent 75 to 85% of the tissue, are the sites of secretory protein synthesis (Frandsen and Spurgeon 1992). Two very abundant proteins are produced by these cells: α -amylase (AMY-1) (2% of polyA RNA) (Madsen and Hjorth 1985), and parotid secretory protein (PSP) (10% of polyA RNA) (Shaw and Schibler 1986). Several constructs are now available which allow tissue-specific expression of a transgene in the salivary glands of mice.

The salivary secretion in pigs has not received the attention given to that of mice and humans. It was suggested that salivary secretion is discontinuous (less secreted between periods of meal consumption). Up to 500 g of saliva may be secreted by a 45 kg pig upon consumption of 500 g of dry feed (Corring 1980). Wide variations were detected in both the flow rate and electrolytes in saliva between animals and even between samples taken from the same animal on separate days (Tryon and Bibby 1966). Very little is known about the composition of pig's saliva or salivary enzymes. Salivary amylase was detected, although the quantity was 250 000 times less than that of pancreatic amylase, and 100 times less than in human saliva (Low 1989). There are no constructs known which would allow salivary gland-specific expression of transgene in pigs.

I) APPA Gene Under Control Of An Inducible Promoter

1) Construction of R15/APPA constructs (Inducible Promoter)

In this process, a plasmid is constructed by linking a promoter/enhancer for a saliva protein with the *APPA* gene, which codes for the bifunctional phytase, acid phosphatase. The *APPA* gene used in this construction was cloned from *E. coli* ATCC 33965 into pBR322. This is described above (Golovan et al., 2000).

Proteins, unusually high in proline, the so-called proline-rich proteins (PRPs), comprise about 70% of the total proteins in human saliva (Bennick 1982). Unlike the constitutive expression of the PRPs in humans, the salivary glands of mice, rats and hamster normally either do not express PRPs or express them in low levels. In the rat and mouse, PRP gene expression can be dramatically induced by diets high in tannins or by injection with the β -agonist isoproterenol (Carlson 1993). After 6 to 10 days of daily isoproterenol injection the PRPs comprised about 70% of the total soluble protein in parotid gland extracts. PRP cDNA and PRP genes have been cloned and characterized from rats (Clements *et al.*

1985), mice (Ann and Carlson 1985), hamsters (Mehansho *et al.* 1987), and humans (Kim and Maeda 1986).

Transgenic mice were used to locate the cis-acting DNA elements that are essential for salivary-specific and inducible expression of the rat proline-rich protein gene, R15. It was found that a parotid control region (-6 to -1.7 kb) upstream of the R15 promoter is capable of directing parotid-specific and isoproterenol-inducible expression of a heterologous promoter construct (Tu *et al.* 1993). The distal -10 to -6 kb region was shown to function as an enhancer, which can increase levels of expression more than 30-fold. The -6 to -1.7 kb region also seems to function as a locus control region (LCR), because it conferred copy number-dependent and chromosomal position-independent expression of a reporter gene in 15 out of 15 independent transgenic mice (Tu, Lazowski, Ehlenfeldt, Wu, Lin, Kousvelari, and Ann 1993).

We obtained the R15-PRP promoter from Dr. D.K. Ann as a plasmid -10R15/ CAT, which placed the chloramphenicol acetyltransferase gene (CAT) under control of the inducible R15-PRP promoter. We decided to use the plasmid as a basis for transgene construction (Figure 1). Due to the absence of complete sequence information about the R15-PRP promoter (only 2 kbp out of 10 kbp was sequenced) we removed the R15-PRP promoter by Xho I digestion (Figure 1, step 1). Re-ligated plasmid was used as a template for PCR with CAT-ATG and CAT-TAA synthetic primers. The 4.3 kbp CAT_{PCR} fragment had the initiation site of the CAT gene substituted with the optimal eukaryotic initiation sequence (Kozak 1987). The fragment was purified by agarose gel electrophoresis, re-ligated to itself and used to transform *E. coli* (Figure 1, step 2). The CAT_{PCR} plasmid was digested with Nco I and filled-in using T4 DNA polymerase to generate a blunt end. After that, the CAT_{PCR} fragment was digested with Eco47III and purified by agarose gel electrophoresis (Figure 1, step 3). Three rare codons in the APPA gene were modified during the sub-cloning steps leading to the construction of the transgene. Specifically, the Ala₃ coding sequence was changed from GCG to GCC, the Pro₄₂₈ sequence was changed from CCG to CCC, and the Ala₄₂₉ sequence was changed from GCG to GCT. This modification was made in order to increase the possibility of transcription of the gene in eukaryotic cells. The APPA gene was amplified by PCR using the previously cloned APPA gene from the pBR322/APPA plasmid with the synthetic primers APPA-DRA and APPA-SMA. The 1.3 kbp APPA_{PCR} fragment generated by PCR was digested with Dra I and Sma I and gel-purified (Figure 1, step 4). APPA_{PCR} and CAT_{PCR} fragments were blunt end ligated to produce CAT/APPA+intron

vector (Figure 1, step 5), which was introduced into a DH5 α strain of *E. coli*. The insert orientation was checked by restriction digest with Sal I and EcoR I. The transgene in CAT/APPA+intron was checked by sequencing both strands. To remove the SV40 small t intron the 2.3 kbp APPA/intron/polyA fragment was excised from a plasmid by Xho I and EcoR I digestion (Figure 1, step 6a), gel purified and digested by Dra I (Figure 1, step 6b). The 1.5 kbp (APPA) and 0.2 kbp (polyA) fragments were gel-purified and linked together in three way ligation with CAT_{PCR} digested with Xho I and EcoR I (Figure 1, step 6c). The resulting plasmids CAT/APPA and CAT/APPA+intron were digested with Xho I, gel-purified and re-ligated with R15-PRP promoter digested with Xho I (Figure 1, step 7). Because of the low efficiency of ligation the whole ligation mixture was used to transform *E.coli*, total plasmid DNA was prepared and run on the agarose gel. Plasmids which were larger than the original CAT/APPA (5.6 kbp) were eluted and re-transformed in *E.coli*. Plasmids with the R15-PRP insert (15 kbp) were identified by electrophoresing DNA from a single colony on an agarose gel. The correct orientation was identified by PCR with R15-UP1 and APPA-DOWN2 synthetic primers. The plasmids R15/APPA and R15/APPA+intron were both digested with Hind III and Kpn I; transgenes were gel-purified and further purified using a Qiagen column (Figure 1, step 8).

Figure 18 illustrates the nucleic acid sequence for the plasmid containing the known segment of the R15/APPA + intron sequence including the vector sequences of pBLCAT3.

The sequence of this plasmid is designated as SEQ ID NO:2.

Figure 19 illustrates the nucleic acid sequence for the transgene construct containing the known segment of the R15/APPA + intron sequence used for the generation of transgenic mice. The sequence of this transgene is designated as SEQ ID NO:3.

Figure 20 illustrates the nucleic acid sequence for the plasmid containing the known segment of the R15/APPA sequence including the vector sequences of pBLCAT3. The sequence for this plasmid is designated as SEQ ID NO:4.

The pBLCAT3 sequence indicated above is present in the CAT/APPA of Figure 1 and in the CAT/APPA+intron of Figure 2. This sequence was part of the original -10R15/CAT and a portion of it was carried through in the construction process.

Figure 21 illustrates the nucleic acid sequence for the transgene construct containing the known segment of the R15/APPA sequence used for the generation of transgenic mice. The sequence of this transgene is designated as SEQ ID NO:5.

2) Expression of SV40/APPA+intron in Cell Culture

To produce an SV40/APPA plasmid for expression of *APPA* in cell culture, the SV40 promoter/enhancer was amplified by PCR from the pSV- β -galactosidase plasmid (Promega) using the synthetic primers SV-HIND and SV-XHO. The SV40 promoter/enhancer fragment was digested with Xho I and Hind III, gel purified, and ligated into CAT/APPA digested with Xho I and Hind III (Figure 2).

Figure 22 illustrates nucleic acid sequence for the SV40/APPA + intron. The sequence for this plasmid is designated as SEQ ID NO:6.

We obtained a rat parotid acinar cell line PARC 5.8 (Quissell *et al.* 1998) that we intended to use for transient expression of the phytase transgene. The purpose was to test the efficiency of different constructs for transgene expression and also to detect any deleterious effects of phytase expression before introduction into the animals. We tried transient expression of the *APPA* gene using R15/APPA and R15/APPA+intron constructs but because of low transfection efficiency and/or low expression levels, we were unable to detect either phytase or β -galactosidase that we used as a control for transfection.

We exchanged the R15-PRP inducible promoter from the R15/APPA construct with the SV40 constitutive promoter-enhancer, which enables high level transient expression in different cell cultures. CHO, COS7 and HELA cell lines were screened for transient expression of the *APPA* phytase using the SV40 promoter/enhancer. All cell lines were maintained on DMEM/F12 (Sigma) cell medium with 10 % (wt/vol) heat-inactivated fetal bovine serum at 37°C in 5% CO₂ and 95% air. Cells were grown to 70 % confluence before transfection. Two hours before transfection the medium was exchanged with fresh medium. Cells were transformed with 5 μ g of DNA per 60 mm culture plate (1:1 SV40/*APPA* and SV40/ β -galactosidase) using the DNA-Calcium-Phosphate method of transfection (Gorman *et al.* 1983). After 6 hours of incubation the medium was removed and cells were subjected to glycerol shock for 3 min (Ausbel *et al.* 1992). Cells were washed with phosphate-buffered saline (PBS) and incubated in fresh medium under standard growth conditions. After 48 hours of incubation cell-free culture fluid was collected, the cells washed two times with PBS and lysed with 1ml of 1% (vol/vol) NP-40, 1mM disodium EDTA in Hanks balanced salts (HBSS) for 1 hour at 4°C. The phytase assay was performed in a final volume of 100 μ l of 0.1 M sodium acetate/acetic acid buffer (pH 4.5) using sodium phytate (4 mM) as a substrate at 37°C. After 6 hours of incubation the reaction was stopped with 67 μ l ammonium molybdate/ammonium vanadate/nitric acid mixture and the concentration of liberated

inorganic phosphate determined at 405 nm (Engelen *et al.* 1994). One unit (U) of enzyme activity was the amount of the enzyme releasing 1 μ mol inorganic phosphate per minute. The assay was performed in triplicate. As a control for endogenous phytase activity, non-transfected cell lines were used.

5 We did not detect endogenous phytase activity in non-transfected cell lines. Phytase activity was detected in all transfected cell lines, with COS7 cells expressing a total of 0.35 U of phytase in cell-free culture fluid (4 ml) and 0.0034 U in the cell fraction (1.1 ml) obtained from the same plate. The phytase activity produced by COS7 cells was 7 times higher than that of CHO and 35 times more than the HELA cell line. More than 99% of activity was
10 located in cell-free culture fluid, which suggests that the expressed enzyme was exported out of the cell using the bacterial signal sequence. We were unable to detect expression of cytoplasmic β -galactosidase, which we wanted to use as a control for transfection efficiency.

3) Expression of R15-PRP/APPA in Transgenic Mice

15 Transgenic mice were generated using the constructs R15/APPA and R15/APPA+intron by Dr. C.A. Pinkert at the NICHD Transgenic Mouse Development Facility (NTMDF), University of Alabama at Birmingham, Alabama. The procedures followed in generating the mice have been standardized by the NTMDF and further information concerning this can be obtained at: <http://transgenics.bhs.uab.edu/page1.htm>, the
20 content of which is incorporated herein by reference. This procedure involved the microinjection technique for transfecting mice with the desired nucleic acid sequence. To summarize, the sequences are microinjected into mouse zygotes and the surviving eggs are implanted into pseudopregnant recipient mice. The recipient mice then give birth to the resulting founder transgenic mice. It will be appreciated that various other methods of
25 generating transgenic mice may be used in the present invention.

The R15/APPA transgene in mice was detected by PCR using the primers CAT-UP1 and APPA-DOWN2 that gives rise to a 700 bp fragment using the standard PCR conditions, except that the hybridization step was set at 51°C for 40 seconds and the polymerization step was at 72°C for one minute.

30 For the R15/APPA construct 8 PCR positive founder mice were obtained of which 4 were males and 4 were females. Three of the founders did not pass the transgene to progeny and were probably mosaics. For R15/APPA+intron 5 PCR positive founder mice were obtained, 3 were males and 2 were females, and one of them was found to be mosaic. At 10

to 12 weeks of age PRP production in the PCR positive progeny from different lines was induced for 10 days by daily intraperitoneal (ip) injection of 1mg isoproterenol dissolved in 100 µl sterile saline. To serve as a control several PCR negative progeny were also induced. No significant differences in weight were noticed between PCR positive and PCR negative
5 progeny at either the beginning or end of the induction period. Saliva was collected before induction and at the end of the 10 day induction period.

To collect saliva, mice were lightly anesthetized with a ketamine/xylazine mixture (ip injection of 50 mg ketamine and 5 mg xylazine per kg body weight diluted in water) and saliva flow was induced by injection with pilocarpine/isoproterenol (ip injection of 0.5 mg
10 pilocarpine and 2 mg isoproterenol per kg body weight dissolved in saline) (Hu *et al.* 1992). Between 100-250 µl of saliva was collected from each mouse over a 30 min period beginning 5 min after the pilocarpine/isoproterenol injection.

The saliva was collected from each mouse by holding it in one hand and withdrawing saliva from the corner of the mouth with a 20 µl pipetter. Collected saliva was transferred to
15 a cold Eppendorf microcentrifuge tube containing 2 µl of 0.5 M EDTA (pH 8.0) and 4 µl of 10 mg/ml protease inhibitor Pefabloc (Boehringer Mannheim) dissolved in water. The tubes with saliva were kept on ice until assays were conducted. Phytase activity in the saliva was assayed as described for the SV40/APPA expressed in cell culture.

Phytase expression was not detected in either un-induced or in induced PCR negative
20 mice. For PCR positive mice, phytase expression was not detected in those that were un-induced. However, phytase expression was observed for PCR positive mice that were induced. The results of this study are summarized in Table 1.

Even though it was possible to distinguish saliva from induced PCR positive from that of PCR negative mice in a phytase assay by a characteristic yellow color, saliva from some of
25 the negative mice, when assayed, produced cloudiness that was impossible to remove by centrifugation and that affected spectrophotometer readings. We did not notice any gender differences in expression, both males and females were found to produce phytase in saliva. In three lines (all R15/APPA+intron) no phytase expression or very low level of expression (0.03-0.95 U/ml) was detected, in 4 lines the level of expression ranged from 7 to 87 U/ml,
30 and two lines (both R15/APPA) produced very high levels of phytase in saliva, 252 and 547 U/ml.

These experiments demonstrated that phytase can be expressed at a very high level in the salivary glands of mice, without detrimental effects on the animals. We also were able to

produce progeny with an inducible salivary phytase from animals expressing the inducible phytase thereby documenting inheritance of the trait, and showing that the reproductive capability of animals was not affected. When the F2 generation of mice were tested for salivary phytase the level of phytase production was preserved.

5 Founders containing the transgene without the intron gave offspring that produced significantly higher levels of phytase. The SV40 intron in the R15/APPA+intron construct seems to cause a lower level of expression, and in three lines (A1f, A20f and B0m) the level of phytase was barely detectable. The level of phytase expression in A2m line (R15/APPA+intron) was 6.2 times lower than that of the B0m-intron line (R15/APPA).

10 Preliminary experiments showed that when the enzyme was analyzed by PAGE its size was increased from 42 kDa to 60 kDa. It is likely modified by glycosylation, but stable and active.

II) APPA Gene Under Control Of A Constitutive Promoter

1) Construction of the Lama2/APPA Transgene (Constitutive Promoter)

15 The murine parotid secretory protein (PSP) is the most abundantly expressed protein in the parotid gland of mice (Madsen and Hjorth 1985). After an hour of pulse labeling, the mouse parotid gland incorporates 65 to 85% of ¹⁴C-leucine into this single protein (Owerbach and Hjorth 1980). It was estimated that PSP mRNA accumulates up to 50,000 molecules per cell and that from 3 to 5 molecules of PSP are produced for every molecule of amylase (Madsen and Hjorth 1985). Despite the predominance of the PSP in saliva its function is not well characterized.

25 The single-copy gene coding for PSP has been cloned and characterized. It has two alleles PSP^a (Shaw and Schibler 1986) and PSP^b (Owerbach and Hjorth 1980). The PSP^b allele is also expressed in the sublingual gland, but at 1/10 of the level found in the parotid gland. It was shown that 4.6 kbp of 5' flanking sequence of PSP^b is sufficient for salivary gland specific expression. The level of sublingual expression approached 100% of the PSP mRNA level, whereas the parotid expression did not exceed 1% (Mikkelsen *et al.* 1992),
30 which demonstrates that regulatory sequences for sublingual and parotid expression are not identical. The level of expression was also dependent on the site of integration. The same construct was used for expression of the C-terminal chain of the human blood coagulation factor VIII, FVIII. A high level of FVIII mRNA was detected in the sublingual gland and a low level in the parotid gland. The transgenic lines also secreted the FVIII light chain into

saliva at the level of about 10 units per salivation (about 0.05 ml of saliva) (Mikkelsen et al., 1992). Later the same group achieved a high level of parotid-specific expression that was similar or even exceeded that of the endogenous gene by using 11.4 kbp of 5' flanking sequences and 2.5 kbp of 3' flanking sequences (Larsen et al. 1994). The expression also seems to be position-independent and copy-number-dependent that could indicate the presence of a LCR in these sequences.

Lama 2 is a portion of the PSP gene and comprises an 18 kbp construct that is expressed in transgenic mice at up to 56% of the endogenous PSP gene.

Because a large part of Lama 2 had not been sequenced, the construct was first disassembled and subcloned into pBluescript KS(+) and after incorporation of the APPA gene, the Lama 2 was reassembled back (Figure 3). We used unique enzymes RsrII and SmaI to remove a 3.4 kbp fragment from Lama2, which was subcloned into the multiple cloning site (MCS) of pBluescript II KS(+) that was previously digested with KpnI and SmaI, using a KpnI-RsrII adapter (Figure 3, step 1).

```

KpnI*      RsrII
      TGGGAGGTCG
      CATGACCCTCCAGCCAG

```

That allowed us to preserve the RsrII (CG/GWCCG) site and destroy the KpnI site (GGTAC/C> GGTAC/T), which would otherwise interfere with future cloning. The pKS/Lama construct was digested with ApaI and KpnI and used in a three-way ligation with the modified APPA (Figure 3, step 2). We designed two PSP/APPA constructs. One construct APPA-signal/APPA (Figure 3, steps 3a-7a) had the original bacterial signal sequence from the APPA protein having the following amino acid sequence:

```

Met-Lys-Ala-Ile-Leu-Ile-Pro-Phe-Leu-Ser-Leu-Leu-Ile-Pro-Leu-Thr-Pro-Gln-Ser-Ala-Phe-
Ala

```

We also modified a sequence near the ATG codon to resemble the optimal mammalian Kozak sequence (GCC GCC A/GCC ATG G) (Kozak 1987), but we did not mutagenize the +4 position because it would change Lys to Glu in the signal sequence with possible deleterious consequences for protein export. This optimized sequence was used in our previous construct R15/APPA and led to high levels of phytase production. We checked the APPA bacterial signal sequence using the PSORT computer neural network trained on eukaryotic signal sequences and further described at <http://psort.nibb.ac.jp:8800/> (Nakai and

Kanehisa 1992). The APPA bacterial signal sequence was recognized as an efficient leader peptide and the cleavage site was correctly predicted. PSORT also predicted that there is a high probability that phytase would be exported correctly outside of the cell. There were also publications showing that some bacterial signal sequences might function efficiently in mammalian cells (Williamson *et al.* 1994) (Hall *et al.* 1990). Our experiments using cell culture demonstrated that the APPA signal was correctly processed with export of phytase outside of the cell.

Experiments using cell culture cannot predict the direction of export and if phytase were exported into blood vessels instead of salivary ducts that could lead to deleterious effects. That is why we also designed a second construct PSP-signal/APPA (Figure 3, steps 3b-7b) that would preserve the original PSP signal amino acid sequence:

Met-Phe-Gln-Leu-Gly-Ser-Leu-Val-Val-Leu-Cys-Gly-Leu-Leu-Ile-Gly-Asn-Ser-Glu-Ser

This leader peptide was also efficiently recognized by PSORT with the correct cleavage site (Nakai and Kanehisa 1992). In this construct we also preserved the original PSP sequences near the ATG start codons, which may not be optimal, but could be important in regulation of gene expression. The APPA gene for both constructs was amplified by PCR using as the template our previous transgenic construct R15/APPA that possessed the optimal Kozak sequence and the modified codons for residues Ala3, Pro428 and Ala429 as described earlier. For the APPA signal/APPA construct two synthetic primers were used which introduced a ClaI site near the ATG codon (APPA-CLA) and a KpnI site near the TAA stop codon (APPA-KPN). The APPA_{PCR1} product was digested with ClaI and KpnI. The ClaI site was also introduced into Lama 2 using pKS/Lama 2 as template for PCR. LAMA-UP primer was located upstream of ApaI site and the LAMA-CLA primer introduced the ClaI site near ATG codon (Figure 3, step 3a). Lama_{PCR1} product was digested with ClaI and ApaI (Figure 3, step 4a). pKS/Lama (ApaI-KpnI), Lama_{PCR1} (ApaI- ClaI) and APPA_{PCR1} (ClaI-KpnI) were combined together in a three-way ligation reaction (Figure 3, step 5a). The recovered pKS/Lama/APPA plasmid was digested with RsrII, SmaI and inserted back into Lama2 (Figure 3, step 6a).

For the PSPsignal/ APPA construct, the synthetic APPA -KPN primer was used with the synthetic APPA -MATURE primer, which produced phytase without a signal sequence. The APPA_{PCR2} product was blunt-ended using T4 DNA polymerase and digested with KpnI. The PSP signal sequence was produced using the LAMA-UP and LAMA -SIGNAL primer

(Figure 3, step 3b). The Lama_{PCR2} was blunt-ended using T4 DNA polymerase and digested with ApaI (Figure 3, step 4b). pKS/Lama (ApaI-KpnI), Lama_{PCR2} (ApaI-blunt) and APPA_{PCR2} (blunt-KpnI) were combined together in a three-way ligation reaction (Figure 3, step 5b). The recovered pKS/Lama/APPA plasmid was digested with RsrII, SmaI and
5 inserted back into Lama2 (Figure 3, step 6b).

Even though both constructs were successfully produced we decided to use Lama2/APPASignal/APPA for the generation of transgenic mice, because we have results from our previous transgenic constructs R15/APPA and R15/APPA+intron which demonstrated that phytase with optimized Kozak sequence and the APPA signal peptide was
10 synthesized at a high level in salivary glands after induction and was efficiently exported into the salivary duct. The Lama2/APPA vector was digested with XhoI and NotI, and the transgene was gel-purified and further purified using a Qiagen column (Figure 3, step 7a).

2) Sequence of the Lama2/APPA Construct

A large segment of the Lama2 construct (Laursen and Hjorth 1997) used for
15 construction of the Lama2-APPA transgene had not been reported in GenBank prior to our research. To ensure that we could more clearly describe the transgene construct, and furthermore to avoid the introduction of deleterious DNA sequences from the mouse into the pig in the process of generating transgenic pigs, we sequenced the Lama2-APPA plasmid on both strands. Figure 4 illustrates schematically the structure of the Lama2-APPA plasmid.
20 Figure 5 illustrates the nucleic acid sequence (SEQ ID NO:1) of such plasmid. The full transgene sequence was reconstructed from overlapping DNA sequences using the Contig Assembly Program (CAP) (<http://hercules.tigem.it/ASSEMBLY/assemble.html>) developed by Huang (1996; 1999) and then inspected manually for sequencing errors. The transgene sequence was checked for the presence of interspersed repetitive elements using the computer
25 program RepeatMasker (Smith and Green, RepeatMasker at <http://ftp.genome.washington.edu/cgi-bin/RepeatMasker>). It was found that 26 % of the transgene sequence was composed of repetitive elements (Table 2). However, such repetitive elements are widely present in all mammalian genomes. For example, up to 50% of the human genome is derived from repetitive elements (Smit 1996; Kazazian 1998).
30 Figure 23 illustrates the nucleic acid sequence (SEQ ID NO:7) of the Lama2/APPA transgene construct.

The Lama2 high level expression cassette (Laursen and Hjorth 1997) contains the enhancer region and the promoter of the *Psp* gene in the parotid gland. High expression was

shown to be dependent on regulatory elements between -11.5 kb and -6.5 kb and/or between +8.3 kb and +10.9 kb. Svendsen et al. (1998a) showed that a 1.5 kb sequence between -3.1 kb and -4.6 kb had properties of a parotid and sublingual specific enhancer and was designated as the PSP proximal enhancer. Furthermore, they showed that transgenes
5 containing the PSP promoter and 5' flanking region located between -3.6 kb and -4.3 kb contained sequence information necessary to direct salivary gland specific expression.

Screening the transgene with RepeatMasker did not reveal the presence of any full-length active autonomous elements. The repeats present were extensively modified by insertions and deletions. The *blastx* program was also used to compare the transgene

10 sequence translated in all reading frames against the National Center for Biotechnology Information (NCBI) protein sequence database (<http://www.ncbi.nlm.nih.gov/BLAST/>) (Altschul et al. 1990; Gish and States 1993; Terada and Nakanuma 1993). A region of DNA from 861 to 2180 was found that might code for parts of a protein with limited homology (38-58% identities) to the C-terminus of several human and mouse reverse transcriptases.

15 However, the region was extensively modified by mutations with multiple frame shifts and inversions, and probably represented remnants left from the reverse transcriptase gene of a LINE element. It is unlikely that it would be active, due to extensive modifications in the amino acid sequence such that only 18% of the full reverse transcriptase sequence was present and the highly conserved amino acid motif (Y/FXDD) was absent from the sequence
20 (Xiong and Eickbush 1990). The complete sequence was also scanned for the presence of open reading frames (ORFs) that code for proteins using the program GENSCAN (<http://CCR-081.mit.edu/GENSCAN.html>) (Burge and Karlin 1997). Only one gene was found and it corresponded to the *APPA* phytase gene. GENSCAN unexpectedly predicted a different N-terminus for the phytase than would have been expected from the sequence.

25 However, that could have resulted from the lower accuracy of GENSCAN for detecting initiation sites (Burge and Karlin 1998).

3) Generation of Transgenic Mice Expressing a Constitutive Salivary Phytase

In the following description, a pair of founder mice, incorporating the phytase gene and a constitutive promoter, were prepared under contract by the University of Alabama. As
30 will be discussed, these founders were used to produce offspring, which were then analyzed for the presence of the phytase gene by PCR and animals containing the gene were then tested constitutive salivary phytase production.

Two transgenic founder mice (a black male and a white female, 3-1) containing the phytase transgene were received from the NICHD Transgenic Mouse Development Facility at the University of Alabama. The black male was negative for salivary phytase, but the female, 3-1, exhibited a salivary phytase activity of 30 U/ml. Progeny produced by crossing the black male with 4 CD-1 females produced 9 out of 25 females and 13 out of 26 males that were PCR positive. All progeny were negative for salivary phytase. The female founder, 3-1, was out-crossed with a CD-1 male to produce 3 litters for a total of 35 offspring. Of the progeny from these matings one phytase positive G1 male was obtained. When the G1 male was outcrossed with 6 CD-1 females, of the 6 litters 20/34 males were PCR positive and salivary phytase positive and 21/28 females were PCR positive and salivary phytase positive (Table 3). The salivary phytase activity of different offspring from the same first generation (G1) male ranged from 1.3 to 71.2 U/ml. There was no significant difference in the phytase activities between male or female mice.

PCR assays for identification of the transgenic mice were carried out with an initial heating step at 95°C for 3 min, 40 cycles using 95°C for 30 sec, 54°C for 30 sec and 72°C for 1 min) using the following primers: APPA-UP2 and APPA-KPN (Figure 6).

The phytase assays were conducted as described above for the R15-PRP/APPA phytase expressed in cell culture.

4) Production of Transgenic Pigs Containing the Phytase Transgene Lama 2/APPA

Transgenic pigs were produced using Yorkshire and Yorkshire/Landrace cross gilts as the embryo donors and Yorkshire sows as the recipients. The experimental procedure used was similar to that described by Wall et al. (1985). The detailed procedure is described below. The Lama2/APPA construct with the APPA signal peptide was used as the transgene for microinjection.

Methodology for the generation of transgenic pigs

The following is a description of the preferred method of generating transgenic pigs according to the invention. However, it will be apparent to those skilled in the art that various other methods are also applicable.

a) Superovulation of prepuberal gilts and sows.

Selected Yorkshire or Yorkshire/Landrace cross gilts between 70 to 80 kg were superovulated by intramuscular injection of 2000 IU of pregnant mare's serum gonadotropin

(PMSG, Ayerst Veterinary Laboratories), followed by 700 IU human chorionic gonadotropin (HCG, Ayerst Veterinary Laboratories) 60 to 72 hours later, administered in the same manner. The gilts were artificially inseminated three times with a 16 hour interval between inseminations using semen from a high breeding index Yorkshire boar. Twenty-four hours after the last insemination, the gilts were slaughtered and the reproductive tract recovered.

b) Synchronization of estrus in recipients

Estrus was synchronized in experienced recipient sows as described for donor sows. Since synchronization and not superovulation was the goal, hormone levels were reduced to 500 IU for PMSG and 500 IU for HCG. PMSG was given the day the sow's litter was weaned, followed in 72 hours by HCG and surgery for embryo transfer was performed 54 hours thereafter.

c) Embryo collection

Reproductive tracts were collected at the abattoir, inserted into bags, sealed and the bags immersed in water at 39°C for transport to the laboratory. Recovery of the embryos and microinjection with the transgene was conducted in a laboratory maintained at 32 to 33°C. The oviducts were dissected from the tracts and flushed, using a syringe and a feeding tube, with 15 ml of pre-warmed HBECM-3 medium (Dobransky *et al.* 1996). The media was collected in a 100 mm Petri dish and placed in an incubator at 38.5°C with an atmosphere of 5% (vol/vol) of CO₂, 5% (vol/vol) O₂ and the balance N₂. After all tracts were flushed, embryos were individually collected from the flushed media using a polished transfer pipette. Embryos were rinsed twice in 3 ml volumes of pre-incubated BECM-3 and placed in 100 µl of pre-incubated BECM-3 under 3 ml of filter sterilized mineral oil until injected.

d) Pronuclear injection

Embryos from one gilt were collected and placed in one ml of pre-warmed HBECM-3 in a 1.5 ml centrifuge tube and centrifuged for 6 min at 14,000 x g (Wall *et al.* 1985). The embryos were then collected and placed in an injection dish with 40 µl of pre-warmed HBECM-3 covered with 2.5 ml of filter sterilized mineral oil. The pronucleus in each embryo was injected (Gordon *et al.* 1980) with three picolitres of Lama2/APPA DNA in solution at a concentration of 5 ng of DNA per µl in 10 mM Tris, pH 7.5, 0.1 mM EDTA. After injection, the embryos were placed in dishes containing 100 µl of pre-incubated

BECM-3 under 3 ml of filter sterilized mineral oil. After all embryos were injected, which took no more than 4 hours since collection of reproductive tracts, the embryos were transferred to 1.8 ml cryotube (Nunc) containing 1 ml of pre-warmed HBECM-3 and transported in an incubator at 38.5°C to the swine surgery.

5

e) Embryo transfer

Recipient sows were anesthetized by intravenous injection of 500 mg Brietol and anesthesia maintained by inhalation of 3% halothane with 4 litres per min of nitrous oxide and 4 litres per min oxygen. The oviducts were exposed through a laparotomy, just off the dorsal midline, and a catheter, containing 20 to 35 injected embryos and 3 to 6 untreated embryos, was passed into the infundibulum and down the oviduct to the isthmus and emptied. The oviduct was returned to the abdominal cavity and the incision closed.

f) Growth of pigs

New-born piglets were kept together until weaning. At that time males and females were separated and penned with non-transgenic same sex pigs of a similar age from other litters. The pigs are fed *ad libitum* starter rations until 25 kg wt, grower diet from 25 to 60 kg wt and finisher diet from 60 kg to market weight. Water is available *ad libitum*. Transgenic pigs 167-02, 282-02 and 282-04 were maintained on a low phytate ration until 85, 50, and 50 days of age, respectively, and then switched to the grower ration. All other transgenic pigs were given the standard high phosphorus diets.

The diets were provided as pelleted formulations during the weanling, grower and finishing phases are shown in Tables 4 and 5. The vitamin and mineral mixes included in the diets are shown in Tables 6 and 7.

25

PCR analysis

Tail segments from newborn piglets were collected and slices of each placed in 600 µl of 50 mM NaOH and heating at for 95°C for 15 minutes. The suspension was neutralized with 50 µl of 1 M Tris (pH 8.0) and insoluble materials removed by centrifugation for 5 min in a microcentrifuge. A 2 µl sample of each was used for PCR with primers APPA-UP2 and APPA-KPN.

The primers produce a 750 bp fragment if the transgene is present. As a positive control PIG-BGF and PIG-BGR primers were used to detect the porcine β-globin gene from

the same DNA preparation (Heneine and Switzer 1996). The PCR reaction was performed using the same conditions as described for detection of the phytase transgene. As a negative control genomic DNA from a non-transgenic pig was used in the PCR reaction, for a positive control this DNA was spiked with a known amount of transgene (1 gene copy/per genome).

5 When a positive signal was identified by PCR for pig 167-02 (Figure 3) another DNA preparation was made and two more pairs of PCR primers were used to test for gene integrity (Figure 4) APPA-MATURE with APPA-KPN, and APPA-MATURE with APPA-DOWN2 PCR conditions were similar to those described previously.

10 Extraction of DNA from blood for PCR analysis

The method for extraction of DNA from blood was based on a method described by Higuchi (1989) with some modifications. A 100 µl volume of whole blood was mixed with 200 µl of lysis buffer (10 mM Tris-HCl, 0.32 M sucrose, 5 mM MgCl₂, 1% (vol/vol) Triton X-100, pH 7.5.), mixed briefly and incubated on ice for 5 min. The sample was then
15 centrifuged at 14,000 x G for 3 min, and the supernate discarded. The sediment was suspended in lysis buffer, mixed, incubated and centrifuged. This procedure was repeated 2 more times, or until no hemoglobin remained. The sediment was dissociated in 100 µl of 50 mM NaOH, mixed and heated at 100°C for 10 min. The contents were cooled, 10 µl of 1 M Tris-HCl (pH 8.5) added and mixed briefly. The sample was then centrifuged at 14,000 x g
20 for 2 min and 2 µl of the supernate used for analysis by PCR.

The PCR reaction mixture with a total volume of 40 µl consisted of; 23.8 µl of distilled water, 4 µl of 10 X Gibco BRL PCR buffer, 1.2 µl of 50 mM MgCl₂, 0.8 µl of 10 mM dNTPs, 40 pmol of each of the forward and reverse primers in 8 µl, 2 µl of template DNA and 0.2 µl of *Taq* DNA polymerase (Gibco BRL, 5 U/µl). The amplification procedure
25 was performed with an initial heating step at 95°C for 3 min followed by 40 cycles of 95°C for 30 sec, 54°C for 30 sec and 72°C for 60 sec.

The transgenic pigs were detected with primers for the *APPA* gene (APPA-KPN with APPA-UP2), and as a control PIG-BGF with PIG-BGR primers were used for detection of the porcine β-globin gene.

30 Saliva collection from pigs for phytase assays and weighing of pigs

Weanling pigs were sampled for salivary phytase by wiping under the tongue with a cotton tipped applicator, breaking the stick off and centrifuging the applicator tip in a 0.4 ml

microcentrifuge tube, with a hole in the bottom, contained within a 1.5 ml microcentrifuge tube. Grower and finishing pigs were sampled using 1.5 inch long #2 dental cotton absorbent rolls (Ash Temple Sundries Ltd, Don Mills, ON) attached to dental floss. These were centrifuged in 1.5 ml microcentrifuge tubes with holes in the bottom while contained in larger
5 tubes. The saliva was collected from the larger tube and stored at -20°C until analyzed.

Saliva was collected and pigs were weighed at weekly intervals.

Analysis for phytase activity.

Saliva samples were either assayed directly or after dilution in 0.1 M acetate buffer
10 pH 4.5. Phytase was assayed in 200 μl of 0.1 M sodium acetate buffer (pH 4.5) using sodium phytate (4 mM) as a substrate at 37°C . After 10 min of incubation the reaction was stopped by addition of 133 μl ammonium molybdate/ammonium vanadate/nitric acid mixture and the concentration of liberated inorganic phosphate determined at 405 nm (Engelen, van der Heeft, Randsdorp, and Smit 1994). This and all other assays were performed in triplicate.
15 One unit (U) of enzyme activity was the amount of the enzyme releasing 1 μmol of inorganic phosphate per minute.

Assays for salivary phytase and for phytase in blood samples were conducted as previously described for saliva samples. A reagent blank with blood added at the same concentration as the samples assayed was subtracted from the sample readings.

20

Collection of fecal materials and analysis for total phosphorus

Fresh feces were collected from each pig during the grower and finisher phases. Samples were placed in aluminum trays closed with a wax paper top and immediately frozen, and kept frozen until they were lyophilized for analysis. After lyophilization the samples
25 were transferred to room conditions overnight to reach equilibrium in moisture content. The samples were separately ground with a mortar and pestle until homogenous and sealed in plastic containers until analyzed further. Dry matter content of samples was analyzed according to AOAC (Association of Official Analytical Chemists (AOAC) 1984) by heating 1 gram samples at 110°C for 4 hours and cooling in a desiccator prior to weighing. To
30 analyze total phosphorus content, samples were heated at 550°C in a muffle furnace and 10 ml of 10 M HCl added and heated to boiling. The contents from each sample was quantitatively diluted to 250 ml with water and inorganic phosphorus content was measured by the method of Heinoen and Lahti (1981).

Purification of the *E. coli* produced phytase and pig salivary phytase

The APPA phytase was over expressed in *E. coli* strain BL21(DE3) and the EDTA lysozyme extract fraction purified on DEAE-Sephadex and Sephadex-G75 as described by Jia et al. (1998). The pig phytase was purified by chromatography on DEAE-Sephadex and the band of enzyme eluted with a sodium chloride gradient was further purified by Chromatofocusing using a pH gradient from pH 4.0 to 7.0.

SDS-PAGE analysis and Silver Staining

Sodium dodecylsulfate polyacrylamide gel electrophoresis was performed using a 10% gel as described by Laemmli (1970), except that protein in the sample buffer was heated at 70°C for 10 minutes. Samples were stained with silver as described by Nesterenko et al. (1994).

Preparation of a monoclonal antibody specific for the APPA encoded *E. coli* phytase

Monoclonal antibodies specific to the *E. coli* APPA encoded phytase were prepared according to the procedures of Galfrè and Milstein (1981). Briefly, two female Balb/c mice were immunized 7 times over a period of 59 days with a purified APPA enzyme preparation. Mouse spleens were harvested, and the cells therein fused with an NS-1 myeloma cell line (Kohler and Milstein, 1976). Fused cells were selected for their ability to grow in media containing hypoxanthine, aminopterin, and thymidine (HAT). Western blotting and Enzyme-Linked Immunosorbent Assays (ELISA) were used identify those clones capable of secreting an antibody into the culture medium that recognized epitopes on both the *E. coli* and pig derived APPA enzyme. Clones secreting a desirable antibody were subcloned twice to ensure a pure culture of antibody secreting hybridomas.

Production of Polyclonal Antibodies Against the Purified *E. coli* derived APPA Phytase

Antibodies were prepared in two New Zealand White Rabbits by two intramuscular injections at different sites in the thigh of 50 µg of purified *Escherichia coli* derived APPA phytase in 0.5 ml of a 1:1 mixture of phosphate-buffered saline (PBS) and Freund's Complete Adjuvant. This was followed by repeat injections of 20 µg each of phytase in a 1:1 mixture of PBS and Freund's Incomplete Adjuvant on days 4, 19, 25, and 39. Blood was collected via heart puncture on day 42. The serum was separated from the cell fraction and used as the

source of antibodies. The basic procedures for antibody production are described in Harlow and Lane (1988).

Western blotting

5 Western blotting was performed as described by Towbin et al. (Towbin *et al.* 1979).

Deglycosylation of pig phytase was done according to protocols, Roche Molecular Biochemicals, with following modifications. Protein in 50 mM Tris (pH 8.0), 1 mM EDTA, 1% SDS, 1% 2-mercaptoethanol was denaturated by heating at 95° C for 3 min. Than protein was precipitated with chloroform-methanol method (Wessel and Flugge 1984) and
10 resuspended at 100 µg/mL in 20 mM Sodium Phosphate (pH 7.2) with 1% Triton X-100. Complete deglycosylation of 5 µg in 50 µL phytase was carried out overnight at 37°C using 1 unit (U) N-glycosidase F, 1.2 mU O- glycosidase and 1 mU neuraminidase (Boehringer Mannheim GmbH). After incubation 0.5 µg of protein was run on the SDS gel.

15 Staining of glycoproteins

This staining was done using DIG Glycan Detection Kit (Boehringer Mannheim) according to manufacture instructions (O'Shannessy *et al.* 1987).

Statistics on the generation of transgenic pigs

The statistics on embryos recovered, microinjected and transferred into donor sows is
20 shown in Table 8. A total of 4147 embryos injected with the transgene and 675 untreated embryos were introduced into 140 recipient sows with an average of 30 injected embryos and 5 uninjected embryos. All offspring were tested for the presence of the transgene in tissue biopsy, in blood by PCR analysis, and by an assay for phytase activity in the saliva.

Table 9 lists the transgenic pigs that were produced, their birth dates, sex and salivary
25 phytase levels. There were 31 pigs transgenic for the phytase gene out of 203 live piglets born from embryos microinjected. These were detected by the presence of the gene in blood samples using the standard primer set, APPA-UP2 and APPA -KPN, but only 14 were detected by analysis of tail DNA preparations using the standard primer set. When the negative samples were reanalyzed using the primer set LAMA-UP1 and APPA-down4
30 (Figure 8) a further 8 tail DNA samples were found to be positive. Purification of the tail biopsy DNA probably would have led to all being PCR positive for the phytase transgene.

Characteristics of the phytase transgene in transgenic pig 167-02

The application of PCR to detection of transgenic pigs is exemplified by analysis of litter 167 in which one of 7 piglets tested, including one that was stillborn and one that was crushed by the sow after birth, one live piglet designated 167-02 was identified as positive for the APPA gene by generation of a PCR product (Lane 2) of approximately 750 bps from the tail chromosomal DNA (Figure 7). No rearrangements of the APPA gene were detected as documented by the positive PCR results using primers directed to the 3' region (lane 2) the whole gene (lane 3) and the 5' region (lane 4) of the APPA gene (Figure 8).

Salivary phytase and weight gain during growth of transgenic and non-transgenic penmates.

Data on salivary phytase activity and weight gain are shown for five transgenic pigs and for weight gains of their non-transgenic penmates in Figures 9, 10, 11, 12 and 13. The phytase activity in the saliva varied substantially from one sampling time to the next. This variability was attributed to a combination of environmental factors including whether the animal had just consumed food or water, and regulation of parotid and saliva secretion in relation to food and water consumption. The weight gains during growth of the five transgenic pigs was within the range of the weight gains of the normal non-transgenic pigs.

With the exception of 167-02 the growth rate of the transgenic pigs was similar to that of the non-transgenic litter mates.

Phosphorus content in the fecal materials from transgenic and non-transgenic pigs.

The phosphorus content of fresh fecal samples from three of the transgenic founder pigs, 167-02, 282-02, 282-04, 405-02 and 421-06 receiving weaning, grower or finisher ration is shown in Table 9. The phosphorus content of the feces of the transgenic pigs ranged from 1.59 to 2.26% while that of the non-transgenic penmates ranged from 1.61 to 2.76 %.

The reduction in fecal phosphorus ranged from a maximum of 26% to a minimum of 8%. In most cases the differences were at the 99% level of significance. The ages of the pigs at the time of fecal sampling and the corresponding phytase activities are shown in Figures 9, 10, 11, 12 & 13. The rations fed contained a supplement of readily available phosphorus suitable for maximizing growth of non-transgenic pigs. Since the reduction in fecal phosphorus is measured in transgenic pigs receiving a diet high in mineral phosphorus it is very likely that the fecal phosphorus would be substantially lower if the diet lacked mineral phosphorus. Under these conditions the phosphorus released from phytate would provide a substantial

proportion of the dietary phosphorus and little would reach the large intestine and be excreted in the feces.

Transmission of the phytase transgene (to be completed)

5 When semen from the transgenic boar 167-02 was used to inseminate four Yorkshire gilts all four sows had litters in which 4 out of 8, 2 out of 9, 7 out of 8 and 2 out of 5 of the piglets were transgenic for the phytase gene (Table 11). The PCR data for litter 154 that documents the presence of the transgene is shown in Figure 14. All pigs containing the gene exhibited phytase activity in the saliva, and it ranged from 341 to 10,077 units per ml. Half
10 of the transgenic piglets had salivary phytase activities of greater than 2000 units per ml. The specific activity of the phytase in the saliva ranged from 39 U/mg protein to a high of 706 units/mg protein.

 This data documents that the gene was transferred and that the level of phytase expression observed in the founder was preserved in the first generation of pigs. Both male
15 and female pigs at 11 days of age exhibited high phytase activity.

Characteristics of the phytase enzyme synthesized in the salivary glands of the pig

 The phytase enzyme was purified to homogeneity from *E. coli* and from saliva collected from transgenic pig 167-02. Silver stains of the purified enzymes after SDS-PAGE
20 are shown in Figure. 15. The *E. coli* derived enzyme has a molecular mass of approximately 45 kDa while that produced by the pig was about 55 kDa. The enzymes were also electrophoresed as before, transferred to nitrocellulose and stained for glycoproteins. The second part of Figure 15 shows that the pig APPA protein is glycosylated. Figure 15B shows that treatment of the pig phytase with deglycosylation enzymes changes the size of the
25 phytase from 60 kDa to 45 kDa, an observation that confirms the glycosylated nature of the recombinant phytase produced in the saliva of the pig.

 The data in Figure 16 shows that the pig phytase is homologous with the *E. Coli* enzyme despite their difference in size.

 The purified pig phytase had K_m and V_{max} values of 0.33 mM and 624 units per mg of
30 protein, respectively. Golovan et al. (2000) previously reported the K_m and V_{max} for the *E. coli* enzyme to be 0.63 mM and 2325 units per mg of protein. Thus the salivary phytase exhibits approximately 25% of the activity of the *E. coli* enzyme. This reduction in activity may be due to glycosylation that either modifies the catalytic site of the enzyme or otherwise leads to the formation of an enzyme with lower catalytic activity.

The latter finding of the production of a glycosylated protein suggests a method of producing such proteins using transgenic animals. Currently, although recombinant methods are available for producing proteins in host cells, it is often found that the mature peptide lacks the glycosylation normally associated with proteins produced by higher life forms.

5 Insulin is an example of such protein. The findings of this study suggest that one means of producing the desired glycoproteins would be to generate transgenic animals such as the pig, that have been transformed, by known methods or the method described above, with a gene encoding the desired protein. When expressed by such animal, the subject protein would be produced and would undergo post-translational processing in the cell including the step of
10 glycosylation. Thus, the invention contemplates a general method of producing such glycosylated proteins. Further, the invention contemplates a method of producing glycosylated proteins through the expression in and isolation from the saliva of an animal that has been transformed with a gene encoding such protein, and wherein such gene is operably linked to a saliva protein promoter or enhancer.

15 Various methods are known in the art for the collection of glycoproteins from the parotid gland of the pig for various applications. For example, surgical techniques have been published by Denny et al. (1972) for the collection of secretions from the parotid gland and submandibular salivary ducts.

20 Test kit for detection of the APPA phytase protein in pigs

The monoclonal antibodies produced against the APPA phytase expressed in *E. coli* reacted with the APPA phytases produced in the saliva of transgenic mice and pigs (Figure 17). Immunological detection of phytase in saliva provides definitive proof that the phytase secreted in transgenic pig saliva is a product of the *APPA* gene expressed in the pig salivary
25 gland. This serves as a reliable method to document phytase production in transgenic pigs.

A further test would also be obtainable using the polyclonal antibodies discussed above.

The DNA sequence encoding phytase may be obtained from a variety of sources such
30 as microbial, plant or animal sources. Preferably, the DNA sequence is obtained from a microbial source such as bacteria. Most preferred DNA sequences are obtained from *Escherichia coli*.

The cloning of a gene or a cDNA encoding a phytase protein may be achieved using various methods. One method is by purification of the phytase protein, subsequent

determination of the N-terminal and several internal amino acid sequences and screening of a genomic or cDNA library of the organism producing the phytase using oligonucleotide probes based on the amino acid sequences. If at least a partial sequence of the gene is known, this information may be used to clone the corresponding cDNA using, for instance, the
5 polymerase chain reaction (PCR) (PCR Technology: Principles and Applications for DNA Amplification, (1989) H. A. Ehrlich, ed., Stockton Press, New York; the contents of which are incorporated herein by reference). It will be evident to those skilled in the art that the cloned phytase gene described above may be used in heterologous hybridization experiments, directed to the isolation of phytase encoding genes from other microorganisms.

10 The DNAs encoding phytase or individual fragments or modified proteins thereof can be fused, in proper reading frame, with appropriate regulatory signals as described in detail below, to produce a genetic construct that is then amplified, for example, by preparation in a bacterial (e.g., *E. coli*) plasmid vector according to conventional methods. Such methods are described in, for example, Sambrook et al., Molecular Cloning: A Laboratory Manual (Cold
15 Spring Harbor Press 1989), the contents of which are incorporated herein by reference. The amplified construct is thereafter excised from the vector and purified for use in producing transgenic animals.

The desired protein may also be produced as a fusion protein containing another protein. For example, the desired recombinant protein of this invention may be produced as
20 part of a larger recombinant protein in order to stabilize the desired protein. Useful modifications within this context include, but are not limited to, those that alter post-translational modifications, size or active site, or that fuse the protein or portions thereof to another protein. Such modifications can be introduced into the protein by techniques well known in this art, such as by synthesizing modified genes by ligation of overlapping
25 oligonucleotides or introducing mutations into the cloned genes by, for example, oligonucleotide-mediated mutagenesis.

The cloned phytase gene may be used as starting materials for the construction of improved phytases. Improved phytases are phytases, altered by mutagenesis techniques (e.g. site-directed mutagenesis, or directed evolution), which have properties that differ from those
30 of wild-type phytases (Kuchner and Arnold 1997). For example, the temperature or pH optimum, specific activity, temperature or protease resistance may be altered so as to be better suited for a particular application.

A choice of expression in cellular compartments (such as cytosol, endoplasmic reticulum) or extracellular expression can be used in the present invention, depending on the

biophysical and biochemical properties of the phytase. Such properties include, but are not limited to pH sensitivity, sensitivity to proteases, and sensitivity to the ionic strength of the preferred compartment. The DNA sequence encoding the enzyme of interest should be modified in such a way that the enzyme can exert its action at the desired location in the cell.

5 To achieve extracellular expression of the phytase, the expression construct of the present invention utilizes a bacterial signal sequence. Although signal sequences that are homologous (native) to the animal host species are preferred, heterologous signal sequences, i.e. those originating from other animal species or of microbial origin, may be used as well. Such signal sequences are known to those skilled in the art.

10 All parts of the relevant DNA constructs (promoters, regulatory, secretory, stabilizing, targeting, or termination sequences) of the present invention may be modified, if desired, to affect their control characteristics using methods known to those skilled in the art. The cis-acting regulatory regions useful in the invention include the promoter that drives expression of the phytase gene. Highly preferred are promoters that are specifically active in salivary
15 gland cells. Among such promoters, highly preferred are mouse parotid secretory protein (PSP) promoter, rat proline-rich protein (PRP) promoter, human salivary amylase promoter, mouse mammary tumor virus promoter (Samuelson 1996). Among the useful sequences that regulate transcription, in addition to the promoters discussed above, are enhancers, splice signals, transcription termination signals, and polyadenylation sites. Particularly useful in
20 this regard are those that increase the efficiency of the transcription of the genes for phytase in the salivary gland or other cells of the transgenic animals listed above. Preferred are transcription regulatory sequences for proteins highly expressed in the salivary gland cells. Introns could be introduced to increase levels of expression. Such introns include the synthetic intron SIS, SV40 small t antigen intron and others (Whitelaw *et al.* 1991; Petitclerc
25 *et al.* 1995).

Preferably, the expression system or construct of this invention also includes a 3' untranslated region downstream of the DNA sequence encoding the desired recombinant protein, or the salivary protein gene used for regulation. This region apparently stabilizes the RNA transcript of the expression system and thus increases the yield of the desired protein.
30 Among the 3' untranslated regions useful in this regard are sequences that provide a polyA signal. Such sequences may be derived, e.g., from the SV 40 small t antigen late polyadenylation signal, synthetic polyadenylation signal or other 3' untranslated sequences well known in this art (Carswell and Alwine 1989; Levitt *et al.* 1989). Preferably, the 3' untranslated region is derived from a salivary-specific protein. The stabilizing effect of this

region's polyA transcript is important in stabilizing the mRNA of the expression sequence. Further, the addition of locus control regions (LCRs), matrix attachment regions (MAR) and scaffold attachment regions (SARs) would allow position-independent, copy number dependent expression of the transgene with either homologous or heterologous promoters (Taboit-Dameron *et al.* 1999; Geyer 1997). Co-integration of an actively expressed gene with the transgene was also shown to increase expression levels of a poorly expressed transgene (Clark *et al.* 1993). Also important in increasing the efficiency of expression of phytase is a strong translation initiation site (Kozak 1987). Likewise, sequences that regulate the post-translational modification of phytase may be useful in the invention.

The term "animal" as used herein denotes all animals except humans. It also includes an individual animal in all stages of development, including embryonic and fetal stages.

A "transgenic" animal is any animal containing cells that bear genetic information received, directly or indirectly, by deliberate genetic manipulation at the subcellular level, such as by microinjection or infection with a recombinant virus. "Transgenic" in the present context does not encompass classical crossbreeding or in vitro fertilization, but rather denotes animals in which one or more cells receive a recombinant DNA molecule. Although it is highly preferred that this molecule be integrated within the animal's chromosomes, the invention also encompasses the use of extrachromosomally replicating DNA sequences, such as might be engineered into yeast artificial chromosomes. The information to be introduced into the animal may be foreign to the species of the animal to which the recipient belongs (i.e., "heterologous"), or the information may be foreign only to the particular individual recipient, or genetic information already possessed by the recipient. In the last case, the introduced gene may be expressed in a manner different than the native gene.

As indicated above, the transgenic animals of this invention are other than human. Farm animals (pigs, goats, sheep, cows, horses, rabbits and the like), rodents (such as mice and rats), domestic pets (eg. cats and dogs), fish and poultry (eg. chickens) are included in the scope of this invention. It is highly preferred that a transgenic animal of the present invention be produced by introducing into single cell embryos appropriate polynucleotides that encode phytase, or fragments or modified products thereof, in a manner such that these polynucleotides are stably integrated into the DNA of germ line cells of the mature animal, and are inherited in normal mendelian fashion. Advances in technologies for embryo micromanipulation now permit introduction of heterologous DNA into fertilized mammalian ova. For instance, totipotent or pluripotent stem cells can be transformed by microinjection, calcium phosphate mediated precipitation, liposome fusion, retroviral infection or other

means, the transformed cells are then introduced into the embryo, and the embryo then develops into a transgenic animal. In one preferred method, developing embryos are infected with a retrovirus containing the desired DNA, and transgenic animals produced from the infected embryo. In a most preferred method, however, the appropriate DNAs are co-injected
5 into the pronucleus or cytoplasm of embryos, preferably at the single cell stage, and the embryos allowed to develop into mature transgenic animals. Such techniques are well known (see reviews of standard laboratory procedures for microinjection of heterologous DNAs into mammalian fertilized ova, including Hogan et al., *Manipulating The Mouse Embryo*, (Cold Spring Harbor Press 1986); Krimpenfort et al., *Bio/Technology* 9:844 (1991); Palmiter et al.,
10 *Cell*, 41: 343 (1985); Kraemer et al., *Genetic Manipulation Of The Early Mammalian Embryo*, (Cold Spring Harbor Laboratory Press 1985); Hammer et al., *Nature*, 315: 680 (1985); Wagner et al., U.S. Pat. No. 5,175,385; Krimpenfort et al., U.S. Pat. No. 5,175,384, the respective contents of which are incorporated herein by reference).

For a person skilled in art, it will also be clear that the present invention provides for
15 other proteins to be expressed in the salivary gland of the pig. Such proteins may be secreted into saliva to improve digestion and decrease pollution potential (for example, endoglucanases), or specifically targeted for secretion into blood and have effects on the growth and health of the animal (such as growth hormone).

Phytase activity may be measured via a number of assays, the choice of which is not
20 critical to the present invention. For example, the phytase enzyme activity of the transgenic animal tissue may be tested with an ELISA-assay, Western blotting or direct enzyme assays using calorimetric techniques or gel assay system.

The examples included herein are provided so as to give those of ordinary skill in the art a complete disclosure and description of how to make and use the invention and are not
25 intended to limit the scope of what the inventors regard as their invention. Efforts have been made to ensure accuracy with respect to numbers used (e.g., amounts, temperature, pH, etc.) but some experimental errors and deviation should be accounted for. Unless indicated otherwise, temperature is in degrees Centigrade and pressure is at or near atmospheric.

30 Although the invention has been described with reference to certain specific embodiments, various modifications thereof will be apparent to those skilled in the art without departing from the spirit and scope of the invention as outlined in the claims appended hereto.

Table 1. Secretion of phytase in the saliva of transgenic mice containing the R15-PRP/APPA transgene and non-transgenic mice induced with isoproterenol and pilocarpine.

Founder	Mice	PCR	Gender	Generation	Transgene	Phytase activity micromoles/min/ml
A0m	4bfr (+)	positive	F	1	APPA+intron	39.73
A0m	2brm(+)	positive	M	1	APPA+intron	24.29
A0m	2brm(+)	positive	M	2	APPA+intron	14.42
A0m	5brf(+)	positive	F	2	APPA+intron	7.36
A0m	1brm(-)	negative	M	1	APPA+intron	0.00
A1f	9brf(+)	positive	F	1	APPA+intron	0.08
A1f	11w f(+)	positive	F	1	APPA+intron	0.07
A1f	5brm(+)	positive	M	1	APPA+intron	0.03
A1f	10wf(-)	negative	F	1	APPA+intron	0.02
A20f	1brm(+)	positive	M	1	APPA+intron	0.53
A20f	5brf(+)	positive	F	1	APPA+intron	0.12
A20f	4brf (-)	negative	F	1	APPA+intron	0.03
A2m	13wf(+)	positive	F	1	APPA+intron	87.70
B0m	5brf (+)	positive	F	1	APPA+intron	0.95
B0m	3brm(+)	positive	M	1	APPA+intron	0.73
B0m	6wf (-)	negative	F	1	APPA+intron	0.00
B0f	3wf (+)	positive	F	2	APPA	252.43
B0m-intr	9wf(+)	positive	F	1	APPA	546.74
W0m	8wf(+)	positive	F	1	APPA	60.42
W30m	1wm(+)	positive	M	2	APPA	41.91
W30m	11w f(+)	positive	F	1	APPA	43.44
W30m	4wm(-)	negative	M	1	APPA	0.02
W30m	10wf (-)	negative	F	1	APPA	0.02

Table 2. Repeat sequences found in the Lama2-APPA construct.

Start	End	DNA strand	Repeat	Class/family	Substitutions % of consensus	Deletions % of consensus	Insertions % of consensus
765	927	+	LIM1	LINE/L1	25	4.2	6.7
928	965	+	(CA) _n	Simple repeat	0	0	0
966	1020	+	LIM1	LINE/L1	25	4.2	6.7
1021	1156	+	B1 MM	SINE/Alu	15.4	0	0
1159	1231	+	CAAAC) _n	Simple repeat	1.4	0	0
1232	1385	+	LIM1	LINE/L1	25	4.2	6.7
1652	2308	C	L1	LINE/L1	28.5	11.9	1.7
2334	2406	C	MIR	SINE/MIR	27.4	4.1	0
2415	3266	+	RMER13A	LTR	17.7	4	6.1
6016	6127	C	L1MA9	LINE/L1	25.5	2	1
6831	7007	+	CT-rich	Low complexity	30.5	1.7	3.4
7299	7510	C	B3	SINE/B2	27.8	7.5	1.4
7718	7746	+	(TCTCTG) _n	Simple repeat	6.9	0	0
8499	8581	C	MIR	SINE/MIR	24.1	12.1	3.6
9010	9603	+	Lx4	LINE/L1	21.7	6.4	0.2
10465	10519	+	(TG) _n	Simple repeat	5.5	1.8	0
11235	11287	C	MER5A	DNA/MER1 type	28.3	0	1.9
12372	12537	C	L1MA4A	LINE/L1	28.3	5.4	0
14240	14388	+	B1_MM	SINE/Alu	4	0	1.3
14869	14945	C	MIR	SINE/MIR	36.4	1.3	0
16391	16540	C	ORR1D	LTR/MaLR	29.3	0	6
16774	17214	+	RMER4	LTR	21.3	10	11.8
17229	17718	C	L1_MM	LINE/L1	15.3	0	0.8

Table 3. Salivary phytase activities of G2 mice from the founder female 3-1 generated using the construct Lama2-APPA. The mice were between 21 and 30 days of age.

male mouse #	Phytase (U/ml)	female mouse #	Phytase (U/ml)
5	28.3	1	9.0
6	2.5	2	29.9
8	6.6	4	8.0
9	44.7	5	43.0
10	12.7	6	26.9
12	28.3	8	1.9
15	28.1	9	66.3
18	71.2	10	19.9
19	19.5	11	61.3
20	15.7	12	36.4
21	20.9	13	18.0
22	4.1	17	38.9
24	13.0	18	18.5
26	53.4	19	27.0
28	20.4	23	6.5
29	34.1	24	16.1
30	11.1	25	9.4
32	3.1	26	14.8
33	51.7	27	1.3
34	19.0	28	8.2

Table 4. Composition and nutrient levels of Phase II starter diet and low phytate starter diets fed to weanling pigs between 5-10 kg.

Ingredients	Diet/Nutrient Levels ¹	
	Phase II Starter Diet	Low Phytate Starter Diet
Corn	33.15	25.44
Barley	8.00	8.00
Wheat	20.00	40.00
Soybean meal	21.00	8.00
Fish meal	5.00	5.00
Meat and bone meal	-	1.00
Whey	8.00	8.00
Fat	2.00	2.00
Lysine-HCl	0.10	0.28
Dicalcium phosphate	1.10	-
CaCO ₃	0.90	1.10
Iodized salt	0.30	0.30
Vitamin premix ¹	0.250	0.55
Mineral premix ¹	0.10	0.10
Lincommix 44	0.10	0.10
Total (kg)	100.00	100.00
Calculated nutritive values		
DE (kcal/g)	3.44	3.36
CP (%)	19.46	18.62
Ca (%)	1.00	0.94
Total P (%)	0.74	0.66
Ca/P	1.35:1	1.42:1
Total AA contents (%)		
Arginine	1.16	1.17
Histidine	0.50	0.48
Isoleucine	0.81	0.77
Leucine	1.58	1.54
Lysine	1.17	1.06
Methionine	0.34	0.29
Cysteine	0.34	0.34
Methionine+Cysteine	0.68	0.63
Phenylalanine	0.90	0.90
Tyrosine	0.65	0.65
Threonine	0.75	0.68
Tryptophan	0.23	0.23
Valine	0.91	0.86

¹Minerals and vitamins meet or exceed levels recommended by NRC (1998).

Table 5. Composition and nutrient levels of grower and finisher diets.

Ingredients	Diet/Nutrient Levels	
	Grower Diet For pigs 20 to 50 kg	Finishing Diet For pigs 50 to 120 kg
Corn	51.78	40.00
Barley	8.10	23.03
Wheat	20.00	23.00
Soybean meal	16.00	13.00
Fat	1.00	1.00
Lysine-HCl	0.12	0.12
Dicalcium phosphate	1.20	1.00
CaCO ₃	1.15	1.15
Iodized salt	0.50	0.50
Vitamin premix ¹	0.15	0.15
Mineral premix ¹	0.10	0.10
Total (kg)	100.00	100.05
Calculated nutritive values		
DE (kcal/g)	3.39	3.33
CP (%)	14.76	14.17
Ca (%)	0.79	0.74
Total P (%)	0.57	0.53
Ca/P	1.39:1	1.39:1
Total AA contents (%)		
Arginine	0.86	0.80
Histidine	0.38	0.36
Isoleucine	0.58	0.55
Leucine	1.28	1.18
Lysine	0.78	0.73
Methionine	0.24	0.23
Cysteine	0.29	0.29
Methionine+Cysteine	0.53	0.52
Phenylalanine	0.70	0.68
Tyrosine	0.50	0.46
Threonine	0.52	0.49
Tryptophan	0.17	0.16
Valine	0.68	0.65

¹Minerals and vitamins meet or exceed levels recommended by NRC (1998).

Table 6. Vitamin premix composition¹

Nutrient	Amount per 5 kg of premix
Wheat midds	3.867 kg
Vitamin A	10 million IU
Vitamin D	1 million IU
Vitamin E	40 thousand IU
Menadione	2.5 g
Pantothenic acid	15 g
Riboflavin	5 g
Folic acid	2 g
Niacin	25 g
Thiamin	1.5 g
Pyridoxine	1.5 g
Vitamin B ₁₂	25 mg
Biotin	200 mg
Choline	500 g

¹From Hoffman-LaRoche Limited, P.O. Box 877, Cambridge, ON. N1R5X9

Table 7. Composition of the mineral premix^{1,2}

Mineral component	Amount (%)
Limestone	43.3
Copper sulfate (25%)	6.0
Ferrous sulfate (30%)	33.4
Zinc oxide (72%)	13.9
Manganous oxide (56%)	3.4

¹Mineral premix prepared at Arkell

²Dicalcium phosphate contained 18.5% calcium and 20.5% of phosphate and normally is added at a level of 1.2% to the pig grower diet, 1.0% to the finisher diet and 1.5% to the nursing sow diet.

Table 8. Statistics on embryo recovery and the introduction of embryos containing the transgene into recipient sows.

Treatment	Number
Gilts used for embryo recovery:	
Yorkshire	279
Yorkshire x Landrace cross	168
Duroc	12
Total	459
Recipient sows ¹	74
Embryos transferred to recipients:	
Embryos microinjected with the transgene	4147
Uninjected carrier embryos	675
Total	4543
Total number of embryo transfers	140

¹Sows were used for up to three farrowings of potentially transgenic pigs. Sows were inseminated with Yorkshire semen from a high breeding value boars.

Table 9. Transgenic pigs containing a salivary phytase gene generated by microinjections of single cell zygotes using the Lama2-APPA transgene

ID # of pig ¹	Birth Date	Presence of Transgene ² Tail/Blood	Sex	Salivary phytase (U/ml) ³	Zygote source ⁴
167-02	Apr 14/99	+/+	Boar	6,000	Yorkshire
282-02	Jun 14/99	+/+	Boar	618	Yorkshire
282-04	Jun 14/99	+/+	Boar	1,349	Yorkshire
405-02	Aug 14/99	+/+	Gilt	339	York/Landrace
421-02	Aug 24/99	-/+	Gilt	0.8	York/Landrace
421-04	Aug 24/99	-/+	Gilt	2.2	York/Landrace
421-06	Aug 24/99	+/+	Boar	97	York/Landrace
448-01	Sep 03/99	+/+	Gilt	0	York/Landrace
491-01	Sep 25/99	+/+	Gilt	2.3	York/Landrace
491-02	Sep 25/99	+/+	Gilt	0	York/Landrace
491-03	Sep 25/99	+/+	Gilt	0.3	York/Landrace
491-05	Sep 25/99	+/+	Boar	0	York/Landrace
496-05	Sep 26/99	+/+	Boar	0	York/Landrace
500-03	Sep 28/99	+/+	Boar	136	York/Landrace
510-01	Sep 28/99	+/+	Boar	0.2	York/
559-05	Nov 01/99	+*/+	Boar	>418	York/Landrace
560-04	Nov 02/99	+*/+	Boar	5	Yorkshire
594-03	Nov 18/99	+/+	Gilt	2.3	Yorkshire
613-02	Nov 27/99	-/+	Gilt	0.5	York/Landrace
613-03	Nov 27/99	-/+	Gilt	0.3	York/Landrace
647-01	Dec 13/99	-/+	Gilt	0.5	York/Landrace
647-03	Dec 13/99	+*/+	Gilt	16.3	York/Landrace
647-04	Dec 13/99	-*/+	Gilt	0.5	York/Landrace
647-08	Dec 13/99	-*/+	Boar	0.4	York/Landrace
647-09	Dec 13/99	+*/+	Boar	1.92	York/Landrace
668-01	Dec 17/99	+*/+	Gilt	489	Yorkshire
671-02	Dec 19/99	+*/+	Boar	6.9	York/Landrace
671-04	Dec 19/99	+*/+	Boar	325	York/Landrace
675-03	Dec 21/99	-*/+	Gilt	2.1	York/Landrace
675-04	Dec 21/99	+*/+	Boar	42.6	York/Landrace
675-06	Dec 21/99	-*/+	Boar	5.0	York/Landrace

¹The number preceding the dash represents the litter number and the number following the dash is the pig number within the litter.

²All PCR assays were conducted with the primer APPA-up2-APPA-Kpn. Assays indicated with a star gave a negative result with the primer pair. However these samples gave a positive result for the primer set APPA-d4-Lama-up1. Samples 613-02 and 613-03 were negative with the latter primer set.

³Saliva was sampled and assayed for phytase 2 to 4 days after birth of the piglets.

⁴Zygotes used for microinjection were collected from superovulated Yorkshire or Yorkshire-Landrace cross gilts.

Table 10. Phosphorus content of feces collected from pigs producing a salivary phytase and non-transgenic pen-mates¹. The data was subjected to a T-test analysis and the data recorded below.

	Mean Fecal Phosphorus (%)	SE	Relative reduction in fecal phosphorus (%)	t	t (1%)
1. 167-02 Grower Diet (122 days):	1.59		24.47		
Non-transgenic (n=4)	2.11	0.0604669		8.517	4.6
2. 167-02 Finisher Diet (154 days):	1.97		16.97		
Non-transgenic (n=4)	2.37	0.0240767		16.717	4.6
3. 282-02 Grower Diet (93 days):	1.85		12.90		
Non-transgenic (n=5)	2.124	0.022231964		12.324	4.03
4. 282-02 Finisher Diet (145 days):	1.76		16.03		
Non-transgenic (n=5)	2.096	0.099153384		3.389	4.03 ²
5. 282-04 Grower Diet (93 days):	1.95		8.19		
Non-transgenic (n=5)	2.124	0.022231964		7.827	4.03
6. 282-04 Finisher Diet (145 days):	1.56		25.57		
Non-transgenic (n=5)	2.096	0.099153384		5.406	4.03
7. 421-06 Starter II Diet (40 days):	1.17		27.47		
Non-transgenic (n=5)	1.612	0.086155741		5.140	4.03
8. 421-06 Start III Diet (48 days):	1.57		18.01		
Non-transgenic (n=5)	1.915	0.102884789		3.351	4.03
9. 421-06 Grower Diet (81 days):	2.00		13.28		
Non-transgenic (n=5)	2.310	0.151658823		2.022	4.03
10. 421-06 Finisher Diet (136 days):	1.71		21.20		
Non-transgenic (n=5)	2.173	0.053023237		8.687	4.03
11. 405-02 Starter II Diet (40 days):	1.81		26.97		
Non-transgenic (n=5)	2.482	0.173625623		3.856	4.03
12. 405-02 Starter III Diet (48 days):	1.54		36.58		
Non transgenic (n=4)	2.430	0.104642248		8.496	4.6
13. 405-02 Grower Diet (80 days):	2.26		18.19		
Non-transgenic (n=4)	2.763	0.124724697		4.029	4.6
14. 405-02 Finisher Diet (136 days):	2.26		13.24		
Non-transgenic (n=4)	2.605	0.217198066		1.588	4.6
¹ Fresh fecal samples were collected on 3 different days was freeze-dried and then dried to constant weight at 110°C for 24 h, and analyzed for total phosphorus.					
² At the 5% level of confidence t=2.57.					

Table 11. Phytase activities of the first generation (G1) transgenic offspring obtained by the crossing the phytase positive boar 167-02 with non-transgenic Yorkshire gilts¹

ID # of pig	Birth Date	Sex	Salivary phytase (U/ml)	Specific Activity U/mg protein
151-01	Mar 16/00	F	1193	126
151-02	"	F	736	63.3
151-05	"	M	710	109
151-07	"	M	8019	315
152-04	"	M	10077	364
152-09	"	M	3054	200
154-01	Mar 19/00	F	2472	256
154-03	"	F	6425	706
154-04	"	F	n.d.	n.d.
154-05	"	M	2767	213
154-06	"	M	341	39
154-07	"	M	4029	142
154-08	"	M	1184	47.4
159-03	Mar 20/00	F	1563	116
159-04	"	M	2285	201

¹The number of males and females (M/F) in each litter were 5/3, 7/2, 5/4, and 2/3 for litter numbers 151, 152, 154 and 159, respectively. Saliva was collected from the piglets on day 11.

Table 12. Primers used for construction and detection of transgenic constructs.

Name	Start-End ¹	Forward/ Reverse	
Primers used in R15/APPA+intron and R15/APPA construction			
APPA-DOWN2		R	TCGGCGCTCACCTTGAGTTC
APPA-DRA		F	CCGTTTAAAGCCATCTTAATCCCAT
APPA-SMA		R	GTCCCGGGTATGCGTGCTTCATTC
CAT-ATG		R	CCATGGTGGCGGCTTTTAGCTTCCTTAGCTCCTGA
CAT-TAA		F	AGCGCTTGCAGTTTGTAAGGCAGTTATTG GTGCCC
CAT-UP1		F	TCG AGG AGC TTG GCG AGA TT
R15-UP1		F	TTTCGGGCCAATGTTGCTGT
Primers used in SV40/APPA+intron construction			
SV-HIND		F	CCCAAGCTTTACACTTTATGC
SV-XHO		R	GCCCTCGAGCCTCCTCACTACTTCT
Primers used in Lama2/APPA and Lama2/PSP/APPA construction			
APPA-CLA	12635-12657	F	GGATCGATAAAAAGCCGCCACCATGAA
APPA-DOWN2	13307-13326	R	TCGGCGCTCACCTTGAGTTC
APPA-DOWN4	12751-12780	R	GCACGCACACCATGACGACTGACAATCAC C
APPA-KPN	13935-13959	R	CGGGTACCTTACAAACTGCAAGCGG
APPA-MATURE	12719-12738	F	CAGAGTGAGCCGGAGCTGAA
APPA-UP2	13210-13229	F	CGAACTGGAACGGGTGCTTA
LAMA-CLA	12615-12639	R	GCATCGATCTTTGGTTCTGACAAATGG
LAMA-SIGNAL		R	TGACTCTGAGTTCCCAATGA
LAMA-UP	12111-12130	F	GTGCTGCTCCAAGTTTGGTG
Primers for detection of the porcine β-globin gene			
PIG-BGF		F	GCAGATTCCCAAACCTTCGCAGAG
PIG-BGR		R	TCTGCCCAAGTCCTAAATGTGCGT

¹ The location of the primers shown for Lama2/APPA sequence. The start and stop codons of APPA are indicated in bold letters, the optimal initiation sequence for translation is italicized, and the restriction sites for restriction enzymes are underlined.

Reference List

The following references have been referred to in the present application. The content of these references are incorporated herein by reference.

1. Abelson,P.H. 1999. A potential phosphate crisis [editorial]. *Science* **283**: 2015.
2. Altschul,S.F., Gish,W., Miller,W., Myers,E.W., and Lipman,D.J. 1990. Basic local alignment search tool. *J.Mol.Biol.* **215**: 403-410.
3. Ann,D.K. and Carlson,D.M. 1985. The structure and organization of a proline-rich protein gene of a mouse multigene family. *J.Biol.Chem.* **260**: 15863-15872.
4. Arkhipovets,A.I. 1956. Age characteristics of salivary secretion in young pigs. *Journal of Physiology of USSR* **42**: 882-886.
5. Association of Official Analytical Chemists (AOAC) 1984. Official methods of analysis of the Association of Official Analytical Chemists. Association of Official Analytical Chemists, Washington.
6. Ausbel,F.M., Brent,R., Kingston,R.E., Moore,D.D., Seidman,J.G., Smith,J.A., and Struhl,K. 1992. Short protocols in molecular biology. John Wiley & Sons, New York.
7. Barsh,G.S. and Epstein,C.J. 1989. Physical and genetic characterization of a 75-kilobase deletion associated with al, a recessive lethal allele at the mouse agouti locus. *Genetics* **121**: 811-818.
8. Bennick,A. 1982. Salivary proline-rich proteins. *Mol.Cell Biochem.* **45**: 83-99.
9. Bitar,K. and Reinhold,J.G. 1972. Phytase and alkaline phosphatase activities in intestinal mucosae of rat, chicken, calf, and man. *Biochim.Biophys.Acta* **268**: 442-452.
10. Burge,C. and Karlin,S. 1997. Prediction of complete gene structures in human genomic DNA. *J.Mol.Biol* **268**: 78-94.

11. Burge,C.B. and Karlin,S. 1998. Finding the genes in genomic DNA. Curr.Opin.Struct.Biol. 8: 346-354.
12. Carlson,D.M. 1993. Salivary proline-rich proteins: biochemistry, molecular biology, and regulation of expression. Crit Rev.Oral Biol.Med. 4: 495-502.
13. Carswell,S. and Alwine,J.C. 1989. Efficiency of utilization of the simian virus 40 late polyadenylation site: effects of upstream sequences. Mol.Cell Biol. 9: 4248-4258.
14. Chi,T.H. and Crabtree,G.R. 2000. Perspectives: signal transduction. Inositol phosphates in the nucleus [comment]. Science 287: 1937-1939.
15. Clark,A.J., Archibald,A.L., McClenaghan,M., Simons,J.P., Wallace,R., and Whitelaw,C.B. 1993. Enhancing the efficiency of transgene expression. Philos.Trans.R.Soc.Lond B Biol.Sci. 339: 225-232.
16. Clements,S., Mehansho,H., and Carlson,D.M. 1985. Novel multigene families encoding highly repetitive peptide sequences. Sequence analyses of rat and mouse proline-rich protein cDNAs. J Biol.Chem. 260: 13471-13477.
17. Corring,T. 1980. Endogenous secretions in the pig. In Current concepts of digestion and absorption in pigs. Edited by A.G.Low and I.G.Partridge. National Institute for Research in Dairying, Reading pp. 136-150.
18. Cosgrove,D.J. 1980.Inositol phosphates. Their chemistry, biochemistry and physiology. Elsevier, Amsterdam.
19. Cramer,A., Dawes,G., Rodriguez,E.Jr., Silver,S. and Stemmer,W.P.C. 1997. Molecular evolution of an arsenate detoxification pathway by DNA shuffling. Nature Biotechnol. 15: 436-438.
20. Dassa,J., Marck,C., and Boquet,P.L. 1990. The complete nucleotide sequence of the *Escherichia coli* gene *APPA* reveals significant homology between pH 2.5 acid phosphatase and glucose-1-phosphatase. J.Bacteriol. 172: 5497-5500.

21. Denny, H.R. and Messervy, A. 1972. Surgical techniques for the extirpation of the submandibular salivary glands and the collection of salivary secretions in the pig. *Vet.Rec.* 90: 650-654.
22. Dobrinsky, J.R., Johnson, L.A., and Rath, D. 1996. Development of a culture medium (BECM-3) for porcine embryos: Effect of bovine serum albumin and fetal bovine serum on embryo development. *Biol.Reprod.* 55: 1069-1074.
23. Dvorakova, J. 1998. Phytase: sources, preparation and exploitation. *Folia Microbiol.(Praha)* 43: 323-338.
24. Engelen, A.J., van der Heeft, F.C., Randsdorp, P.H., and Smit, E.L. 1994. Simple and rapid determination of phytase activity. *J AOAC Int.* 77: 760-764.
25. Frandson, R.D. and Spurgeon, T.L. 1992. *Anatomy and physiology of farm animals.* Lea & Febiger, Philadelphia.
26. Galfre, G. and Milstein, C. 1981. Preparation of monoclonal antibodies: strategies and procedures. *Methods Enzymol.* 73: 3-46.
27. Geyer, P.K. 1997. The role of insulator elements in defining domains of gene expression. *Curr.Opin.Genet.Dev.* 7: 242-248.
28. Gish, W. and States, D.J. 1993. Identification of protein coding regions by database similarity search. *Nature Genetics* 3: 266-272.
29. Golovan, S., Wang, G., Zhang, J., and Forsberg, C.W. 2000. Characterization and overproduction of the *Escherichia coli* APPA encoded bifunctional enzyme that exhibits both phytase and acid phosphatase activities [In Process Citation]. *Can.J.Microbiol.* 46: 59-71.
30. Gordon, J.W., Scangos, G.A., Plotkin, D.J., Barbosa, J.A., and Ruddle, F.H. 1980. Genetic transformation of mouse embryos by microinjection of purified DNA. *Proc.Natl.Acad.Sci.USA* 77: 7380-7384.

31. Gorman,C., Padmanabhan,R., and Howard,B.H. 1983. High efficiency DNA-mediated transformation of primate cells. *Science* 221: 551-553.
32. Greiner, R. and Jany, K.-D. Characterization of a phytase from *Escherichia coli*. *Herbsttagung der Gesellschaft fur Biologische Chemie* 372. 1991.
Ref Type: Abstract
33. Greiner,R., Konietzny,U., and Jany,K.D. 1993. Purification and characterization of two phytases from *Escherichia coli*. *Arch Biochem.Biophys.* 303: 107-113.
34. Hall,J., Hazlewood,G.P., Surani,M.A., Hirst,B.H., and Gilbert,H.J. 1990. Eukaryotic and prokaryotic signal peptides direct secretion of a bacterial endoglucanase by mamalian cells. *J.Biol.Chem.* 275: 19996-19999.
35. Harland,B.F. and Morris,E.R. 1995. Phytate: A good or a bad food component? *Nutr.Res.* 15: 733-754.
36. Harlow,E., and Lane, D. 1988. *Antibodies: a laboratory manual*. Cold Spring Harbor Laboratory, New York.
37. Harayama,S. 1998. Artificial evolution by DNA shuffling. *Trends Biotechnol.* 16: 76-81.
38. Heinoen,J.K. and Lahti,R.J. 1981. A new and convenient colorimetric determination of inorganic orthophosphate and its application to the assay of inorganic pyrophosphate. *Anal.Biochem.* 133: 313-317.
39. Heneine,W. and Switzer,W.M. 1996. Highly sensitive and specific polymerase chain reaction assays for detection of baboon and pig cells following xenotransplantation in humans. *Transplantation* 62: 1360-1362.
40. Higuchi,R. 1989. Simple and rapid preparation of samples for PCR. *In* PCR technology : principles and applications for DNA amplification. *Edited by* H.A.Erlich. Macmillan Publishers ; Stockton Press, New York, NY pp. 31-38.

41. Hu, Y., Nakagawa, Y., Purushotham, K.R., and Humphreys-Beher, M.G. 1992. Functional changes in salivary glands of autoimmune disease-prone NOD mice. *Am.J.Physiol.* 263: E607-E614.
42. Huang, X. 1996. An improved sequence assembly program. *Genomics* 33: 21-31.
43. Huang, X. 1999. A contig assembly program based on sensitive detection of fragment overlaps. *Genomics* 14: 18-25.
44. Huff, W.E., Moore, P.A., Jr., Waldroup, P.W., Waldroup, A.L., Balog, J.M., Huff, G.R., Rath, N.C., Daniel, T.C., and Raboy, V. 1998. Effect of dietary phytase and high available phosphorus corn on broiler chicken performance. *Poult Sci* 77: 1899-1904.
45. Iqbal, T.H., Lewis, K.O., and Cooper, B.T. 1994. Phytase activity in the human and rat small intestine. *Gut* 35: 1233-1236.
46. Jia, Z., Golovan, S., Ye, Q., and Forsberg, C.W. 1998. Purification, crystallization and preliminary X-ray analysis of the *Escherichia coli* phytase. *Acta Crystallogr.D.Biol.Crystallogr.* 54 (Pt 4): 647-649.
47. Kazazian, H.H.J. 1998. Mobile elements and disease. *Curr.Opin.Genet.Dev.* 8: 343-350.
48. Kim, H.S. and Maeda, N. 1986. Structures of two HaeIII-type genes in the human salivary proline-rich protein multigene family. *J Biol.Chem.* 261: 6712-6718.
49. Kohler, G. and Milstein, C. 1976. Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion. *Eur. J. Immunol.* 7: 511-519.
50. Kozak, M. 1987. At least six nucleotides preceding the AUG initiator codon enhance translation in mammalian cells. *Proc.Natl.Acad.Sci.USA* 196: 947-950.
51. Kuchner, O. and Arnold, F.H. 1997. Directed evolution of enzyme catalysts. *Trends Biotechnol.* 15: 523-530.
52. Laemmli, U.K. 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227: 680-785.

53. Larsen,H.J., Brodersen,C.H., and Hjorth,J.P. 1994. High-level salivary gland expression in transgenic mice. *Transgenic Res.* 3: 311-316.
54. Laursen,J. and Hjorth,J.P. 1997. A cassette for high-level expression in the mouse salivary glands. *Gene* 198: 367-372.
55. Levitt,N., Briggs,D., Gil,A., and Proudfoot,N.J. 1989. Definition of an efficient synthetic poly(A) site. *Genes Dev.* 3: 1019-1025.
56. Low,A.G. 1989. Research into the digestive physiology of pigs. *In* Nutrition and digestive physiology in monogastric farm animals. *Edited by* E.J.van Weerden and J.Huisman. Pudoc, Wageningen pp. 1-15.
57. Madsen,H.O. and Hjorth,J.P. 1985. Molecular cloning of mouse PSP mRNA. *Nucleic Acids Res.* 13: 1-13.
58. Mallin,M.A. 2000. Impacts of industrial animal production on rivers and estuaries. *American Scientist* 88: 26-37.
59. Mehansho,H., Ann,D.K., Butler,L.G., Rogler,J., and Carlson,D.M. 1987. Induction of proline-rich proteins in hamster salivary glands by isoproterenol treatment and an unusual growth inhibition by tannins. *J.Biol.Chem.* 262: 12344-12350.
60. Menniti,F.S., Oliver,K.G., Putney,J.W., Jr., and Shears,S.B. 1993. Inositol phosphates and cell signaling: new views of InsP5 and InsP6. *Trends Biochem.Sci* 18: 53-56.
61. Mikkelsen,T.R., Brandt,J., Larsen,H.J., Larsen,B.B., Poulsen,K., Ingerslev,J., Din,N., and Hjorth,J.P. 1992. Tissue-specific expression in the salivary glands of transgenic mice. *Nucleic Acids Res.* 20: 2249-2255.
62. Miner,J.R. 1999. Alternatives to minimize the environmental impact of large swine production units. *J.Anim Sci.* 77: 440-444.
63. Nakai,K. and Kanehisa,M. 1992. A knowledge base for predicting protein localization sites in eukaryotic cells. *Genomics* 14: 897-911.

64. Nesterenko, M. V., Tilley, M., and Upton, S. J. 1994. A simple modification of Blum's silver stain method allows for 30 minute detection of proteins in polyacrylamide gels. *J Biochem. Biophys. Methods* **28**: 239-242.
65. O'Shannessy, D. J., Voorstad, P. J., and Quarles, R. H. 1987. Quantitation of glycoproteins on electroblots using the biotin- streptavidin complex. *Anal. Biochem.* **163**: 204-209.
66. Owerbach, D. and Hjorth, J. P. 1980. Inheritance of a parotid secretory protein in mice and its use in determining salivary amylase quantitative variants. *Genetics* **95**: 129-141.
67. Pen, J., Verwoerd, T. C., Vanparidon, P. A., Beudeker, R. F., Vandenzelen, P. J. M., Geerse, K., Vanderklis, J. D., Versteegh, H. A. J., Vanooyen, A. J. J., and Hoekema, A. 1993. Phytase-containing transgenic seeds as a novel feed additive for improved phosphorus utilization. *Biotechnology* **11**: 811-814.
68. Petitclerc, D., Attal, J., Theron, M. C., Bearzotti, M., Bolifraud, P., Kann, G., Stinnakre, M. G., Pointu, H., Puissant, C., and Houdebine, L. M. 1995. The effect of various introns and transcription terminators on the efficiency of expression vectors in various cultured cell lines and in the mammary gland of transgenic mice. *J Biotechnol.* **40**: 169-178.
69. Pinkert, C. A., Dyer, T. J., Kooyman, D. L., and Kiehm, D. J. 1990. Characterization of transgenic livestock production. *Domest. Anim Endocrinol.* **7**: 1-18.
70. Quissell, D. O., Barzen, K. A., Redman, R. S., Camden, J. M., and Turner, J. T. 1998. Development and characterization of SV40 immortalized rat parotid acinar cell lines. *In Vitro Cell Dev. Biol.-Animal.* **34**: 58-67.
71. Reddy, N. R., Sathe, S. K., and Salunkhe, D. K. 1982. Phytates in legumes and cereals. *Adv. Food Res.* **28**: 1-92.
72. Rozhkov, Y. I. and Galimov, I. R. 1990. Salivary gland polymorphism in pigs and cattle detected by affinity electrophoresis. *Anim. Genet* **21**: 277-283.

73. Samuelson, L.C. 1996. Transgenic approaches to salivary gland research. *Annu.Rev.Physiol.* 58: 209-229.
74. Shaw, P. and Schibler, U. 1986. Structure and expression of the parotid secretory protein gene of mouse. *J Mol.Biol.* 192: 567-576.
75. Simons, P.C., Versteegh, H.A., Jongbloed, A.W., Kemme, P.A., Slump, P., Bos, K.D., Wolters, M.G., Beudeker, R.F., and Verschoor, G.J. 1990. Improvement of phosphorus availability by microbial phytase in broilers and pigs. *Br J Nutr.* 64: 525-540.
76. Smit, A.F.A. 1996. The origin of interspersed repeats in the human genome. *Curr.Opin.Genet.Dev.* 6: 743-748.
77. Stahl, C.H., Han, Y.M., Roneker, K.R., House, W.A., and Lei, X.G. 1999. Phytase improves iron bioavailability for hemoglobin synthesis in young pigs. *J Anim Sci* 77: 2135-2142.
78. Svendsen, P., Laursen, J., Krogh-Pedersen, H., and Hjorth, J.P. 1998a. Novel salivary gland specific binding elements located in the PSP proximal enhancer core. *Nucleic Acids Res.* 26: 2761-2770.
79. Taboit-Dameron, F., Malassagne, B., Viglietta, C., Puissant, C., Leroux-Coyau, M., Chereau, C., Attal, J., Weill, B., and Houdebine, L.M. 1999. Association of the 5'HS4 sequence of the chicken beta-globin locus control region with human EF1 alpha gene promoter induces ubiquitous and high expression of human CD55 and CD59 cDNAs in transgenic rabbits. *Transgenic Res.* 8: 223-235.
80. Terada, T. and Nakanuma, Y. 1993. An immunohistochemical survey of amylase isoenzymes in cholangiocarcinoma and hepatocellular carcinoma. *Arch Pathol.Lab Med.* 117: 160-162.
81. Towbin, H., Staehelin, T., and Gordon, J. Electrophoretic transfer of proteins from polyacrylamide gels to nitrocellulose sheets: procedure and some applications. *Proc.Natl.Acad.Sci.USA* 76(9), 4350-4354. 1979.
Ref Type: Generic

82. Tryon, A.F. and Bibby, B.G. 1966. Preliminary studies on pig saliva. *Arch. Oral Biol.* 11: 527-531.
83. Tu, Z.J., Lazowski, K.W., Ehlenfeldt, R.G., Wu, G., Lin, H.H., Kousvelari, E., and Ann, D.K. 1993. Isoproterenol/tannin-dependent R15 expression in transgenic mice is mediated by an upstream parotid control region. *Gene Expr.* 3: 289-305.
84. Verwoerd, T.C., van Paridon, P.A., van Ooyen, A.J., van Lent, J.W., Hoekema, A., and Pen, J. 1995. Stable accumulation of *Aspergillus niger* phytase in transgenic tobacco leaves. *Plant Physiol* 109: 1199-1205.
85. Wall, R.J., Hyman, P., Kerr, D., Pintado, B., and Wells, K. 1997. Transgenic animal technology. *J. Androl* 18: 236-239.
86. Wall, R.J., Pursel, V.G., Hammer, R.E., and Prinster, R.L. (Editors). 1985. Development of porcine ova that were centrifuged to permit visualization of pronuclei and nuclei. *Biol. Reprod.* 32.
87. Wessel, D. and Flugge, U.I. 1984. A method for the quantitative recovery of protein in dilute solution in the presence of detergents and lipids. *Anal. Biochem.* 138: 141-143.
88. Whitelaw, C.B., Archibald, A.L., Harris, S., McClenaghan, M., Simons, J.P., and Clark, A.J. 1991. Targeting expression to the mammary gland: intronic sequences can enhance the efficiency of gene expression in transgenic mice. *Transgenic Res.* 1: 3-13.
89. Williamson, C.M., A.J. Bramley, and A.J. Lax 1994. Expression of the lysostaphin gene of *Staphylococcus simulans* in a eukaryotic system. *Appl. Environ. Microbiol.* 60: 771-776.
90. Wodzinski, R.J. and Ullah, A.H. 1996. Phytase. *Adv. Appl. Microbiol.* 42: 263-302.
91. Xiong, Y. and Eickbush, T.H. 1990. Origin and evolution of retroelements based upon their reverse transcriptase sequences. *EMBO J.* 9: 3353-3362.

**THE EMBODIMENTS OF THE INVENTION IN WHICH AN EXCLUSIVE
PROPERTY OR PRIVILEGE IS CLAIMED ARE DEFINED AS FOLLOWS:**

1. A transgenic non-human animal that carries in the genome of its somatic and/or germ
5 cells a nucleic acid sequence including a heterologous transgene construct, said construct
including a transgene encoding a protein, said transgene being operably linked to a first
regulatory sequence for salivary gland specific expression of said protein.
2. The animal of claim 1 wherein said first regulatory sequence comprises a saliva
10 protein promoter/enhancer sequence, whereby said animal expresses said protein in its saliva.
3. The animal of claim 1 wherein said animal is a mammal.
4. The animal of claim 3 wherein said animal is chosen from the group comprising pigs,
15 goats, sheep, cows, horses, rabbits, rodents, cats and dogs, and in addition, fish and poultry.
5. The animal of claim 1 wherein said saliva protein promoter/enhancer sequence
comprises a parotid secretory protein (PSP) promoter/enhancer, a proline-rich protein (PRP)
promoter/enhancer or a salivary amylase promoter/enhancer.
20
6. The animal of claim 5 wherein said promoter/enhancer is a parotid secretory protein
(PSP) promoter/enhancer.
7. The animal of claim 6 wherein said parotid secretory protein (PSP)
25 promoter/enhancer is derived from a mouse.
8. The animal of claim 5 wherein said promoter/enhancer is a proline-rich protein (PRP)
promoter/enhancer.
- 30 9. The animal of claim 8 wherein said proline-rich protein (PRP) promoter/enhancer is
derived from a rat.

10. The animal of claim 1 wherein said transgene is further operably linked to one or more second regulatory sequences including enhancers, transcription regulatory sequences, termination sequences, and polyadenylation sites.

5 11. The animal of claim 1 wherein said transgene comprises a gene encoding a protein having phytase activity.

12. The animal of claim 1 wherein said transgene encodes a phytase or a homologue thereof.

10

13. The animal of claim 1 wherein said animal is a pig, said transgene comprising a gene encoding a protein having phytase activity and wherein said first regulatory sequence comprises a parotid secretory protein (PSP) promoter/enhancer or a proline-rich protein (PRP) promoter/enhancer.

15

14. The animal of claim 1 wherein said transgene construct comprises a nucleic acid sequence according to SEQ ID NO:3, SEQ ID NO:5; or SEQ ID NO:7.

15. A transgenic non-human animal that carries in the genome of its somatic and/or germ
20 cells a nucleic acid sequence including a heterologous transgene construct, said construct including a transgene encoding phytase or a homologue thereof.

16. The animal of claim 15 wherein said transgene is operably linked to a first regulatory sequence for salivary gland specific expression of said phytase.

25

17. The animal of claim 16 wherein said first regulatory sequence comprises a parotid secretory protein (PSP) promoter/enhancer, a proline-rich protein (PRP) promoter/enhancer or a salivary amylase promoter/enhancer.

30 18. The animal of claim 17 wherein said animal is a mammal.

19. The animal of claim 18 wherein said phytase or a homologue thereof is expressed in saliva or in the gastrointestinal tract of said animal.

20. The animal of claim 15 wherein said transgene construct comprises a nucleic acid sequence according to SEQ ID NO:3, SEQ ID NO:5; or SEQ ID NO:7.

21. A method of expressing a protein, the method comprising the steps of:

a) introducing a transgene construct into a non-human animal embryo such that a non-human transgenic animal that develops from said embryo has a genome that comprises said transgene construct, wherein said transgene construct comprises:

i) a transgene encoding said protein, and

ii) at least one regulatory sequence for gastrointestinal tract specific expression of said protein,

b) transferring said embryo to a foster female; and,

c) developing said embryo into said transgenic animal

wherein said transgene is produced in the gastrointestinal tract of said animal.

22. The method of claim 21 wherein said regulatory sequence provides for salivary gland or pancreatic gland specific expression of said protein.

23. The method of claim 21 wherein said regulatory sequence provides for salivary gland specific expression of said protein.

24. The method of claim 23 wherein said salivary gland is a parotid gland, submaxillary gland, or a submandibular gland.

25. The method of claim 23 wherein said transgene is expressed in the saliva of said animal.

26. The method of claim 21 wherein said transgene is heterologous.

27. The method of claim 21 wherein said at least one regulatory sequence comprises a salivary protein promoter/enhancer sequence.

28. The method of claim 21 wherein said protein is a glycoprotein.

29. A transgenic animal adapted for expressing a protein according to the method of claim 21, or a progeny thereof.

30. The method of claim 21 wherein said protein is a phytase or a homologue thereof.

31. The method of claim 21 wherein said transgene construct comprises a nucleic acid sequence according to SEQ ID NO:3, SEQ ID NO:5, or SEQ ID NO:7.

32. A process for producing a protein comprising the steps of:

a) obtaining saliva containing said protein from a non-human transgenic animal, said animal containing within its genome a transgene construct, wherein said transgene construct comprises:

i) a transgene encoding said protein, and

ii) at least one regulatory sequence for salivary gland specific expression of said protein, and

extracting said protein from said saliva.

33. The process of claim 32 wherein said transgene is heterologous.

34. The process of claim 32 wherein said at least one regulatory sequence comprises a salivary protein promoter/enhancer sequence.

35. The process of claim 32 wherein said protein is a glycoprotein.

36. The process of claim 32 wherein said transgene construct comprises a nucleic acid sequence according to SEQ ID NO:3, SEQ ID NO:5; or SEQ ID NO:7.

37. The process of claim 32 wherein said protein is a phytase or a homologue thereof.

38. The process of claim 32 wherein said salivary gland is a parotid gland, submaxillary, or a submandibular gland.

5

39. A method for expressing a phytase or a homologue thereof in a non-human animal, said method comprising:

a) constructing a nucleic acid sequence including a transgene construct comprising:

i) a transgene encoding said phytase or a homologue thereof, and

10 ii) at least one regulatory sequence for gastrointestinal tract specific expression of said protein, and

b) transfecting the animal with said nucleic acid sequence;

whereby said animal carries within the genome of its somatic and/or germ cells said transgene construct and wherein said animal expresses said phytase or a homologue thereof
15 in its gastrointestinal tract.

40. The method of claim 39 wherein said transgene construct results in salivary gland or pancreatic gland specific expression of said phytase or a homologue thereof.

20 41. The method of claim 40 wherein said regulatory sequence provides for salivary gland specific expression of said phytase or a homologue thereof.

42. The method of claim 41 wherein said salivary gland is a parotid gland, submaxillary, or a submandibular gland.

25

43. The method of claim 41 wherein said phytase or a homologue thereof is expressed in the saliva of said mammal.

44. The method of claim 41 wherein said transgene construct comprises a nucleic acid
30 sequence according to SEQ ID NO:3, SEQ ID NO:5; or SEQ ID NO:7.

45. The method of claim 39 wherein said nucleic acid sequence is introduced into said animal in the form of a transgene construct.

46. The method of claim 45 wherein said transgene construct is a nucleic acid molecule.

47. The method of claim 46 wherein said plasmid comprises a nucleic acid sequence according to SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, or SEQ ID NO:6.

48. The method of claim 39 wherein said animal is chosen from the group comprising pigs, goats, sheep, cows, horses, rabbits, rodents, cats, dogs, fish and poultry.

49. The method of claim 48 wherein said animal comprises a mouse or a pig.

50. A nucleic acid molecule comprising a nucleic acid sequence including a gene encoding a protein, said gene being operably linked to at least one regulatory sequence for gastrointestinal tract specific expression of said protein.

51. The molecule of claim 50 wherein said at least one regulatory sequence comprises a salivary protein promoter/enhancer sequence, whereby expression of said protein is salivary gland specific.

52. The molecule of claim 51 wherein said salivary protein promoter/enhancer sequence comprises a parotid secretory protein (PSP) promoter/enhancer, a proline-rich protein (PRP) promoter/enhancer, a salivary amylase promoter/enhancer, or a SV40 promoter/enhancer.

53. The molecule of claim 51 wherein said protein comprises a phytase or a homologue thereof.

54. The molecule of claim 53 wherein said molecule is a transgene construct.

55. The molecule of claim 54 wherein said molecule is a nucleic acid molecule.

56. The molecule of claim 55 wherein said molecule comprises a nucleic acid sequence according to SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:4, or SEQ ID NO:6.

57. The molecule of claim 53 wherein said molecule includes a nucleic acid sequence according to SEQ ID NO:3, SEQ ID NO:5; or SEQ ID NO:7.

58. An antibody specific to a protein expressed by a nucleic acid sequence according to SEQ ID NO:3, SEQ ID NO:5; or SEQ ID NO:7.

59. The antibody of claim 58 wherein said antibody is monoclonal.

60. The antibody of claim 58 wherein said antibody is polyclonal.

61. A hybridoma secreting the antibody of claim 59.

62. A host cell transfected with molecule of claim 50.

63. A host cell transfected with the molecule of claim 56.

64. A host cell transfected with the molecule of claim 57.

65. The host cell of claim 63 wherein said cell is an bacterial cell.

66. The host cell of claim 64 wherein said cell is an animal cell.

67. A diagnostic kit for immunologically detecting a protein expressed by a nucleic acid sequence according to SEQ ID NO:3, SEQ ID NO:5; or SEQ ID NO:7, the kit including an antibody specific to said protein.

68. The kit of claim 67 wherein said antibody is monoclonal.

69. The kit of claim 68 wherein said antibody is polyclonal.





Figure 1

**Figure 1 (continued)**






Figure 1 (continued)

**Figure 2**

**Figure 3**




Figure 3 (continued)




Figure 3 (continued)




Figure 4. Schematic diagram of the Lama2/APP A construct.

Figure 5. The nucleic acid sequence of the Lama2/APPA plasmid (SEQ ID NO: 1)

LOCUS Lama-appA 20623 bp DNA CIRCULAR SYN 17-JAN-2000
 DEFINITION Lama 2/APPA transgenic construct
 ACCESSION Lama 2-appA,
 KEYWORDS parotid secretory protein; acid glucose-1-phosphatase; appA
 gene;
 periplasmic phosphoanhydride phosphohydrolase; artificial
 sequence;
 cloning vector
 REFERENCE 1 (bases 1 to 20623)
 AUTHORS Golovan, S., Forsberg, C.W., Phillips, J.
 JOURNAL Unpublished.
 FEATURES
 DEFINITION M. musculus Psp gene for parotid secretory protein.
 ACCESSION X68699
 VERSION X68699.1 GI:53809
 SOURCE house mouse.
 ORGANISM Mus musculus
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Mammalia;
 Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 REFERENCE 1 (bases 3777 to 5332;)
 AUTHORS Svendsen, P., Laursen, J., Krogh-Pedersen, H. and Hjorth, J.P.
 TITLE Novel salivary gland specific binding elements located in the PSP
 proximal enhancer core
 JOURNAL Nucleic Acids Res. 26 (11), 2761-2770 (1998)
 MEDLINE 98256451
 REFERENCE 2 (bases 7147 to 12653; 13952 to 17731)
 AUTHORS Mikkelsen, T.R.
 TITLE Direct Submission
 JOURNAL Submitted (07-OCT-1992) T.R. Mikkelsen, Department of Molecular
 Biology, University of Aarhus, CF Mollers Alle 130, 8000
 Aarhus, DENMARK
 REFERENCE 3 (bases 7147 to 12653; 13952 to 17731)
 AUTHORS Laursen J, Hjorth JP
 TITLE A cassette for high-level expression in the mouse salivary glands.
 JOURNAL Gene 1997 Oct 1;198(1-2):367-72
 MEDLINE 9370303

FEATURES Location/Qualifiers
 source 1.to 12653; 13952 to 17731
 /organism="Mus musculus"
 /strain="C3H/As"
 /db_xref="taxon:10090"
 /chromosome="2"
 /map="Estimate: 69 cM from centromere"
 /clone="Lambda YP1, Lambda YP3, Lambda YP7"
 /clone_lib="Lambda-PHAGE (Lambda L47.1)"
 /germline
 /note="Allele: b"
 misc_feature 3777-5332
 /gene="PSP"
 /function="salivary gland specific positive acting
 regulatory region"
 enhancer 7147..8724
 /evidence=experimental
 exon 11778..11824
 /gene="Psp"
 /note="exon a"
 /number=1
 /evidence=experimental
 exon 12626.. 14190
 /gene="Psp"
 /note="exon b fused with exons h and i"
 misc_feature 12644-12652

Figure 5 (continued):

```

        /function=" consensus sequence for initiation in higher
        eukaryotes "
misc_feature 13952-13965
        /function=" M13mpl8 polylinker"

DEFINITION E. coli periplasmic phosphoanhydride phosphohydrolase (appA) gene,

ACCESSION MS8708 L03370 L03371 L03372 L03373 L03374 L03375
VERSION M58708.1 GI:145283
SOURCE Escherichia coli DNA.
ORGANISM Escherichia coli
        Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
        Escherichia.

REFERENCE 1 (bases 12653..13951)
AUTHORS Dassa, J., Marck, C. and Boquet, P.L.
TITLE The complete nucleotide sequence of the Escherichia coli gene appA
        reveals significant homology between pH 2.5 acid phosphatase
        and glucose-1-phosphatase
JOURNAL J. Bacteriol. 172 (9), 5497-5500 (1990)
MEDLINE 90368616

FEATURES             Location/Qualifiers
     Source             12653..13951
                        /organism="Escherichia coli"
                        /db_xref="taxon:562"
     sig_peptide         12653..12718
     /gene="appA"
     CDS12653            13951
                        /gene="appA"
                        /standard_name="acid phosphatase/phytase"
                        /transl_table=11
                        /product="periplasmic phosphoanhydride phosphohydrolase"
                        /protein_id="AAA72086.1"
                        /db_xref="GI:145285"

     /translation="MKAILIPFLSLLIPLTPQSAFAQSEPELKLESVVIVSRHGVRAP
TKATQLMQDVTTPDAWPTWPKLGWLTTPRGGELIAYLGHYQRQRLVADGLLAKKGCPQS
GQVAIIADVDERTRKTGEAFAAGLAPDCAITVHTQADTSSPDPLFNPLKTGVCQLDNA
NVTDAILSRAGGSIAFTGHRQTAFRELERVLNFPQSNLCLKREKQDESCSLTQALPS
ELKVSADNVSLTGAVSLASMLTEIFLLQQAQGMPEPGWGRITDSHQWNTLLSLHNAQF
YLLQRTPEVARSRATPLLDLIKALTTPHPPQKQAYGVTLPTSVLFIAGHDTNLANLGG
ALELNWTLPGQPDNTPPGGELVFERWRRLSDNSQWIQVSLVFQTLQQMRDKTPLSLNT
PPGEVKLTLAGCEERNAQGMCSLAGFTQIVNEARIPACSL"
     mat_peptide         12719 13948
                        /gene="appA"
                        /product="periplasmic phosphoanhydride phosphohydrolase"

     mutation            replace(12659.. 12661,"gcg changed to gcc")
                        /gene="appA"
                        /standard_name="A3 mutant"
                        /note="created by site directed mutagenesis"
                        /citation=[3]
                        /phenotype="silent mutation"
     mutation            replace(13934..13936," ccg changed to ccc")
                        /gene="appA"
                        /standard_name=" P428 mutant"
                        /note="created by site directed mutagenesis"
                        /citation=[3]
                        /phenotype=" silent mutation "
     mutation            replace(13937..13939," gcg changed to gct")
                        /gene="appA"
                        /standard_name=" A429 mutant"
                        /note="created by site directed mutagenesis"

```

Figure 5 (continued):

```

/citation=[3]
/phenotype=" silent mutation "

DEFINITION      pBluescript II KS(+) vector DNA,
ACCESSION       X52327
VERSION         X52327.1  GI:58061
KEYWORDS        artificial sequence; cloning vector; expression vector; vector.
SOURCE          synthetic construct.
ORGANISM         synthetic construct
                artificial sequence.
REFERENCE       1      (bases 17732 to 20623)
AUTHORS         Thomas, E.A.
TITLE           Direct Submission
JOURNAL         Submitted (20-FEB-1990) Thomas E.A., Stratagene Cloning
                Systems, 11099 North Torrey Pines Rd., La Jolla, CA 92037, USA
REFERENCE       2      (bases 17732 to 20623)
AUTHORS         Short, J.M., Fernandez, J.M., Sorge, J.A. and Huse, W.D.
TITLE           Lambda ZAP: a bacteriophage lambda expression vector with in
                vivo excision properties
JOURNAL         Nucleic Acids Res. 16 (15), 7583-7600 (1988)
MEDLINE         88319944
REFERENCE       3      (bases 17732 to 20623)
AUTHORS         Alting-Mees, M.A. and Short, J.M.
TITLE           pBluescript II: gene mapping vectors
JOURNAL         Nucleic Acids Res. 17 (22), 9494 (1989)
MEDLINE         90067967
FEATURES
Source          Location/Qualifiers
                17732 to 20623
                /organism="synthetic construct"
                /db_xref="taxon:32630"
CDS             complement (18967..19827)
                /gene="Amp"
                /product="b-lactamase"

```

BASE COUNT 5449 a 4847 c 4902 g 5424 t

ORIGIN

```

1  TCGAGAGTAT  CTTTGTTCAGC  TGTGCCTCCA  ACAAAGGGGT  ACTGTTGCCC  ACATAGAAAG
61  ATCTAAACTA  ATTAATTAAT  CCTCACCCG  CAAATCTTTC  AGTCACTAAG  TTAGCACGAT
121 TGTGTGAACAA GTTCTCCAAA  GGAGAGATAC  AGATGAGTGC  GTATAGGGTG  GACCTGGCTG
181 CTGAGGAGAC  ACCTGCATCT  GACTAAGAAG  AGCCACGGTG  TTAGTTGAAT  GGTGTGGAGT
241 AGGGTGGTTC TGTGGGACAG  TAGAAAATCG  AGAGGCATGT  GCCGTTTAGT  GAACTGATGG
301 AAGCTACCCC  AAACGACAGA  GATTGTCTAGT  CAGGCCAATC  CGTTTCGAGT  TTGATGGGCA
361 GCCGGACAGT  GAGACAGACA  CACCTACTCA  GTTGGAGGAA  GGATGAGAAC  AATGGCCAGC
421 AGGGATTGAG  AGACCCTGAC  AGGCGCAAGG  CCCTAACACA  CACACCTACC  ACCTCACTTG
481 ACAAAGCTGC  CAAAGACCAA  AGACTTGTTT  TCCATTAGAA  ATGACAGCTG  GCTTGACCCG
541 ACAGCATAAT  AAGCAGAGTG  TACTCTGATT  GGAGAACTTT  AATGTGTTTC  ATTCAGTATT
601 ATAAAAGGAC  AGTATTACAG  ATTTGTGTTG  AACTGTGCTG  TACATGTGGG  GCAGTGTGTC
661 TTAAAGTAGG  GTAAAGTACT  CTTTAAAAAT  GGGTCCTAGA  TATTTTTTCC  TTAACTCAA
721 GTCTCTTACT  GTTTAAATGA  TTTTATTTT  GTTTAATATG  GAGGAAAAAG  AAGCGTAAAT
781 GGACAATATA  TATTTAGAGA  AAGATGGTTA  GCTGTCAGAA  AAATATGCAA  ATCAAAATCA
841 CACCAAGACT  GCAGCACACC  CCGTCAGAT  GGCTGTGATC  AAGAAAATAA  ATGACAATGA
901 GTGGTGGTGA  AGATGTACTA  AAGGGAAACA  CACACACACA  CACACACACA  CACACACACA
961 CACACTGGAG  CAACCACTGT  GGAAATCAGT  ATGAATGGTC  CTCAAAAACC  TGAAGATAGA
1021 GCGGGGCGTG  GTGGCATACA  CTTTATTTC  CAGCACTGGG  GAGGCAGAGG  CAGGTGGATC
1081 TCTGAGTTCC  AGGCCAGCCT  GGTCTATAGC  ACAGGTTCTA  GGACAGCCAG  GGCTACACAG
1141 AAAAACCCTG  CCTTGATTAA  ACCAAACCAA  ACCAAACCAA  ACCAAACCAA  ACCAAACCAA
1201 ACCAAACCAA  ACCAAACCAA  ACCAAACCAA  AACACTGAAG  ATAGAACTTC  AGTATTCCAT
1261 TCCTAGATAT  ATACCCAATG  GAGACTAAGT  CAGCAAGACA  CCTGCACAGC  CATGTTCACT
1321 ACTACACTGT  TCACCACAGC  CAGGCTGTGG  AACCAGCCTG  AGTGTCCATG  ATAAATGAAT
1381 GGATCAAGTA  CTTTCAAGGT  AAATGGACTC  TGCTGTGTAC  ATGCCTCACA  TTCTGTTTAT
1441 TCATTTTTCT  TTATGAGGTG  TCCATTACAG  AGTCACATGG  TAGTTCTATT  TTCAGTCTTC
1501 TGAAGATACT  ACACTGGTCC  CCACAGTTTA  CACTTTTATC  AGCAGTGAAT  AAGGGTTCCCT
1561 CTATCCTTAC  CATCATTTGT  TGTAAATTTT  CTTGATGACC  CTCTTTCTGA  CAGGGATAGG
1621 ATGTAATATC  AGTGTGAGGA  AGTACAACCT  GTTTTCTAAG  TATTTATTGG  CCCCTTGCAT
1681 TTCTTCTTTT  GAAAACGTGC  GGTTCCTGAC  ATCTGCTCAG  GTATTCATTG  GATGTTGTTT

```

11/58

RECTIFIED SHEET (RULE 91)

Figure 5 (continued):

```

1741 CTTTGGTGTT TGAGTTCTTA TGAATTCTAG ATGTTAAATC CCTGCCTGTG GTTCTCTCCC
1801 ATTCTGTAGG CTGCCTCCTC ACCCTGGCAA TTGTTGTCTT TGTTTTGCAG AAACTTTGA
1861 CTTTCATGGAA TCTCATTTGT CAGTTTTCCC TCCTCTGCTA TAGCCTGAGC TAATGCACTG
1921 GTTTTACAG AGCCCTGGTC TATGCCTTTA TCCTCCTCTG GCAGCTTCGG AGTTTCATTT
1981 CTTACATTTA GATCTTTGAT CCACTTTGAA CAAGTTTTGG AGCAGGGTGA GAGATACGAA
2041 TCTAGTTCCA TTCTTCCATA TGTGATCCTA GTTTACATAG CATCGTTGGT TGAAGAGGTT
2101 TTATTTTATT TTAAATAAAT GTGTCATAAA AAACGAGGTG GTTGTAGCAG TGTGGATTGG
2161 TTTCTTTGTC CTTTGATCTA CAGGTCCTGT TTTGTGTCAG TCTCATGATG TTTTATTGCT
2221 ATGGCTCTGT CATACAGTCT GAGGTCAGGT ATTGTGATAT ACCTTCAGTA TTGCTCCCTC
2281 AGACTCAGGT TTGCTTTGGC CAGGAGTCAT CTTACTCAGT GCTCTTAGAG CTCCCCCAGC
2341 ATGTAGCTGC TACTATTCTT AGTTGATAAA TCAGGAAACT GGGGCTCAGA GAGATTAAC
2401 GTCTTGAAC ACTTCTGGGG AGGTGAAACG TGGAGACACT AAACGTGTGT TACCCTGTAC
2461 TGCTCCAGTA GCTGTCGGGT GCTGGGCTAC AGCAAAGCAC CTATACTATA TATTACTCAG
2521 GAGGTGGAAA AACTCAGCCT CCCTTGGGGT TCCCAAGCTC CCAGGTGTCC AGTCACTGCT
2581 GGAACCTCA TGGAGTCTGA AAGGAAGGGT TGAGGGTACA TGGGGCAGCG ATGAGGAGCC
2641 TGGGGCTGGG ATCTCCCAA CACCTGGATA TCCAGATGCC ACTGGGTGAG GGGGAGTTGG
2701 GAACAGAGTT GGGATGTCCA TGGACCTGTG ACAAGGCCAG GGCCAGGGGG AGGATAACTC
2761 TGGCTTTACT AATTTGCGAA AGTCCTTAGC TTAGCAGCAG TTGTCTGGGA GCACAGAGGG
2821 GCCTTCTGTA AGAGGCTCAG GCAGTGCCCG TCTGTAGGCG AAGGTCTTCT CCATGTTCCC
2881 CATGGTGGTT CTTGATGAAA GAGACAGTCC TTGGCTCAA ACTGGTTTAT TGATTGTTCA
2941 TTTGGGAAAA TGGGTGCACA CCACCTTCTC AGGGTGGACC AGAGATCAA TACTCTTTGC
3001 AGGGAGGAAT ATCTGGGAAG GGACGCTTAC TGGCTAAACC CTCAGGGCCT CTAGATACAT
3061 CATTAGCATG GAGAACTCTG TTCTGGGCTA CATGACCACA GGCCACATTT CCACAAGCCA
3121 CATGTGGGAA GTGTGGCACA TGTTCTAGGC CAGGAATCTG GTAGGGAGCG TGGAGCCACC
3181 TACCATCCCA GGTGGGTGCC TGGGTGCCAG GGACCCTGAA CCGCTCAAC CTTACCAAGT
3241 TTCCTGGCAG GGTCCACTGT CCTACACAGA AGCTGGAGGA GGTGTGAGGG TTGTGTCTTT
3301 GTGGAATGTC CCATGCTGCT TGGGGCTCAG TTTCTCCACC TGTACCTCAT TGGTTTGGGT
3361 ATAAAAGTG GGGATACTTT ATTATTCTCT GACTCGGTCC TGAGGAAAAA GCATCGTGGC
3421 AGTCCAGGAA CCACACCCTG AGGTTCTCTG ACTGAAGGGA CTCCCTAAGT CTCTGGAGTC
3481 TCTCCCTTTC ACAGAGCTGC CAAAGTCTAG GTTCTTTTGA GGATAACAGA GCCATGCTTG
3541 GTAAGCAGAC AACAGCATTT GTTTACTCAA CCTTCTTTTG TCAGCTCCCT CTTCATAAAC
3601 AAGTTGAGAC ACCATGCTGG CTTGAGGAAG ACTTCTAAAG CCAGACAACT GTGCAAGGAA
3661 GAAGAAGAAG GGGCAAGTGG AGTTAGCCTG GATGTAGCCC TCAAAGTCTC CAGAGACCAG
3721 CCATGAAGGC TCAAGTGGAG GGCAAGACCT CGAGCAGCCA AGCATCTGGC AGGAGAGGAT
3781 CCTGGGAACC CCTCTACCAT GACACACATT CTTCTGCGAG GTCACACTTA ATAGGCCATT
3841 TCTTATTTGG ATCTATCATG GTGTTCTGTG CGAGATTAAT GAGGTGTTAT GCTGCGAACA
3901 GAAAGTTATA TAAAAACAAG TCCCCCCCCC TTGTCACTGC TGCTAAGAA GTAGCAGAAA
3961 TTGTCTCAAG TGTCTCTCTA ATCAGAAACA ATAAAGGTCT CCTTGGATT CAGCCCTCCA
4021 GTTCTCTCCT TCCTTGCTGA GCCTTGGACA CCCATACAAA CCTCCTGGAT GCTACAGCTC
4081 TGGGCAGAGA CTCCAAGGTG GGGAGAGACT GATGGTACAA AAGCAAAATA CTTGTTTGGG
4141 GGTACACCCA CTCTCTGCTC TGTGTGGTTC CTGCACTCAG TCCTGCAGAC AGGCCCTCAG
4201 TGGGTCTTCC ATGGGCAACA CGCAGAGGGA GGCAATGGAT GGGAATACCC ACACCCTGGT
4261 TAGTTTACCC CGGCCATGCT CTCTGCTCTT CATCCCTCCT CTGCCCTCTG CCACGGCTTT
4321 CTCTGCAGGA ATCATATCTT CATATTGGCC CACAGGTGTT CTCTCAGCCC TAGCTATGAT
4381 GTTTACTTTA GAGTGACCTT AGCAGGGCTG GTGGGAATGA GTTCTAGAAG GCTCAGGAG
4441 ATGCTAGGGA AGAAACGTCT TCTAACTACT GAGGTTACTA AGTTCCTGGT GGTGTCTCT
4501 GCCTTTCCCT TGTTAAAGTC ACCTTGAAGT TAGTGCAGAA GAAATCAGAG CCCAGTCACA
4561 GAGTAAATAT GGTCTGAAG ATTTCTTTTG AGTGCCCGA ATCCATGACA TTTCAAGAGC
4621 CCTCTTTGTA CCTTAAGTCA TTTGGGGTTG TATCTTCTGC TTGATGTATG TGTGTGTGTT
4681 TATCAAAGAG TGAGATGGTT ACATAAGAGG TGCTCTAAAG GACAGAGAGG ATTTGCAATT
4741 GTGGCATGTG ACATCCTCAG GCCTTGCTCT GGTGCCAGGA GGAAGTATG CAGAAAAGAG
4801 TAAGAGGTCA TTTCTGGAG GCTGTCACTA TAGAGGAGAT CTTACAGTGC ATTCCTCCT
4861 CCAGGCCCTG CCTGAGGATA GACATGTGCT GACTGCAACT GAAACAGAGG CTTGGGATGG
4921 AGAGTTAGGT TCACAGAAGG GAGGGTGGGA GATGGATGCT TGCTGGGTTT TGGGTCTCAT
4981 CACCAGCTCC TGACCACCCG GTCAGCCCAT GTGCTTATTC CATAGCTTTC TTTTGTATG
5041 TTTACTCAGT GTGGTGTGTT TTGGGACCCA GCAGAAGCCA GTCCAGGCTG GACAGCTGTG
5101 GATACACAGG GCAGCATGAG GGTCTCAGC CTGAAGCAGT CAGGCTGGCA GAAGAGAAAG
5161 ACCAGCACAC ATTCTTTCAA CCAACTATGT CTTGAAAAAC AAACATATTA TATCACATAT
5221 ATTGCATTTA TGAGACAGCT AAAATGTACT CGGGTAGCAT GACTCCAGGT GGGGATATCT
5281 GCAAGTGCCA TGAGTGGCAG AGGGACAGCC AATGTGAGGC AAGAAGGAAT TCTGGCTCAA
5341 CACAGCTTAG CTCCCTGGTG TTGGTTCAAA CTTTGAGAGT TTGACCACAA GCACTTTATT
5401 TTTGACATAT TTAACAGAG CACAACCTTG GGAAAAAGTT TTCTTATGAA AATTATCACA
5461 ATAAAGCTTA AGGCATGACT ACATTAATAAT GCCTTTGCAA AGTATATGTG CCCTCTCCA
5521 CAAGATGGT TCTATTGACT GAGAAATAAT GTTCAGGATA AAGATCCAGG AAGAAAAGAT
5581 CAGGSATAAG TAAAATACTA AACTCTTTTG CAAAGTACAT AGACCCTCTT TCATAACAAT

```

Figure 5 (continued):

```

5641 GGGTTCTATT GACTGACAAG CACTGCTCAG GAGTTGGGAA AGAGTCTAGC ATAAGCACGA
5701 TAGCCTGGAG ACTCTAGTGA GGTCTAGTCT TACAGACAGC AAAAATCACC AGGTTACAAA
5761 CTACATTCAT TTCCAGTTTT CTGATCAGGC ACAGGTATGA ATCCCTTCTG TTGAAGAGAA
5821 AAGTCCATGT GTTTAAAAATA TCTGGTTTCT CCAGTGCTAT TAGCGAGAAG ACTTGAGCCC
5881 TATACAACCTC CCACCTGGAG TGACATCCTG TCTTCATGGT ATATTACATA CCTAGACACG
5941 CTCATCTCAC AGACTTAGGA CTTTGTCTTC TGATCTCCAT TTCTGATCCC ACTTCCACCT
6001 TTGCCTTGAT AGTGTCAATT TCTTCACTGC CTTGGTGACA ACCATGTTAT CCTCTGTGTA
6061 TTTGAGTGTT ACCATTTTCA GATTTTACCT GTATGCAAGA TCACACAGTC TTTGTCTTTC
6121 TGTCTGGATG CATGCTAATC TCTACACAAC AACCCTTCCC CGTCACTCAG ATCTTCCTCC
6181 ATTAACACAT ACATGGTGCT GAAGAGGCTA GGGAGCTTCC CTTCAGTGGG GAGCTAGCTG
6241 GCTATTGGGC CTTTTTGACT GTCCAGGAAG GCCCCAATT GCTGAGACAA GAACTTAGAT
6301 TCTTCATTAT TGACTCTAAC TCATGTATCA AGCAGAAGCT AATGAATAGT TATCAACAGG
6361 ATCAGAGGTT CCAGTGTAAG ACACCTTTGAC ATGAAAGAAC GGAGGAAGGA CAGATGGATG
6421 CATAAAAGCA GGACCACTGC CCCAGGAAGG TCCTGGAAAC TGATGCAGGG CAAAGGACAG
6481 GTTATAAACC AAATCTTAGG GAGTCAGGAA GAGCACAGAG GAGCTCAACC AACTGACCAC
6541 TGCTTAGGGG CTACCAACCC AATCCTCCCT GTGGGAACAG CTAAGCTATC AGCCAAGGGT
6601 AATAAACAGG CAGGACCTGT GGATGACATG GAGAGCATAG GGACCCTGGG TCCAGCCTTT
6661 AGCACCTGCA CTCTCAGGAT ACTCCACCAT TGTGTCTTAG AGAGCCTAGG GATACTGGGT
6721 CCAGCCTTTG GTACCTTCAC TCTCAGGGTA CCCCATCACT GTGTCTTGGA GAGCCTAGGC
6781 ACCCTGGGTC CAGCCTTCAG TACCTGCGCT CTCAGGACAC CCCACCATTG TCTCTTGCCC
6841 CGTCTCTTCT TCCTCTTCCT CCCTTTCATT GTCTCTTCTC TGTTCCTTTC TTGACTCTCC
6901 TTTCCCTCA CACCCTCACT CTAGTCTCTC CTTCCCTCT CTGCATCACC CTATCTCTC
6961 TGTGGTCCCT CCACTTTCCT TTATCTCTCA TGCTTCTCTC CTCCCTCAAA TACTGTCTAC
7021 CCACTATACT TCAGGGGCCA GCTCTAGTGA CAAAGCTGTT AATAGCAAGA CTCTCAGATC
7081 TCCAACGGCT CAGAGGAGCC AGACCACCA AGAAGCTCTC CCAGGTCCAA TTTCAGGTTT
7141 CTTCGAAAGC TTTCAGCAA TGCTCAGGGA ACATGCCACT AACAAGAAGA TGCAAATTCC
7201 AGTTGAGAGT GGGAAAGGCC CTTGCGTAGG TCCCATCTTC CAGGCCAAGG TCAGAGGGGC
7261 TCTGTGTAAT CCGGATTGAC AGGGCTCAGA ACAATGTTT GTTTTTAAGG TTTATTATT
7321 TTAGGTGTTA GTGTCTTGC TTGCATGACC TTATGTGCAT CATGTGTGTG CAGGTTCTCTG
7381 ATGACAGTAG AGGAGGCTT TGAATCCCTG GGGATAGGAA GTTACAGGAA ATTATAGCT
7441 GCTTTGTGGG TCTTCTAGCT TTCCCAACAG AAGTGAATGC TCTTCACCAC TGAGCCATCT
7501 CTCTAGGCCC AAGAGACATT GCTTTATGGA TATAATTGTG TGTGTGTGTC AACATTGAGG
7561 AAAGGGAAAT AAAAAAAAAA CTTCAGCCGC TAAGGTTGTA CAGTTTCACT AATTGCTACT
7621 TTTAGTTGTG ATAAATGGC AGGTGCTTCA ACATTTATAT ATACAAAAC TTCCCTGCTG
7681 GTGGTCAAC TGTGAGAACT GGGGTAAGTG GGTGAGTTCT CTTTTTCTGT CTCTGTCTCT
7741 GTCTCTCTCC TTCCATTCTT TCTTAAAGGA AATAACATT GCAGCTGGGT TATAGTCACT
7801 CAATATGGAA GTTACAGAAG TGAAAAAAGG CATTGCCTTG GTGGGTGCTG TTACCAGCTG
7861 ATTTTGTGGT GTCTGCAAG GAGGTCTGGG GACTGGCTGC TCTGTCTCTG TCTGTATGAG
7921 TGAGGGAAGT CTGGGGAGCA GATTCCCTAA CCTTCAGCCT GGCCTGGTTC CTGAGTGAAC
7981 CCAGCCTCTC TGGTCTAGT AGCTTTTTC AAACAGGAAT CTGAGTGGTG ACAGGGAACA
8041 AGTACCAGCC CATTGCTTAA GTGCCAGGCT TAGTGAGGCG AGGAAGCTGC CATAGTGGG
8101 ATTAGTAGTT GTATTGATG TAGGAAGTCC TATCCTGGGA CAGCTAATCC TTAATGCTTC
8161 ACTGGAGATT TTCAATGAGA AATTTATCCC ACGGCCATA TGGCCCCATC CTTTTGTCTC
8221 CAACAGCCAA GTATTTTCCA TTAGAGGAGA CTTCTGTAC ACTTGATGGA TGCTCATTC
8281 AAGGTGACTT GGGGCAGTCA GTACAGACTT GGGATGACCT CTGACAGCCT AACCTCTCCC
8341 CAACAAGGGC CCTCTATGTT TGCTATGTAA TGTAAATGTC GACATTGTCA GGAGTGTCCG
8401 CAGCACAGCC TGCCCACTGT GAGGGCTCTC ATAGGTTTCC CACTGTCTTA TCTACACAGG
8461 GATAACGAGG AGGTAAGCTG CAGTTCCCAG TCTCACTTCA CAGAGGAAGA GATAACCCCA
8521 TCCCAGGTCA TGTAGCCAGC AGTGGAAAGA ATGAGGATT GAACCTCAGG CTTCAGGTC
8581 CCATTGATAG CATCTCCTCA CAAGTCCCTT GCCACCCTCA CGATGCCTTA GACACTTGCC
8641 TGCCCTTTAT ACTAAGGAGA TGCAGGTACA AGGGGTTTAC CCATGTAGCA GCTGAGGCAG
8701 CTGGGGATAG ATACCAGCAG CAGGCCTGAT GTCACCACTC TAACTCCAGC ATCCCCAGTC
8761 TGTGTTCTCT GAGTGTGAAA ATCCCTACTT AACAAGATTG TGCAACAGTC CTTGGCTCTG
8821 TGACCCATAG CTGGAAACAG GATTCTCATT GATTTGTGGA ACATGGTGGC AGCCAGCCAA
8881 AAAGAGGGTC TGCATACAGA AGACAGTGT GGCAAGGCCA CAGCAGACTC TGACTACCTT
8941 AGCTTACAGA ATTACAAGGT CATAATGTCC TCTGCTTTGG TCACCTCATG TTAAGGACAG
9001 GCCCTAATGA AGATGGGGCA GAAGACTGAA GGAATGGCCA ACCAATAACT GGCCCAACTT
9061 GAGACCCTAT CTACAGGCAA GCATCAATTCT CTGACACTAC TAATGATACT CTGTTATGCT
9121 TGCAGACAGA AGCCTAGCAT AACTATCCTC CGAGAGGTCC ACCCAGCAAC TGACTGAAAC
9181 AGAAAAAGAT ATCCACAGGC AAACAGTGGA TGGAGGTCTG GGACTATTAT GGGAGAGCTG
9241 TGGGAAGGAT TAAAAACCTT GAAGGGGATA GGAACCCAC AGGAAGACCA ACAGAGTCAA
9301 CTAAGAGACC TGTGGGAGCT CTCAGAGACT GAGCCACCAA CCAAAGAGCA TACACAGGCC
9361 GGTCCGAGGC ACCTGGCAGG TGTGAAGCAG ACATGCAGCT CAGTCTCCAT GTAGGTCCTC
9421 CAATAAGCGG TAGCCTGACT GCAGTATCCA ATCCCAACA GGGCTGCATA GTCTGGCCTC
9481 AGTGGGGGAG GATGCCCTTA ATCCTGCGCA GACTTGATGA GTGGAGAGCT ATCCAGGGGG

```

Figure 5 (continued):

9541	AACCCACCCT	CTCTGAGAAG	GGAATGGGGA	TGGGGGAGGG	ACTCTGTGAA	GAGGGGACAA
9601	GGACAAACAA	GAACCTCAAA	TAGGTCAGGC	CCTAAAGGCT	TGCTAAGTAG	CAGTGGCCCA
9661	GCTCTGTCT	GTTCTCTCAG	CCAAGGCTCA	GCTCCACCT	GTTTCTGTGT	TTTTCTGGCT
9721	TTTCATGGGC	CTAGGACTTG	GTGACCAGTT	CAAACAATGG	GGCCTGTGGA	AGACACAATA
9781	TACAAGACTA	GGGACATTCC	TGTTCTGCTG	ACTATCCATA	GCCTGATGTA	GGTGAAGGA
9841	CCCAATCACT	GGATTTCTAC	CCTTGACAAA	CCTTGACAGC	TGAGGGCCTC	TCAGAAACCT
9901	ATTTCTTCCA	CTGAAAAATG	AGACTCTCAA	ATGAACGTCG	TGACAATCAT	CAGGCTTATT
9961	AAAGAGGTGT	ATCTAACCTG	AATGGCAAGC	AGACAGCAGG	CAAATGTCTG	TATCAACCTC
10021	TAGGAAGGAC	AAGAACTGCT	CACTGCTGCC	CCCCAGGAGG	CCATTTGCTG	AAACAGCTGC
10081	TCTCCTGCTG	GTGCACAGGC	CCTGCCTTCT	CATTGCAGCC	ACAGCCCTT	CCTGTCTGAA
10141	CCTCCTGTCA	GGTCACTGGG	AAACAGATCA	AGATGGAACA	GGACAGCTCC	TGATGGTAAA
10201	TAAAAAACAG	TGGTCATGGC	TATTCATAGG	GGTTTATGCT	TCTTCAGTCC	ACACTGTGAA
10261	GAGCTGTGGG	CATGAACCAC	AGTGTTCGAG	GTAGAGTTGG	GGTTCTGAAA	TTACAGTGG
10321	GGTGAGCTCA	GTAATGTGA	GCTGGAGGTC	ACTCGTGAGA	CACACAGTCC	TGCTGCTTCT
10381	GTTCCCAATA	TCCTGAGGAG	ACGACACATC	TACTTTGTTC	AGAGGCCACA	GTCTAGTTGA
10441	CCTGAGAGTT	ACCACTTTCT	TATTTGTGTG	TGTGTGTGTG	TGTGTGTGTG	TGTGTGTGTG
10501	TGTTGTTCGT	GTGTGAGTGC	AGGTGCACAT	ATGATAGCGT	ACACGTTGAG	GTGAGAGGAT
10561	AACTATCAGG	CGTTGTCCCC	TCCTACTTTT	CCTCGGACTC	TGGAGAACAA	ACATGGGTCC
10621	TTATTCAGG	GGAGCAAGTC	GCTGTTGGCT	GACACATCTT	GCTCACATAC	ATTTTACCTA
10681	GACAATGGAG	CCTCCATCAG	AGTATTACTT	TAGCTCCTCA	CCGATGGCAA	TGCACCACCT
10741	CTCTACCCAC	ATAGGAGTTG	GGTCTCCACA	CACCCCCACA	CCCCCTTAC	CAAAACGTTT
10801	TCAGTTACTT	TATCTGGTAA	AGTTTCATCAG	AGAATGAAGC	CAGTATTAAG	AACATGGAAT
10861	CATTTGGGAA	CCTGGATCTA	GCAATACCCC	ACCCTAGATG	GAGTTGCTGA	GTTTTCACCT
10921	CAGATTATAA	TTCCCCCCTA	GCTTCTATGG	TTTATTCTGA	AACCAGGGGA	ACTCGATTCC
10981	CCTGTTTGGG	CCACAGACAT	CTGCGTTTGT	GAATTCACAT	GTCATCTACT	GCTAATCCAT
11041	TGGTAGTATG	TGGCTCACAG	AGACACACTA	CAGTCATGGC	CAATGTCAAG	GTAGGACAGA
11101	TGTGAATCAT	TCCCCCAGTC	CTGCTGTTTT	CATGACTAAC	CCTCCTCAGC	ACAGTGACCA
11161	TGAACCTACT	TTTCCCCCTC	TTTTATTTTT	AGAATTGCTG	GAATTTTCTA	TTTTTGAGAAA
11221	TAATAGCCTT	GGGCAGCATT	AAACAAAATC	ATCTAGAAAG	CTGGTTTAAA	ATACAGATGG
11281	TTGAGTCAGT	GAAAGAGTGA	GGAATGTCTC	TATTGGCCCC	TCACAGAGGC	TGGCTCACTC
11341	CAGCAGAGGT	GGTTGAAGCT	CTTGGACACG	GGTCAGGTGC	ATAGGAAAGG	TNGTCTGGGA
11401	CACTGAGAAC	CACAATTGAA	CAAACAGAAC	TGTTGGCTTT	TTTTTTTTTA	AATGAGTTCT
11461	CAAAAAATGA	CTGGCTAGCT	TAGGCAATAA	CTTCGAGCCA	ACCCAACAGA	ACATTCTTCC
11521	ATTGATTTCAT	TCTGGATCTT	CTTTCTAGAC	AATACTGAAC	TGACCCCTTG	TTGGCAGTCT
11581	CAAGTTTGAC	AACATAGGGC	TTTGAACCTG	GCACAAGGTC	CATCACTGTC	ACCCAAGCAT
11641	CCTGGGTGAC	CTTGGGTTTG	GAATATCTTG	GCTAACCTTA	GATATTTTCT	TTGGAGTATC
11701	TTTAGAACAT	CCAGGAAATA	GGGCTTGATT	CTCATCCTGG	GACCACAATA	TAAGTCACCC
11761	TAGAATCCCA	GGAGATCGTG	CAGAGAAACA	AGGATCTCTC	TCGTGTGCAT	CCTTCTTCAA
11821	AGCAGTGAGT	AGTGACTCCA	CTAAACTGAG	TTCCCATCTG	AGAGTCCACA	GGAGGCTTTG
11881	GGGCAAGAAG	CAGAGGGAAG	GCCTGTTTTG	TGTTGGTAAA	GTTTTGACTC	TAACAAATTT
11941	GAAGACATAG	ATGACATTGT	GTGAGACTAA	CAACAACCTA	GACTCATGTG	GGTTCGTGTT
12001	AGGGATCAGA	TTTTATTTCAT	CAATGACTTG	TCTTAGTGTA	TAGAGAAAGG	CTTCCTACTG
12061	GAGGTGTAGG	TCAATAATGA	CAGAAGAGAT	AGCTATTTCC	CCTAGGGACT	GTGCTGCTCC
12121	AAGTTTGCTG	GAGAAAGGCA	GTGGGGAACC	TAGATGTGCT	CTCTGGGGAG	GGGTCTGTAA
12181	GCTGGCTTCA	TAGAAGGTGT	GAAGTTTTCG	TGAAACATCT	AAACAGAAAT	ATAGCTTAGG
12241	AAAGTGAGCA	GGCAAGGCAG	GGAATGTGTT	GCATATGTAT	ATGTACATGA	ATATATTATG
12301	TTATAGATAC	ACACACATTT	GAACCTCATT	TGCAGATGAC	AGAAAATAGG	TTATTTTGCC
12361	TCTCTTAAC	GCTAAGCACA	ATGACTTCCA	GTCCCATCCA	TTTCTTGAAA	TGCCACAATT
12421	TCATTTTTC	TTGTGGCTGA	ATAAAATTCC	ATTGCAGACT	GGGCCCTACT	TCATCCACTC
12481	CTGAGGGCAG	GCATATCCCC	TGGCTCCATT	TCTTACCTAT	TGTGAAGAGA	AGTGCAACTG
12541	TCTTGTGTA	AGGCAAGCGT	GAGAGAGGCA	GGCACTAATT	GTGGGTTTTT	GTTTCTTCTT
12601	CTGCTATGA	CTCTCCATTT	GTGAGAACCA	AAGATCGATA	AAAGCCGCCA	CCATGAAAGC
12661	CATCTTAATC	CCATTTTAT	CTCTTCTGAT	TCCGTTAACC	CCGCAATCTG	CATTGCTCTA
12721	GAGTGAGCCG	GAGCTGAAGC	TGGAAGTGT	GGTGATTGTC	AGTCGTATG	GTGTGCGTGC
12781	TCCAACCAAG	GCCACGCAAC	TGATGCAGGA	TGTCACCCCA	GACGCATGGC	CAACCTGGCC
12841	GGTAAACTG	GGTTGGCTGA	CACCGCGCGG	TGGTGAGCTA	ATCGCCTATC	TCGGACATTA
12901	CCAACGCCAG	CGTCTGGTAG	CCGACGGATT	GCTGGCGAAA	AAGGGCTGCC	CGAGTCTGG
12961	TCAGGTCGCG	ATTATTGCTG	ATGTCGACGA	GCGTACCCGT	AAAACAGGCG	AAGCCTTCGC
13021	CGCCGGGCTG	GCACCTGACT	GTGCAATAAC	CGTACATACC	CAGGCAGATA	CGTCCAGTCC
13081	CGATCCGTTA	TTTAATCCTC	TAAAAACTGG	CGTTTGCCAA	CTGGATAACG	CGAACGTGAC
13141	TGACGCGATC	CTCAGCAGGC	CAGGAGGGTC	AATTGCTGAC	TTTACCGGGC	ATCGGCAAC
13201	GGCGTTTCGC	GAACTGGAAC	GGGTGCTTAA	TTTTCCGCAA	TCAAACCTTG	GCCTTAAACG
13261	TGAGAAACAG	GACGAAAGCT	GTTCAATTAAC	GCAGGCATTA	CCATCGGAAC	TCAAGGTGAG
13321	CGCCGACAA	GTCTCATTAA	CCGGTGCGGT	AAGCCTCGCA	TCAATGCTGA	CGGAGATATT
13381	TCTCTGCAA	CAAGCACAGG	GAATGCCGGA	GCCGGGGTGG	GGAAGSATCA	CCGATTCACA

Figure 5 (continued):

13441	CCAGTGGAAAC	ACCTTGCTAA	GTTTGCATAA	CGCGCAATTT	TATTTGCTAC	AACGCAAGCC
13501	AGAGGTTGCC	CGCAGCCGCG	CCACCCCGTT	ATTAGATTG	ATCAAGACAG	CGTTGACGCC
13561	CCATCCACCG	CAAAAACAGG	CGTATGGTGT	GACATTACCC	ACTTCAGTGC	TGTTTATCGC
13621	CGGACACGAT	ACTAATCTGG	CAAATCTCGG	CGGCGCACTG	GAGCTCAACT	GGACGCTTCC
13681	CGGTGAGCCG	GATAACACGC	CGCCAGGTGG	TGAAGTGGTG	TTTGAACGCT	GGCGTCGGCT
13741	AAGCGATAAC	AGCCAGTGGA	TTCAGGTTTC	GCTGGTCTTC	CAGACTTTAC	AGCAGATGCG
13801	TGATAAAACG	CCGCTGTCT	TAAATACGCC	GCCCGGAGAG	GTGAACTGA	CCCTGGCAGG
13861	ATGTGAAGAG	CGAAATGCGC	AGGGCATGTG	TTCGTTGGCA	GGTTTTACGC	AAATCGTGAA
13921	TGAAGCACGC	ATACCCGCTT	GCAGTTTGTA	AGGTACCCGG	GGATCACAAC	TTGCCCTCTG
13981	AAGAGGAAGA	ACAGAAGGAT	GCCACAACCT	TCCTGCTGGC	TACTCTCCAG	TGTTTTCATC
14041	TTACTTCTGA	TGGCATTTC	CTCTAGAAAG	TGCTACTATC	ATCCACACAT	TTCTACCTGA
14101	GACCACCCAA	AGGACCCTCC	CAAATCTCT	TCCTCTCTGA	GTAGTCTCCA	CACCTGTTAC
14161	CACCATCCCA	GAATTAAAAT	CCTAACTGCA	CTCTGGCGTG	TGACTTGCCCT	CAGTCCCTGC
14221	AATAAGAGTT	GTTGGCAGTG	CCAGGCGTGG	TGGCGCACGC	CTTTAATTCC	AGCACTTGGG
14281	AGGCAGAGGC	AGGCGGATTT	CTGAGTTTGA	GGCCAGCCTG	GTCTACAGAG	TGAGTTCCAG
14341	GACAGCCAGG	GCTATACAGA	GAAACCCCTG	GTGAAAAAAC	CAAAAAAAGT	AAAAAAGTT
14401	GTTGGCAGAG	TGTGGGTTAT	ATACCAGGTG	GAGATTTCAA	ATGAGTGGCT	GAAGCTGTAG
14461	CCAGAAGGAA	CTTAGAGGAT	AGCTCATAAC	TTAAAAAGAA	ATGTAGAGAG	TAGCAGAAAC
14521	ATTGAGAGAG	TGGGCACACA	GCCACTGTGT	GAATGTGGCA	GAACACAATC	CAGCCAGCTA
14581	TACATGCATA	AGTGTATATT	GGCGCCATCC	TGACTGATGA	GACACAGGAA	AACAGATAGA
14641	CGGGGTTAGG	TGGCCATGGC	CTTTCCTGCC	TGCCTCTTCC	TAAGGGTCAT	CTCAAGACCT
14701	TATGCTCTCT	TAACTCTTCC	ATTGCTACTT	AGCTTCTAGA	TATCACCTCC	AGATTAGTCT
14761	CCTTGGGTAC	ATCAGTGATC	CTGGTGATAT	CCAGGGCTTC	CTGATTCCAT	CTTTGTCATA
14821	GAGGCTGCAA	CTAAAGAGGT	CTTCTTAATA	CTTCACACCC	TGATGCCAAA	AGGAAGACAC
14881	AGAAGTTCAC	AGAGGTGAAG	TGATTCTATG	AGGACATACA	GTGAGCAAGC	CATAGGCTCC
14941	GGATTATCTG	ACTCTACTCT	AACCTTTATG	TAAATGTGCT	TTATGCCATT	AACACTGTCA
15001	TTCCTGTGCT	TCAGCTCTGG	GAGACTCCCA	AGCACTCTTA	GGCACAAGCC	ACAATTAAGG
15061	GACTCTGACA	CTCTGCATTG	ATTAATTAGC	ATGGTGGTCT	CTATGTTTCC	AGATTCAATGA
15121	TTGTTTCACT	TTCCATATAG	GCTATGAAGG	GTGTGAGGAA	ATTTTTTGGG	GACAGAATTG
15181	GAGGCAATCC	ACCTCTCTCA	GGAAGCCTCT	ATCTGGAATA	GCTTACAAC	CAGGACAGT
15241	AACCTGTAGC	CCAGTCTCTG	GTGTCCAAAA	TGGGTTTTAT	GGTTTGAATC	TGCAAGCCT
15301	TCCATGTGCT	CAAAGGTTTG	AACATGGAGC	CTCCTCCTGG	TAACACTGTA	TTGGAGGCTT
15361	TTGAGACTGG	ATGCTCTTTG	GTCCCATGTT	TTGCTACATC	ATCTGTCAAG	ATATGACCCA
15421	GGCATGTCTC	CAGCTACCAC	AGACTATGCC	TCTCCAGCTT	TCATGTTCTC	CCCACCATGA
15481	TAGACTTGTA	TCTCCTAAAA	ATGGAATCAA	AGCAAACTTT	TCCTGCATTA	AGTTTTTTTT
15541	TTTCTGTTAA	GTGTTTGGTC	ACAGGGACAA	GAAAAACTCT	AATACAGATA	ATTAGTACCA
15601	GAGTTGAGGT	TCATTGCTCT	AGCAAGTTGG	ATCAAATTTT	TAGGGCTTTG	GAAGTATTTT
15661	ATAAGAGACA	TGTAGAAGAG	TCTGAAGCTG	TGGGCTACAG	AAGTGTCAAC	AGTTTTTAAG
15721	AATAGTTTAA	TACACCATGG	GAATTGTGAA	AATCAGAATG	CTCACACAAA	GGCAGACAGG
15781	AAAACGTGAG	CATGTGGCGT	GTGAGAGGGC	ATAAGAAAGGA	ACCTAGGGGG	AAATGAGCTA
15841	GAAGCCATT	GGCTACGTTA	GGGAACGTGT	GTGGCTGTGC	TTGGCCCATG	CCCTGGCAAT
15901	CTGAATGAGG	CCAAATTTTA	AAGGAGTGGG	CTAACTCGAT	TGTCAGAGAA	AATATCAAGA
15961	CAGACCACCA	CTCAGGCTAT	GCCGTGTTTG	TGACCGACCA	GCTACTCTTA	GCCAGCTCTA
16021	TTGTGAAATT	CCAGAGCAAT	TATCAGAGCA	TGAAGATACA	TACAGTTTAG	TGAAGTAAAG
16081	GGTGTGGGTC	CCTAAGTGGA	TGGTGACATA	ATCTATGTAG	GTGATGCCTA	AGTGACACTT
16141	GATAATCCAA	AATATCAGCA	ATGTGGAATG	TCTTCCAAGG	AGACCTGTAG	ACACACATTT
16201	TAGAATTTTG	CTCATGGCTG	TAATAAATAG	CTAGCTAGAA	ATCATTTTCT	GAAGAGGTTA
16261	GTCTGAGTTA	CGGTTCCAGG	GCAAACATTC	AGTGATGGCA	AGGAAGGCAT	TGCAGTCAGG
16321	AGCCAAAGGT	CAGCTGGTCA	CATTGCATCA	AGAGTAGAGA	GTCAGAGTGT	GAGTAGAAAG
16381	AGGATACAGG	TTATAAAACC	TCAGTGTCCA	CTCTCAGCAA	TCCATTTTCT	CCTAAAAGGC
16441	TTTACCTTCT	AAAGATTTTA	GTCTTCAAAA	CCAGTACCAG	TAGCCTGGGA	ACAAAAGTTG
16501	AAACAAATGA	GCCTTTGTGG	GGCATTTTAC	ACTTAAAAACA	GGGCATCACC	TAGGAGGAGC
16561	CCTGTGTGCA	GTAGGAAGTG	TGGCCTCTGT	GTGAGGAATG	CTCAGGCTAA	TAAGGGGTCC
16621	TCTATCTGAG	GGACCCTATG	AAGATTCAAC	AAGTAGTTGT	GAGAATTCCC	TGTAAATGGA
16681	TGCTACCAAT	TTGACATTGG	TAGACCTGCT	ATTGTGTGCT	TCTTTATTGG	GCTCTCCCAT
16741	CTCCCAACTT	TCCAACCCAT	ATTCCACATT	AATCCCTTCC	ACCACCATGC	AACACTAGGT
16801	AGGAGAGAAG	GAAGGTTAGA	AGAGAAAAGTG	GGTATAGATC	TATTTAGACT	ACTTCCTGCT
16861	GATTAGGGGC	AAGTCCAATC	GTCTTTGTCA	GGATACCTCC	AACCAGCAAC	CAGCAAACCA
16921	GCAAACTCAG	AACAGCAAAA	GCAGCCAACT	AGGCAGCACT	AACCAGCAGG	ATTGGGGTCG
16981	GTAGCGTGGG	AGCAGTCACT	ACTGGTCTTC	TCATGGCTTT	GGCATTAATA	CTCTCTCAAG
17041	AAATTCCGTA	ATTTTTTCCC	CACCACCTGA	AATCCGTA	TTTTAAATGC	AAACTATCTA
17101	CAGCTGGCAA	AAATCACATC	TCTCCTAGAG	CACAAGACAA	ATCATAGTTA	CTGGCTATTT
17161	GCAATCTGAA	GCATCTCAAT	ATCCACACAG	TGGGATTA	ACAAAACAT	ATTCACATCA
17221	CATAACTGTT	TTTTTTTCC	AATTTTTTAT	TAGGTATTTT	CTTTATTATC	ATTTCAAATG
17281	CTATCCCGAA	AGTCCCTAT	ACCCTCCAC	CTCCTGCTC	CCCTACACAC	CCACTCCAC

Figure 5 (continued):

17341	TTTTTGACCC	TGGAGTTCCC	CGGTACTGGG	GCATATAAAG	TTTGCAAGAC	CAAGGGGCCT
17401	CTCTTCCCAG	TGATGGCCGA	CTAAGCCATC	TTCTGCTACA	TATGCAGATA	GAGACACGAG
17461	CTCTGGGGGT	ACTAGTTAGT	TCATATTGTT	GTTCCACCTA	TAGGGTCGCA	GACCCCTTCA
17521	GCTCCTTGGG	TACTTTGTCT	AGCTCCTCCA	CTGGGGGCTC	TGTGTTTTAT	CTAATAGATG
17581	ACTGTGAGCA	TCCACTTCTG	TATTTGACAG	GCACTGGCCT	AGCGTCACAT	GAGCCAGCTA
17641	TATCAGGGTC	CTTTCAGCAA	AACCTTGCTG	GCATGTGCAA	TAGTGTCTGC	GTTTGTTGGT
17701	TGATTATGGG	ATGGATCCAC	TAGTTCTAGA	GCGGCCGCCA	CCGCGGTGGA	GCTCCAGCTT
17761	TTGTTCCCTT	TAGTGAGGGT	TAATTGCGCG	CTTGGCGTAA	TCATGGTCAT	AGCTGTTTCC
17821	TGTGTGAAAT	TGTTATCCGC	TCACAATTCC	ACACAACATA	CGAGCCGGAA	GCATAAAGTG
17881	TAAAGCCTGG	GGTGCCTAAT	GAGTGAGCTA	ACTCACATTA	ATTGCGTTGC	GCTCACTGCC
17941	CGCTTTCCAG	TCGGGAAACC	TGTCGTGCCA	GCTGCATTAA	TGAATCGGCC	AACGCGCGGG
18001	GAGAGGCGGT	TTGCGTATTG	GGCGCTCTTC	CGCTTCCTCG	CTCACTGACT	CGCTGCGCTC
18061	GGTCGTTCCG	CTGCGCGGAG	CGGTATCAGC	TCACTCAAAG	GCGGTAATAC	GGTTATCCAC
18121	AGAATCAGGG	GATAACGCAG	GAAAGAACAT	GTGAGCAAAA	GGCCAGCAAA	AGGCCAGGAA
18181	CCGTAAAAAG	GCCGCGTTGC	TGGCGTTTTT	CCATAGGCTC	CGCCCCCTGT	ACGAGCATCA
18241	CAAAAATCGA	CGCTCAAGTC	AGAGGTGGCG	AAACCCGACA	GGACTATAAA	GATACCAGGC
18301	GTTTCCCCCT	GGAAGCTCCC	TCGTGCGCTC	TCCTGTTCCG	ACCCTGCCGC	TTACCCGATA
18361	CCTGTCCGCC	TTTCTCCCTT	CGGGAAGCGT	GGCGCTTTCT	CATAGCTCAC	GCTGTAGGTA
18421	TCTCAGTTCG	GTGTAGGTCT	TTCGCTCCAA	GCTGGGCTGT	GTGCACGAAC	CCCCGTTTCA
18481	CGCCGACCGT	TGCGCCTTAT	CCGGTAACGA	TGCTCTTGAG	TCCAACCCGG	TAAGACACGA
18541	CTTATCGCCA	CTGGCAGCAG	CCACTGGTAA	CAGGATTAGC	AGAGCGAGGT	ATGTAGGCGG
18601	TGCTACAGAG	TTCTTGAAGT	GGTGGCCTAA	CTACGGCTAC	ACTAGAAGGA	CAGTATTTGG
18661	TATCTGCGCT	CTGCTGAAGC	CAGTTACCTT	CGGAAAAAGA	GTTGGTAGCT	CTTGATCCGG
18721	CAAAACAAACC	ACCGCTGGTA	GCGGTGGTTT	TTTTGTTTTG	AAGCAGCAGA	TTACGCGCAG
18781	AAAAAAAGGA	TCTCAAGAAG	ATCCTTTGAT	CTTTTCTACG	GGGTCTGACG	CTCAGTGGAA
18841	CGAAAACCTCA	CGTTAAGGGA	TTTTGGTTCAT	GAGATTATCA	AAAAGGATCT	TCACCTAGAT
18901	CCTTTTAAAT	TAAAAATGAA	GTTTTAAATC	AATCTAAAGT	ATATATGAGT	AAACTTGGTC
18961	TGACAGTTAC	CAATGCTTAA	TCAGTGAGGC	ACCTATCTCA	GCGATCTGTC	TATTTCTGTT
19021	ATCCATAGTT	GCCTGACTCC	CCGTCGTGTA	GATAACTACG	ATACGGGAGG	GCTTACCATC
19081	TGGCCCCAGT	GCTGCAATGA	TACCGCGAGA	CCCACGCTCA	CCGGCTCCAG	ATTTATCAGC
19141	AATAAACCCAG	CCAGCCGGAA	GGGCCGAGCG	CAGAAGTGGT	CCTGCAACTT	TATCCGCTCT
19201	CATCCAGTCT	ATTAATTGTT	GCCGGGAAGC	TAGAGTAAGT	AGTTCGCCAG	TTAATAGTTT
19261	GCGCAACGTT	GTTGCCATTG	CTACAGGCAT	CGTGGTGTCA	CGCTCGTCTG	TTGGTATGGC
19321	TTTCATTACG	TCCGGTTCCC	AACGATCAAG	GCGAGTTACA	TGATCCCCCA	TGTTGTGCAA
19381	AAAAGCGGTT	AGCTCCTTCG	GTCCTCCGAT	CGTTGTCAGA	AGTAAGTTGG	CCGCAGTGT
19441	ATCACTCATG	GTTATGGCAG	CACTGCATAA	TTCTCTTACT	GTCATGCCAT	CCGTAAGATG
19501	CTTTTCTGTG	ACTGGTGAGT	ACTCAACCAA	GTCATTCTGA	GAATAGTGTA	TGCGGCGACC
19561	GAGTTGCTCT	TGCCCGCGCT	CAATACGGGA	TAATACCGCG	CCACATAGCA	GAACTTTAAA
19621	AGTGCTCATC	ATTGGAAAAC	GTTCTTCGGG	GCGAAAACCT	TCAAGGATCT	TACCGCTGTT
19681	GAGATCCAGT	TCGATGTAAC	CCACTCGTGC	ACCCAACCTGA	TCTTCAGCAT	CTTTTACTTT
19741	CACCAGCGTT	TCTGGGTGAG	CAAAAACAGG	AAGGCAAAAT	GCCGCAAAAA	AGGGAATAAG
19801	GGCGACACGG	AAATGTTGAA	TACTCATACT	CTTCCTTTTT	CAATATTATT	GAAGCATTTA
19861	TCAGGGTTAT	TGTCTCATGA	GCGGATACAT	ATTTGAATGT	ATTTAGAAAA	ATAAACAAAT
19921	AGGGGTTCCG	CGCACATTTT	CCCGAAAAGT	GCCACCTAAA	TTGTAAGCGT	TAATATTTTG
19981	TTAAAAATTCG	CGTTAAATTT	TTGTTAAATC	AGCTCATTTT	TTAACCAATA	GGCCGAAATC
20041	GGCAAAATCC	CTTATAAATC	AAAAGAATAG	ACCGAGATAG	GGTTGAGTGT	TGTTCCAGTT
20101	TGGAACAAGA	GTCCACTATT	AAAGAACGTG	GACTCCAACG	TCAAAGGGCG	AAAAACCGTC
20161	TATCAGGGCG	ATGGCCCACT	ACGTGAACCA	TCACCCTAAT	CAAGTTTTTT	GGGGTCGAGG
20221	TGCCGTAAAG	CACTAAATCG	GAACCCTAAA	GGGAGCCCCC	GATTTAGAGC	TTGACGGGGA
20281	AAGCCGGCGA	ACGTGGCGAG	AAAGGAAGGG	AAGAAAGCGA	AAGGAGCGGG	CGCTAGGGCG
20341	CTGGCAAGTG	TAGCGGTCAC	GCTGCGCGTA	ACCACCACAC	CCGCCGCGCT	TAATGCGCCG
20401	CTACAGGGCG	CGTCCCATTC	GCCATTTCAG	CTGCGCAACT	GTTGGGAAGG	GCGATCGGTG
20461	CGGGCCTCTT	CGCTATTACG	CCAGCTGGCG	AAAGGGGGAT	GTGCTGCAAG	GCGATTAAAGT
20521	TGGGTAACGC	CAGGGTTTTC	CCAGTCACGA	CGTTGTAAAA	CGACGGCCAG	TGAGCGCGCG
20581	TAATACGACT	CACTATAGGG	CGAATTGGGT	ACCGGGCCCC	CCC	




Figure 6




Figure 7




Figure 8





Figure 9

**Figure 10**






Figure 11

**Figure 12**

**Figure 13**




Figure 14




Figure 15




Figure 15B




Figure 16




Figure 17

Figure 18: Nucleic acid sequence of the known segment of the R15/appa+intron plasmid, including the vector sequences of pBLCAT3 (SEQ ID NO:2).

LOCUS R15/appa+intron 6708 bp DNA SYN 15-APR-2000
 DEFINITION R15/appa+intron transgene with vector cut 13543 to 4954
 ACCESSION R15/appa+intron
 REFERENCE 1 (bases 1 to 6708))
 SOURCE synthetic construct.
 ORGANISM synthetic construct
 artificial sequence.
 KEYWORDS salivary proline-rich protein, acid glucose-1-phosphatase; appA
 gene; periplasmic phosphoanhydride phosphohydrolase; artificial
 sequence;
 AUTHORS Golovan, S., Forsberg, C.W., Phillips, J.
 JOURNAL Unpublished.

DEFINITION Rat salivary proline-rich protein (RP15) gene.
 ACCESSION M64793 M36414
 VERSION M64793.1 GI:206711
 SOURCE Rat (Sprague-Dawley) liver DNA.
 ORGANISM Rattus norvegicus
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata;
 Mammalia;
 Eutheria; Rodentia; Sciurognathi; Muridae; Murinae;
 Rattus.
 REFERENCE 1 (bases 1 to 1748)
 AUTHORS Lin, H.H. and Ann, D.K.
 TITLE Molecular characterization of rat multigene family
 encoding
 proline-rich proteins
 JOURNAL Genomics 10, 102-113 (1991)
 MEDLINE 91257817
 FEATURES Location/Qualifiers
 source 1..1748
 /organism="Rattus norvegicus"
 /strain="Sprague-Dawley"
 /db_xref="taxon:10116"
 /tissue_type="liver"
 /tissue_lib="cosmid genomic library"
 misc_feature 1802-1810
 /function=" consensus sequence for initiation in
 higher eukaryotes "

FEATURES Location/Qualifiers
 DEFINITION E. coli periplasmic phosphoanhydride phosphohydrolase (appa)
 gene,
 ACCESSION M58708 L03370 L03371 L03372 L03373 L03374 L03375
 VERSION M58708.1 GI:145283
 SOURCE Escherichia coli DNA.
 ORGANISM Escherichia coli
 Bacteria; Proteobacteria; gamma subdivision;
 Enterobacteriaceae;
 Escherichia.
 REFERENCE 1 (bases 1811..3109)
 AUTHORS Dassa, J., Marck, C. and Boquet, P.L.

Figure 18 (continued):

TITLE The complete nucleotide sequence of the Escherichia coli
 gene appA reveals significant homology between pH 2.5
 acid phosphatase and glucose-1-phosphatase
 JOURNAL J. Bacteriol. 172 (9), 5497-5500 (1990)
 MEDLINE 90368616

FEATURES Location/Qualifiers
 Source 1811..3109
 /organism="Escherichia coli"
 /db_xref="taxon:562"
 sig_peptide 1811.. 1876
 /gene="appA"
 CDS 1811..3109
 /gene="appA"
 /standard_name="acid phosphatase/phytase"
 /transl_table=11
 /product="periplasmic phosphoanhydride
 phosphohydrolase"
 /protein_id="AAA72086.1"
 /db_xref="GI:145285"

 /translation="MKAILIPFLSLLIPLTPQSAFAQSEPELKLESVVIVSRHGV
 TKATQLMQDVTPDAWPTWPVKLGWLTTPRGGELIAYLGHYQRQRLVADGLLAKKGCPQS
 GQVAIIADVDERTRKTGEAFAAGLAPDCAITVHTQADTSSPDPLFNPLKTGVCQLDNA
 NVTDAILSRAGGSIADFTGHRQTAFRELERVLNFPQSNLCLKREKQDESCSLTQALPS
 ELKVSADNVSLTGAVSLASMLTEIFLLQQAQGMPEPGWGRITDSHQWNTLLSLHNAQF
 YLLQRTPEVARSRATPLLDLIKALTTPHPPQKQAYGVTLPTSVLFIAGHDTNLANLGG
 ALELNWTLPGQPDNTPPGGELVFERWRRLSDNSQWIQVSLVFQTLQQMRDKTPLSLNT
 PPGEVKLTLAGCEERNAQGMCSLAGFTQIVNEARIPACSL"
 mat_peptide 1877 3106
 /gene="appA"
 /product="periplasmic phosphoanhydride
 phosphohydrolase"

 mutation replace(1817.. 1819,"gcg changed to gcc")
 /gene="appA"
 /standard_name="A3 mutant"
 /note="created by site directed mutagenesis"
 /phenotype="silent mutation"
 mutation replace(3092..3094," ccg changed to ccc")
 /gene="appA"
 /standard_name=" P428 mutant"
 /note="created by site directed mutagenesis"
 /phenotype=" silent mutation "
 mutation replace(3095..3097," gcg changed to gct")
 /gene="appA"
 /standard_name=" A429 mutant"
 /note="created by site directed mutagenesis"
 /phenotype=" silent mutation "

Figure 18 (continued):

DEFINITION Plasmid pBLCAT3 (bases 3109 to 6708)

ACCESSION X64409

VERSION X64409.1 GI:58163

SOURCE synthetic construct.

ORGANISM synthetic construct
artificial sequence.

REFERENCE 1 (bases 3109 to 6708)

AUTHORS Luckow,B.H.R.

TITLE Direct Submission

JOURNAL Submitted (06-FEB-1992) B.H.R. Luckow, German Cancer Res
Center, Im Neuenheimer Feld 280, W-6900 Heidelberg, FRG

REFERENCE 2 (bases 3109 to 6708)

AUTHORS Luckow,B. and Schutz,G.

TITLE CAT constructions with multiple unique restriction sites

for the functional analysis of eukaryotic promoters and
regulatory elements

JOURNAL Nucleic Acids Res. 15 (13), 5490 (1987)

MEDLINE 87260024

COMMENT Promoterless CAT vector for transient transfection
experiments with eukaryotic cells. Allows the analysis of foreign
promoters and enhancers.

FEATURES Location/Qualifiers

source 3109 to 6116
/organism="synthetic construct"
/db_xref="taxon:32630"

SV40 t intron 3197..3810
/note="SV40 signals"

polyA_signal 3807..4047
/note="SV40 signals"

CDS complement(5244..6104)
/codon_start=1
/transl_table=11
/gene="Amp"
/product="beta-lactamase"
/protein_id="CAA45753.1"
/db_xref="GI:58165"

BASE COUNT 1916 a 1479 c 1515 g 1798 t

ORIGIN

1 GGATCCCCTT TGCTATGTAG TTTTAAATGG AAATTACAAC CCATAGTGTG TTGATAAATA
61 GAGAGTCCTG TTTGGTTTAA GCAACCTCTG TTTCTCATAA ACTCCATAAA AACAGGAATA
121 CTCTTTGTTT CTAGCATAAC CAAAAGATT AGTGAATTGA AAACAATGTT CCCTTAGAGT
181 ATAGGTCTAA TAACCCCGAA AATATTACCA TGATACTGAG CATTGTGAAG TATCTCATAG
241 CATGTAGTAT CCATAGTCCA TCAATGAGAG AGACATTTAA CATGATTTTC ATTAATCAGG
301 TGGAAAAGAC ATGACAACAT TCACAGGCAC TGCACAGAAC ATAGTGGTCC ACCTTGACAC
361 TATTTCACTA AACTAGGTTT ATCTATTTTG TTGCTTTCTC TAACATCTCT GCAATGAAGC
421 AGGTCAACAG TGCCACATAT CCTTTACTTA ACCTAAGGAA CACAAAAAAT TTTCTACATA
481 TATCCTGGTT AGAGAGTGCT TAAAATAAGT TTTCCAAGAA TGGAAAAGAA ATGTTCTGAC
541 TTAACAATTA AGACAGTATT TATTTAAAGC AAGAAATATG AGGCACACAA GAAAATATTT
601 TGGGAAGAAA CCATTTGGTG AACAATATTT CAAATAAAAA TAGACAAACA TAGTTAATTG
661 TAAACATAT GTTTGACCAG CCCTTCTTTT CAAATAGGCTT AATGTGAATA AAATGTTAAA
721 GATTCTCTTT GGGTGGCTGC AAATTGTCCA AGAATAAGAC AAAATATAAA AATAAGGACT
781 GAGTCTCACA AAATGAAAAG GAAATATATT CAGAAAAGAGA ATCTTGAGAG AATGTGTTGT
841 CACAAATTAA AGAAAACCTG TGGTGAATGA CATCCTGAGG CCTGAGCTAT TACTGACATT

Figure 18 (continued):

901	TAAGATAAAG	GTAACGTGAT	ACATTTGTCC	CATTGAGGGG	ACAAGAAAGC	TGCTCTCATG
961	TTCAGCTCTA	TAATTCTTGC	CTTAAACAAC	TTAAATAGAA	TGATTTAAAA	TATGGAGCTG
1021	TCCATGGACC	TTTGAAATAT	AAAATAGTCA	AGCAACTTAT	CAAGGAATTA	CAGATTCCTT
1081	GACTACTACA	CAGGTAAATC	CCACACGTGT	TTTGAGACTA	CATTGTGCTG	GATTTTATGT
1141	ATGTAATAGG	TCACATGTTT	TTCCGGGCCAA	TGTTGCTGTT	ATTCGGTTAC	TTCAAGAGAA
1201	TAGTGGCAAC	TGATGCTATG	TATTCTAGGG	GTTTGAAGTG	ATGTTTCATG	ATTGAAATTT
1261	GTAAAAGAAT	AACATCATCA	TTCTTAAACAA	TAGAACATAT	AAAGTCACAC	AGAAGTGACA
1321	GTGTTTAAGC	TGTACTATTG	ATCAAAGAAA	TTTATTACCT	TCAGTTTCAA	TGGAAATAAT
1381	TACTGATAAT	ACAAACATGT	GTGAACACAC	ACTAATCCTA	TCCAAATGCA	CAGTGATACA
1441	CAGAAAAATAT	TAGCAAGTAG	AATGCAATAT	TTATATAACG	ATTGTATTTA	TCAATCAATT
1501	GTATGTATCA	ATATATGGGC	TATTTTCTTA	CACATGATTT	TATTCAAATT	TACTCTAATC
1561	ATTGTTGAAC	CATTTAGAAA	AGGCATACTG	GCAACTTTTC	CTTACCTCAT	CCAGCTGGGC
1621	AAAAGTCCCA	GTGTGGAGTA	AAGGATGCAA	GATTTCTGTC	TCTGTTAAGT	ATAAAATAAT
1681	AGTATGAATT	CAAAGGTGCC	ATTCTTCTGC	TTCTAGTTAT	AAAGGCAGTG	CTTGCTTCTT
1741	CCAGCACAGA	TCTGGATCTC	GAGGAGCTTG	GCGAGATTTT	CAGGAGCTAA	GGAAGCTAAA
1801	AGCCGCCACC	ATGAAAGCCA	TCTTAATCCC	ATTTTATCT	CTTCTGATTC	CGTTAACCCC
1861	GCAATCTGCA	TTCGCTCAGA	GTGAGCCGGA	GCTGAAGCTG	GAAAGTGTGG	TGATTGTCAG
1921	TCGTCATGGT	GTGCGTGCTC	CAACCAAGGC	CACGCAACTG	ATGCAGGATG	TCACCCGAGA
1981	CGCATGGCCA	ACCTGGCCGG	TAAAACTGGG	TTGGCTGACA	CCGCGCGGTG	GTGAGCTAAT
2041	CGCCTATCTC	GGACATTACC	AACGCCAGCG	TCTGGTAGCC	GACGGATTGC	TGGCGAAAAA
2101	GGGCTGCCCG	CAGTCTGGTC	AGGTGCGGAT	TATTGCTGAT	GTCGACGAGC	GTACCCGTAA
2161	AACAGGCGAA	GCCTTCGCCG	CCGGGCTGGC	ACCTGACTGT	GCAATAACCG	TACATACCCA
2221	GGCAGATACG	TCCAGTCCCG	ATCCGTTATT	TAATCCTCTA	AAAACGTGGC	TTTGCCAACT
2281	GGATAACGCG	AACGTGACTG	ACGCGATCCT	CAGCAGGGCA	GGAGGGTCAA	TTGCTGACTT
2341	TACCGGGCAT	CGGCAAACGG	CGTTTCGCGA	ACTGGAACGG	GTGCTTAATT	TTCCGCAATC
2401	AAACTTGTGC	CTTAAACGTG	AGAAACAGGA	CGAAAGCTGT	TCATTAACGC	AGGCATTACC
2461	ATCGGAACTC	AAGGTGAGCG	CCGACAATGT	CTCATTAACC	GGTGCGGTAA	GCCTCGCATC
2521	AATGCTGACG	GAGATATTTT	TCCTGCAACA	AGCACAGGGA	ATGCCGGAGC	CGGGGTGGGG
2581	AAGGATCACC	GATTACACAC	AGTGGAAACAC	CTTGCTAAGT	TTGCATAACG	CGCAATTTTA
2641	TTTGCTACAA	CGCACGCCAG	AGGTTGCCCG	CAGCCGCGCC	ACCCCGTTAT	TAGATTTGAT
2701	CAAGACAGCG	TTGACGCCCG	ATCCACCGCA	AAAACAGGCG	TATGGTGTGA	CATTACCCAC
2761	TTCACTGCTG	TTTATCGCCG	GACACGATAC	TAATCTGGCA	AATCTCGGCG	GCGCACTGGA
2821	GCTCAACTGG	ACGCTTCCCG	GTCAGCCGGA	TAACACGCCG	CCAGGTGGTG	AACTGGTGTT
2881	TGAACGCTGG	CGTCGGCTAA	GCGATAACAG	CCAGTGGATT	CAGGTTTCGC	TGGTCTTCCA
2941	GACTTTACAG	CAGATGCGTG	ATAAAACGCC	GCTGTCTATTA	AATACGCCGC	CCGGAGAGGT
3001	GAAACTGACC	CTGGCAGGAT	GTGAAGAGCG	AAATGCGCAG	GGCATGTGTT	CGTTGGCAGG
3061	TTTTACGCAA	ATCGTGAATG	AAGCACGCAT	ACCCGCTTGC	AGTTTGTAAG	GTATAAGGCA
3121	GTTATTGGTG	CCCTTAAACG	CCTGGTGCTA	CGCCTGAATA	AGTGATAATA	AGCGGATGAA
3181	TGGCAGAAAT	TCGCCGGATC	TTGTGAAGG	AACCTTACTT	CTGTGGTGTG	ACATAATTTG
3241	ACAAACTACC	TACAGAGATT	TAAAGCTCTA	AGGTAAATAT	AAAATTTTTTA	AGTGATAAAT
3301	GTGTTAAACT	ACTGATTCTA	ATTGTTTGTG	TATTTTAGAT	TCCAACCTAT	GGAAGTGTAT
3361	AATGGGAGCA	GTGGTGGAAT	GCCTTTAATG	AGGAAAACCT	GTTTTGCTCA	GAAGAAATGC
3421	CATCTAGTGA	TGATGAGGCT	ACTGCTGACT	CTCAACATTC	TACTCCTCCA	AAAAAGAAGA
3481	GAAAGGTAGA	AGACCCCAAG	GACTTTCCTT	CAGAATTGCT	AAGTTTTTTG	AGTCATGCTG
3541	TGTTTAGTAA	TAGAACTCTT	GCTTGCTTTG	CTATTTACAC	CACAAAGGAA	AAAGCTGCAC
3601	TGCTATACAA	GAAAATTATG	GAAAAATATT	CTGTAACCTT	TATAAGTAGG	CATAACAGTT
3661	ATAATCATAA	CATACTGTTT	TTTCTTACTC	CACACAGGCA	TAGAGTGTCT	GCTATTAATA
3721	ACTATGCTCA	AAAATTGTGT	ACCTTTAGCT	TTTTAATTTG	TAAAGGGGTT	AATAAGGAAT
3781	ATTTGATGTA	TAGTGCCCTG	ACTAGAGATC	ATAATCAGCC	ATACCACATT	TGTAGAGGTT
3841	TTACTTGCTT	TAAAAAACCT	CCACACCTC	CCCCTGAACC	TGAAACATAA	AATGAATGCA
3901	ATTGTTGTTG	TTAACTTGTT	TATTGCAGCT	TATAATGGTT	ACAAATAAAG	CAATAGCATC
3961	ACAAATTTCA	CAAATAAAGC	ATTTTTTTTCA	CTGCATTCTA	GTTGTGGTTT	GTCCAAACTC
4021	ATCAATGTAT	CTTATCATGT	CTGGATCGAT	CCCCGGGTAC	CGAGCTCGAA	TTCGTAATCA
4081	TGGTCATAGC	TGTTTCCTGT	GTGAAATTGT	TATCCGCTCA	CAATTCCACA	CAACATACGA
4141	GCCGGAAGCA	TAAAGTGTA	AGCCTGGGGT	GCCTAATGAG	TGAGCTAACT	CACATTAATT
4201	CGTTGCGCT	CACGTCCCGC	TTTCCAGTCG	GGAAACCTGT	CGTGCCAGCT	GCATTAATGA
4261	ATCGGCCAAC	GCGCGGGGAG	AGGCGGTTTG	CGTATTGGGC	GCTCTTCCGC	TTCTTCGCTC
4321	ACTGACTCGC	TGCGCTCGGT	CGTTCGGCTG	CGGCGAGCGG	TATCAGCTCA	CTCAAAGGCG

Figure 18 (continued):

```

4381 GTAATACGGT TATCCACAGA ATCAGGGGAT AACGCAGGAA AGAACATGTG AGCAAAAGGC
4441 CAGCAAAAGG CCAGGAACCG TAAAAAGGCC GCGTTGCTGG CGTTTTTCCA TAGGCTCCGC
4501 CCCCCTGACG AGCATCACAA AAATCGACGC TCAAGTCAGA GGTGGCGAAA CCCGACAGGA
4561 CTATAAAGAT ACCAGGCGTT TCCCCCTGGA AGCTCCCTCG TGCCTCTCTC TGTTCCGACC
4621 CTGCCGCTTA CCGGATACCT GTCCGCTTTT CTCCCTTCGG GAAGCGTGCG GCTTTCTCAA
4681 TGCTCACGCT GTAGGTATCT CAGTTCGGTG TAGGTCGTTT GCTCCAAGCT GGGCTGTGTG
4741 CACGAACCCC CCGTTCAGCC CGACCGCTGC GCCTTATCCG GTAACATATCG TCTTGAGTCC
4801 AACCCGGTAA GACACGACTT ATCGCCACTG GCAGCAGCCA CTGGTAACAG GATTAGCAGA
4861 GCGAGGTATG TAGGCGGTGC TACAGAGTTC TTGAAGTGGT GGCCTAACTA CGGCTACACT
4921 AGAAGGACAG TATTGGTAT CTGCGCTCTG CTGAAGCCAG TTACCTTCGG AAAAAGAGTT
4981 GGTAGCTCTT GATCCGGCAA ACAAAACCACC GCTGGTAGCG GTGGTTTTTT TGTTTGCAAG
5041 CAGCAGATTA CGCGCAGAAA AAAAGGATCT CAAGAAGATC CTTTGATCTT TTCTACGGGG
5101 TCGTACGCTC AGTGAACGA AAACCTACGT TAAGGGATT TGGTCATGAG ATTATCAAAA
5161 AGGATCTTCA CCTAGATCCT TTTAAATTAA AAATGAAGTT TAAATCAAT CTAAAGTATA
5221 TATGAGTAAA CTTGGTCTGA CAGTTACCAA TGCTTAATCA GTGAGGCACC TATCTCAGCG
5281 ATCTGTCTAT TTCGTTTCATC CATAGTTGCC TGAATCCCG TCGTGTAGAT AACTACGATA
5341 CGGGAGGGCT TACCATCTGG CCCAGTGCT GCAATGATAC CGCGAGACCC ACGCTCACCG
5401 GCTCCAGATT TATCAGCAAT AAACCAGCCA GCCGGAAGGG CCGAGCGCAG AAGTGGTCTT
5461 GCAACTTTAT CCGCTCCAT CCAGTCTATT AATTGTTGCC GGAAGCTAG AGTAAGTAGT
5521 TCGCCAGTTA ATAGTTTGGC CAACGTTGTT GCCATTGCTA CAGGCATCGT GGTGTCACGC
5581 TCGTCGTTTG GTATGGCTTC ATTCAGCTCC GGTTCCTAAC GATCAAGGCG AGTTACATGA
5641 TCCCCCATGT TGTGCAAAAA AGCGGTTAGC TCCTTCGGTC CTCCGATCGT TGTCAGAAAGT
5701 AAGTTGGCCG CAGTGTATC ACTCATGGTT ATGGCAGCAC TGCATAATTC TCTTACTGTC
5761 ATGCCATCCG TAAGATGCTT TTCTGTGACT GGTGAGTACT CAACCAAGTC ATTCTGAGAA
5821 TAGTGTATGC GCGGACCGAG TTGCTCTGTC CCGGCGTCAA TACGGGATAA TACCGCGCCA
5881 CATAGCAGAA CTTTAAAAGT GCTCATCATT GGAAAACGTT CTTCGGGGCG AAAACTCTCA
5941 AGGATCTTAC CGCTGTTGAG ATCCAGTTCG ATGTAACCCA CTCGTGCACC CAACTGATCT
6001 TCAGCATCTT TTACTTTCAC CAGCGTTTCT GGGTGAGCAA AAACAGGAAG GCAAAATGCC
6061 GCAAAAAGG GAATAAGGGC GACACGGAAG TGTTGAATAC TCATACTCTT CCTTTTTCAA
6121 TATTATTGAA GCATTTATCA GGGTTATTGT CTCATGAGCG GATACATATT TGAATGTATT
6181 TAGAAAAATA AACAAATAGG GGTTCGCGC ACATTTCCCC GAAAAGTGCC ACCTGACGTC
6241 TAAGAAACCA TTATTATCAT GACATTAACC TATAAAAATA GGCGTATCAC GAGGCCCTTT
6301 CGTCTCGCGC GTTTCGGTGA TGACGGTGAA AACCTCTGAC ACATGCAGCT CCCGGAGACG
6361 GTCACAGCTT GTCTGTAAGC GGATGCCGGG AGCAGACAAG CCCGTCAGGG CGCGTCAGCG
6421 GGTGTTGGCG GGTGTCGGGG CTGGCTTAAC TATGCGGCAT CAGAGCAGAT TGACTGAGA
6481 GTGCACCATA TGCGGTGTGA AATACCGCAC AGATGCGTAA GGAGAAAATA CCGCATCAGG
6541 CGCCATTGCG CATTCAAGGCT GCGCAACTGT TGGGAAGGGC GATCGGTGCG GGCCTCTTCG
6601 CTATTACGCC AGCTGGCGAA AGGGGGATGT GCTGCAAGGC GATTAAGTTG GGTAAACGCC
6661 GGGTTTTCCC AGTCACGACG TTGTAAAACG ACGGCCAGTG CCAAGCTT

```

//

Figure 19: Nucleic acid sequence of the known segment of the R15/appa+intron transgene used for the generation of transgenic mice (SEQ ID NO: 3).

LOCUS R15/appa 4060 bp DNA SYN 15-APR-2000
 DEFINITION R15/appa transgene without vector
 ACCESSION R15/appa
 REFERENCE 1 (bases 1 to 4060)
 SOURCE synthetic construct.
 ORGANISM synthetic construct
 artificial sequence.
 KEYWORDS salivary proline-rich protein, acid glucose-1-phosphatase; appA
 gene; periplasmic phosphoanhydride phosphohydrolase; artificial
 sequence;
 AUTHORS Golovan, S., Forsberg, C.W., Phillips, J.
 JOURNAL Unpublished.

DEFINITION Rat salivary proline-rich protein (RP15) gene.
 ACCESSION M64793 M36414
 VERSION M64793.1 GI:206711
 SOURCE Rat (Sprague-Dawley) liver DNA.
 ORGANISM Rattus norvegicus
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata;
 Mammalia;
 Eutheria; Rodentia; Sciurognathi; Muridae; Murinae;
 Rattus.
 REFERENCE 1 (bases 1 to 1748)
 AUTHORS Lin, H.H. and Ann, D.K.
 TITLE Molecular characterization of rat multigene family
 encoding
 proline-rich proteins
 JOURNAL Genomics 10, 102-113 (1991)
 MEDLINE 91257817
 FEATURES Location/Qualifiers
 source 1..1748
 /organism="Rattus norvegicus"
 /strain="Sprague-Dawley"
 /db_xref="taxon:10116"
 /tissue_type="liver"
 /tissue_lib="cosmid genomic library"
 misc_feature 1802-1810
 /function=" consensus sequence for initiation in
 higher eukaryotes "

FEATURES Location/Qualifiers
 DEFINITION E. coli periplasmic phosphoanhydride phosphohydrolase (appA)
 gene,
 ACCESSION M58708 L03370 L03371 L03372 L03373 L03374 L03375
 VERSION M58708.1 GI:145283
 SOURCE Escherichia coli DNA.
 ORGANISM Escherichia coli
 Bacteria; Proteobacteria; gamma subdivision;
 Enterobacteriaceae;
 Escherichia.
 REFERENCE 1 (bases 1811..3109)
 AUTHORS Dassa, J., Marck, C. and Boquet, P.L.

Figure 19 (continued):

TITLE The complete nucleotide sequence of the Escherichia coli
 gene appA reveals significant homology between pH 2.5
 acid phosphatase and glucose-1-phosphatase
JOURNAL J. Bacteriol. 172 (9), 5497-5500 (1990)
MEDLINE 90368616

FEATURES Location/Qualifiers
Source 1811..3109
 /organism="Escherichia coli"
 /db_xref="taxon:562"
sig_peptide 1811..1876
 /gene="appA"
CDS 1811..3109
 /gene="appA"
 /standard_name="acid phosphatase/phytase"
 /transl_table=11
 /product="periplasmic phosphoanhydride
 phosphohydrolase"
 /protein_id="AAA72086.1"
 /db_xref="GI:145285"

 /translation="MKAILIPFLSLLIPLTPQSAFAQSEPELKLESVVIVSRHGVRA
 TKATQLMQDVTPDAWPTWPVKLGWLTTPRGGELIAYLGHYQRQLVADGLLAKKGCPQS
 GQVAIIADVDERTRKTGEAFAAGLAPDCAITVHTQADTSSPDPLFNPLKTGVCQLDNA
 NVTDAILSRAGGSIAADFTGHRQTAFRELERVLNFPQSNLCLKREKQDESCSLTQALPS
 ELKVSADNVSLTGAVSLASMLTEIFLLQQAQGMPEPGWGRITDSHQWNTLLSLHNAQF
 YLLQRTPEVARSRATPLLDLIKALTTPHPPQKQAYGVTLPTSVLFIAGHDTNLANLGG
 ALELNWTLPGQPDNTPPGGELVFERWRRLSDNSQWIIQVSLVFQTLQQMRDXTPLSLNT
 PPGEVKLTLAGCEERNAQGMCSLAGFTQIVNEARIPACSL"
mat_peptide 1877 3106
 /gene="appA"
 /product="periplasmic phosphoanhydride
 phosphohydrolase"

mutation replace(1817..1819,"gcg changed to gcc")
 /gene="appA"
 /standard_name="A3 mutant"
 /note="created by site directed mutagenesis"
 /phenotype="silent mutation"
mutation replace(3092..3094,"ccg changed to ccc")
 /gene="appA"
 /standard_name="P428 mutant"
 /note="created by site directed mutagenesis"
 /phenotype="silent mutation"
mutation replace(3095..3097,"gcg changed to gct")
 /gene="appA"
 /standard_name="A429 mutant"
 /note="created by site directed mutagenesis"
 /phenotype="silent mutation"

Figure 19 (continued):

SV40 t intron 3197..3810
/note="SV40 signals"
polyA_signal 3807..4047
/note="SV40 signals"

BASE COUNT	1257 a	814 c	843 g	1146 t		
ORIGIN						
1	GGATCCCCTT	TGCTATGTAG	TTTTTAATGG	AAATTACAAC	CCATAGTGTG	TTGATAAATA
61	GAGAGTCCTG	TTTGGTTTAA	GCAACCTCTG	TTTCTCATAA	ACTCCATAAA	AACAGGAATA
121	CTCTTTGTTT	CTAGCATAAC	CAAAAGATTT	AGTGAATTGA	AAACAATGTT	CCCTTAGAGT
181	ATAGGTCTAA	TAACCCCGAA	AATATTACCA	TGATACTGAG	CATTTGTAAG	TATCTCATAG
241	CATGTAGTAT	CCATAGTCCA	TCAATGAGAG	AGACATTTAA	CATGATTTTC	ATTAATCAGG
301	TGGAAAAGAC	ATGACAACAT	TCACAGGCAC	TGCACAGAAC	ATAGTGGTCC	ACCTTGCACA
361	TATTTCACTA	AACTAGGTTT	ATCTATTTTG	TTGCTTTCTC	TAACATCTCT	GCAATGAAGC
421	AGGTCAACAG	TGCCACATAT	CCTTTACTTA	ACCTAAGGAA	CACAAAAAAT	TTTCTACATA
481	TATCCTGGTT	AGAGAGTGCT	TAAAATAAGT	TTTCCAAGAA	TGGAAAAGAA	ATGTTCTGAC
541	TTAACAATTA	AGACAGTATT	TATTTAAAGC	AAGAAATATG	AGGCACACAA	GAAAAATATT
601	TGGGAAGAAA	CCATTTGGTG	AACAATATTT	CAAATAAAAA	TAGACAAACA	TAGTTAATTG
661	TAAACATAT	GTTTGACCAG	CCCTTCTTTT	CAATAGGCTT	AATGTGAATA	AAATGTTAAA
721	GATTCTCTTT	GGGTGGCTGC	AAATTGTCCA	CGAATAAGAC	AAAATATAAA	AATAAGGACT
781	GAGTCTCACA	AAATGAAAAG	GAAATATATT	CAGAAAGAGA	ATCTTGAGAG	AATGTGTTGT
841	CACAAATTAA	AGAAAACCTG	TGGTGAATGA	CATCCTGAGG	CCTGAGCTAT	TACTGACATT
901	TAAGATAAAG	GTAACGTAT	ACATTTGTCC	CATTGAGGGG	ACAAGAAAAG	TGCTCTCATG
961	TTCAGCTCTA	TAATTCCTGC	CTTAAACAAC	TTAAATAGAA	TGATTTAAAA	TATGGAGCTG
1021	TCCATGGACC	TTTGAAATAT	AAAATAGTCA	AGCAACTTAT	CAAGGAATTA	CAGATTCCTT
1081	GATACTAACA	CAGGTAAATC	CCACACGTGT	TTTGAGACTA	CATTTGCTGG	GATTTTATTG
1141	ATGTAATAGG	TCACATGTTT	TTCCGGGCCAA	TGTTGCTGTT	ATTCCGTTAC	TTCAAGAGAA
1201	TAGTGGCAAC	TGATGCTATG	TATTCTAGGG	GTTTGAAGTG	ATGTTTCATG	ATTGAAATTT
1261	GTAAAAGAAT	AACATCATCA	TTCTTAACAA	TAGAACATAT	AAAGTCACAC	AGAAGTGACA
1321	GTGTTTAAGC	TGTACTATTG	ATCAAGAAAA	TTTATTACCT	TCAGTTTCAA	TGGAAATAAT
1381	TACTGATAAT	ACAAACATGT	GTGAACACAC	ACTAATCCTA	TCCAAATGCA	CAGTGATACA
1441	CAGAAAATAT	TAGCAAGTAG	AATGCAATAT	TTATATAACG	ATTGTATTTA	TCAATCAATT
1501	GTATGTATCA	ATATATGGGC	TATTTTCTTA	CACATGATTT	TATTCAAATT	TACTCTAATC
1561	ATTGTTGAAC	CATTTAGAAA	AGGCATACTG	GCAACTTTTC	CTTACCTCAT	CCAGCTGGGC
1621	AAAAGTCCCA	GTGTGGAGTA	AAGGATGCAA	GATTTCTCTG	TCTGTTAAGT	ATAAAATAAT
1681	AGTATGAATT	CAAAGGTGCC	ATTCTTCTGC	TTCTAGTTAT	AAAGGCAGTG	CTTGCTTCTT
1741	CCAGACAGA	TCTGGATCTC	GAGGAGCTTG	GCGAGATTTT	CAGGAGCTAA	GGAGGCTAAA
1801	AGCCGCCACC	ATGAAAGCCA	TCTTAATCCC	ATTTTATCT	CTTCTGATTC	CGTTAACCCC
1861	GCAATCTGCA	TTGCTCAGA	GCTGACCGGA	GCTGAAAGCTG	GAAAGTGTGG	TGATTGTCAG
1921	TCGTCTATGGT	GTGCGTGCTC	CAACCAAGGC	CACGCAACTG	ATGCAGGATG	TCACCCCAAG
1981	CGCATGGCCA	ACCTGGCCGG	TAAACTGGG	TTGGCTGACA	CCGCGCGGTG	GTGAGCTAAT
2041	CGCCTATCTC	GGACATTACC	AACGCCAGCG	TCTGGTAGCC	GACGGATTGC	TGGCGAAAAA
2101	GGGCTGCCCG	CAGTCTGGTC	AGGTCGCGAT	TATTGCTGAT	GTCGACGAGC	GTACCCGTAA
2161	AACAGGCGAA	GCCTTCGCCG	CCGGGCTGGC	ACCTGACTGT	GCAATAACCG	TACATACCCA
2221	GGCAGATACG	TCCAGTCCCG	ATCCGTTATT	TAATCCTCTA	AAAAGTGGCG	TTTGCCCACT
2281	GGATAACGCG	AACGTGACTG	ACGCGATCCT	CAGCAGGGCA	GGAGGGTCAA	TTGCTGACTT
2341	TACCGGGCAT	CGGCAACCGG	CGTTTCGCGA	ACTGGAACGG	GTGGTTAATT	TTCCGCAATC
2401	AACTTGTGTC	CTTAAACGTG	AGAAACAGGA	CGAAAGCTGT	TCATTAACGC	AGGCATTACC
2461	ATCGGAACTC	AAGGTGAGCG	CCGACAATGT	CTCATTAACC	GGTGCGGTAA	GCCTCGCATC
2521	AATGCTGACG	GAGATATTTT	TCCTGCAACA	AGCACAGGGA	ATGCCGGAGC	CGGGGTGGGG
2581	AAGGATCACC	GATTACACAC	AGTGGAACAC	CTTGCTAAGT	TTGCATAACG	CGCAATTTTA
2641	TTTGCTACAA	CGCACGCCAG	AGGTTGCCCG	CAGCCGCGCC	ACCCCGTTAT	TAGATTTGAT
2701	CAAGACAGCG	TTGACGCCCC	ATCCACCGCA	AAAACAGGCG	TATGGTGTGA	CATTACCCAC
2761	TTCATGCTG	TTTATCGCCG	GACACGATAC	TAATCTGGCA	AATCTCGGCG	GCGCACTGGA
2821	GCTCAACTGG	ACGCTTCCCG	GTACGCGCGA	TAACACGCGG	CCAGGTGGTG	AACTGGTGTT
2881	TGAACGCTGG	CGTCGGCTAA	GCGATAACAG	CCAGTGGATT	CAGGTTTCGC	TGGTCTTCCA

Figure 19 (continued):

```

2941 GACTTTACAG CAGATGCGTG ATAAAACGCC GCTGTCATTA AATACGCCGC CCGGAGAGGT
3001 GAAACTGACC CTGGCAGGAT GTGAAGAGCG AAATGCGCAG GGCATGTGTT CGTTGGCAGG
3061 TTTTACGCAA ATCGTGAATG AAGCACGCAT ACCCGCTTGC AGTTTGTAAG GTATAAGGCA
3121 GTTATTGGTG CCCTTAAACG CCTGGTGCTA CGCCTGAATA AGTGATAATA AGCGGATGAA
3181 TGGCAGAAAT TCGCCGGATC TTTGTGAAGG AACCTTACTT CTGTGGTGTG ACATAATTGG
3241 ACAAACCTACC TACAGAGATT TAAAGCTCTA AGGTAAATAT AAAATTTTTA AGTGTATAAT
3301 GTGTTAAACT ACTGATTCTA ATTGTTTGTG TATTTTAGAT TCCAACCTAT GGAACGATG
3361 AATGGGAGCA GTGGTGGAAT GCCTTTAATG AGGAAAACCT GTTTTGCTCA GAAGAAATGC
3421 CATCTAGTGA TGATGAGGCT ACTGCTGACT CTCAACATTC TACTCCTCCA AAAAAGAAGA
3481 GAAAGGTAGA AGACCCAAG GACTTTCCTT CAGAATTGCT AAGTTTTTTG AGTCATGCTG
3541 TGTTTAGTAA TAGAACTCTT GCTTGCTTTG CTATTTACAC CACAAAGGAA AAAGCTGCAC
3601 TGCTATACAA GAAAATTATG GAAAAATATT CTGTAACCTT TATAAGTAGG CATAACAGTT
3661 ATAATCATAA CATACTGTTT TTTCTTACTC CACACAGGCA TAGAGTGTCT GCTATTAATA
3721 ACTATGCTCA AAAATTGTGT ACCTTTAGCT TTTTAATTTG TAAAGGGGTT AATAAGGAAT
3781 ATTTGATGTA TAGTGCCTTG ACTAGAGATC ATAATCAGCC ATACCACATT TGTAGAGGTT
3841 TTAATTGCTT TAAAAAACCT CCCACACCTC CCCCTGAACC TGAAACATAA AATGAATGCA
3901 ATTGTTGTTG TTAACCTGTT TATTGCAGCT TATAATGGTT ACAAATAAAG CAATAGCATC
3961 ACAAATTTCA CAAATAAAGC ATTTTTTTCA CTGCATTCTA GTTGTGGTTT GTCCAAACTC
4021 ATCAATGTAT CTTATCATGT CTGGATCGAT CCCC GGGTAC

```

//

Figure 20: Nucleic acid sequence of the known segment of the R15/appa plasmid (including the vector sequences of pBLCAT3 (SEQ ID NO:4).

LOCUS R15/appa 6116 bp DNA SYN 15-APR-2000
 DEFINITION R15/appa transgene with vector
 ACCESSION R15/appa
 REFERENCE 1 (bases 1 to 6116)
 SOURCE synthetic construct.
 ORGANISM synthetic construct
 artificial sequence.
 KEYWORDS salivary proline-rich protein, acid glucose-1-phosphatase; appA
 gene; periplasmic phosphoanhydride phosphohydrolase; artificial
 sequence;
 AUTHORS Golovan, S., Forsberg, C.W., Phillips, J.
 JOURNAL Unpublished.

DEFINITION Rat salivary proline-rich protein (RP15) gene.
 ACCESSION M64793 M36414
 VERSION M64793.1 GI:206711
 SOURCE Rat (Sprague-Dawley) liver DNA.
 ORGANISM Rattus norvegicus
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata;
 Mammalia;
 Eutheria; Rodentia; Sciurognathi; Muridae; Murinae;
 Rattus.
 REFERENCE 1 (bases 1 to 1748)
 AUTHORS Lin, H.H. and Ann, D.K.
 TITLE Molecular characterization of rat multigene family
 encoding
 proline-rich proteins
 JOURNAL Genomics 10, 102-113 (1991)
 MEDLINE 91257817
 FEATURES Location/Qualifiers
 source 1..1748
 /organism="Rattus norvegicus"
 /strain="Sprague-Dawley"
 /db_xref="taxon:10116"
 /tissue_type="liver"
 /tissue_lib="cosmid genomic library"
 misc_feature 1802-1810
 /function="consensus sequence for initiation in
 higher eukaryotes "

FEATURES Location/Qualifiers
 DEFINITION E. coli periplasmic phosphoanhydride phosphohydrolase (appA)
 gene,

ACCESSION M58708 L03370 L03371 L03372 L03373 L03374 L03375
 VERSION M58708.1 GI:145283
 SOURCE Escherichia coli DNA.
 ORGANISM Escherichia coli
 Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
 Escherichia.

REFERENCE 1 (bases 1811..3109)
 AUTHORS Dassa, J., Marck, C. and Boquet, P.L.
 TITLE The complete nucleotide sequence of the Escherichia coli gene appA
 reveals significant homology between pH 2.5 acid phosphatase
 and glucose-1-phosphatase
 JOURNAL J. Bacteriol. 172 (9), 5497-5500 (1990)

Figure 20 (continued):

MEDLINE 90368616

FEATURES

Source	Location/Qualifiers
	1811..3109
	/organism="Escherichia coli"
	/db_xref="taxon:562"
sig_peptide	1811..1876
/gene="appA"	
CDS	1811..3109
	/gene="appA"
	/standard_name="acid phosphatase/phytase"
	/transl_table=11
	/product="periplasmic phosphoanhydride phosphohydrolase"
	/protein_id="AAA72086.1"
	/db_xref="GI:145285"

/translation="MKAILIPFLSLLIPLTPQSAFAQSEPELKLESVVIVSRHGVRAP
TKATQLMQDVTDPDANPTWPKLGWLTTPRGGELIAYLGHYQRQRLVADGLLAKKGCPQS
GQVAIIADVDERTRKTGEAFAAGLAPDCAITVHTQADTSSPDPLFNPLKTGVCQOLDNA
NVTDAILSRAGGSIADFTGHRQTAFRELERVLNFPQSNLCLKREKQDESCSLTQALPS
ELKVSADNVSLTGAVSLASMLTEIFLLQQAQGMPEPGWGRITDSHQWNTLLSLHNAQF
YLLQRTPEVARSRATPLLDLIKTALTPHPPQKQAYGVTLPSTSVLFIAGHDTNLANLGG
ALELNWTLPGQPDNTPPGGELVFERWRRLSDNSQWIQVSLVFQTLQQMRDKTPLSLNT
PPGEVKLTLAGCEERNAQGMCSLAGFTQIVNEARIPACSL"

mat_peptide	1877 3106
	/gene="appA"
	/product="periplasmic phosphoanhydride phosphohydrolase"

mutation	replace(1817..1819,"gcg changed to gcc")
	/gene="appA"
	/standard_name="A3 mutant"
	/note="created by site directed mutagenesis"
	/phenotype="silent mutation"
mutation	replace(3092..3094,"ccg changed to ccc")
	/gene="appA"
	/standard_name="P428 mutant"
	/note="created by site directed mutagenesis"
	/phenotype="silent mutation"
mutation	replace(3095..3097,"gcg changed to gct")
	/gene="appA"
	/standard_name="A429 mutant"
	/note="created by site directed mutagenesis"
	/phenotype="silent mutation"

DEFINITION Plasmid pBLCAT3 (bases 3109 to 6116)

ACCESSION	X64409
VERSION	X64409.1 GI:58163
SOURCE	synthetic construct.
ORGANISM	synthetic construct
	artificial sequence.
REFERENCE	1 (bases 3109 to 6116)
AUTHORS	Luckow,B.H.R.
TITLE	Direct Submission
JOURNAL	Submitted (06-FEB-1992) B.H.R. Luckow, German Cancer Res Center, Im Neuenheimer Feld 280, W-6900 Heidelberg, FRG

Figure 20 (continued):

REFERENCE 2 (bases 3109 to 6116)
 AUTHORS Luckow, B. and Schutz, G.
 TITLE CAT constructions with multiple unique restriction sites
 for the functional analysis of eukaryotic promoters and
 regulatory elements
 JOURNAL Nucleic Acids Res. 15 (13), 5490 (1987)
 MEDLINE 87260024
 COMMENT Promoterless CAT vector for transient transfection
 experiments with eukaryotic cells. Allows the analysis of foreign
 promoters and enhancers.

FEATURES Location/Qualifiers
 source 3109 to 6116
 /organism="synthetic construct"
 /db_xref="taxon:32630"
 polyA_signal 3262..3457
 /note="SV40 signals"
 CDS complement(4654..5514)
 /codon_start=1
 /transl_table=11
 /gene="Amp"
 /product="beta-lactamase"
 /protein_id="CAA45753.1"
 /db_xref="GI:58165"

BASE COUNT 1724 a 1386 c 1407 g 1599 t
 ORIGIN

```

1  GGATCCCCCTT TGCTATGTAG TTTTAAATGG AAATTACAAC CCATAGTGTG TTGATAAATA
61 GAGAGTCCTG TTTGGTTTAA GCAACCTCTG TTTCTCATAA ACTCCATAAA AACAGGAATA
121 CTCTTTGTTT CTAGCATAAC CAAAAGATTT AGTGAATTGA AAACAATGTT CCCTTAGAGT
181 ATAGGTCTAA TAACCCCGAA AATATTACCA TGATACTGAG CATTTGTAAG TATCTCATAG
241 CATGTAGTAT CCATAGTCCA TCAATGAGAG AGACATTTAA CATGATTTTC ATTAATCAGG
301 TGGAAAAGAC ATGACAACAT TCACAGGCAC TGCACAGAAC ATAGTGGTCC ACCTTGCACA
361 TATTTCACTA AACTAGGTTT ATCTATTTTG TTGCTTTCTC TAACATCTCT GCAATGAAGC
421 AGGTCAACAG TGCCACATAT CCTTTACTTTA ACCTAAGGAA CACAAAAAAT TTTCTACATA
481 TATCCTGGTT AGAGAGTGCT TAAAAATAAGT TTTCCAAGAA TGGAAAAGAA ATGTTCTGAC
541 TTAACAATTA AGACAGTATT TATTTAAAGC AAGAAATATG AGGCACACAA GAAAATATTT
601 TGGGAAGAAA CCATTTGGTG AACAATATTT CAAATAAAAA TAGACAAACA TAGTTAATTG
661 TAAAACATAT GTTTGACCAG CCCTTCTTTT CAATAGGCTT AATGTGAATA AAATGTTAAA
721 GATTCTCTTT GGGTGGCTGC AAATTGTCCA CGAATAAGAC AAAATATAAA AATAAGGACT
781 GAGTCTCACA AAATGAAAAG GAAATATATT CAGAAAGAGA ATCTTGAGAG AATGTGTTGT
841 CACAAATTAA AGAAAACCTG TGGTGAATGA CATCCTGAGG CCTGAGCTAT TACTGACATT
901 TAAGATAAAG GTAACGTAT ACATTTGTCC CATTGAGGGG ACAAGAAAGC TGCTCTCATG
961 TTCAGCTCTA TAATTCTTGC CTTAAACAAC TTAAATAGAA TGATTTAAAA TATGGAGCTG
1021 TCCATGGACC TTTGAAATAT AAAATAGTCA AGCAACTTAT CAAGGAATTA CAGATTCCTT
1081 GATACTAACA CAGGTAAATC CCACACGTGT TTTGAGACTA CATTTGCTGG GATTTTATTG
1141 ATGTAATAGG TCACATGTTT TCGGGCCAA TGTTGCTGTT ATTCGGTTAC TTCAAGAGAA
1201 TAGTGGCAAC TGATGCTATG TATTCTAGGG GTTTGAAGTG ATGTTTCATG ATTGAAATTT
1261 GTAAAAGAAT AACATCATCA TTCTTAACAA TAGAACATAT AAAGTCACAC AGAAGTGACA
1321 GTGTTTAAAG TGTACTATTG ATCAAAGAAA TTTATTACCT TCAGTTTCAA TGGAATAAAT
1381 TACTGATAAT ACAAACATGT GTGAACACAC ACTAATCCTA TCCAAATGCA CAGTGATACA
1441 CAGAAAATAT TAGCAAGTAG AATGCAATAT TTATATAACG ATTGTATTTA TCAATCAATT
1501 GTATGTATCA ATATATGGGC TATTTTCTTA CACATGATTT TATTCAAATT TACTCTAATC
1561 ATTGTTGAAC CATTTAGAAA AGGCATACTG GCAACTTTTC CTTACCTCAT CCAGCTGGGC
1621 AAAAGTCCCA GTGTGGAGTA AAGGATGCAA GATTCCTGCT TCTGTTAAGT ATAAATAAAT

```

Figure 20 (continued):

```

1681 AGTATGAATT CAAAGGTGCC ATTCTTCTGC TTCTAGTTAT AAAGGCAGTG CTTGCTTCTT
1741 CCAGCACAGA TCTGGATCTC GAGGAGCTTG GCGAGATTTT CAGGAGCTAA GGAAGCTAAA
1801 AGCCGCCACC ATGAAAGCCA TCTTAATCCC ATTTTATCT CTCTGATTC CGTTAACCCC
1861 GCAATCTGCA TTCGCTCAGA GTGAGCCGGA GCTGAAGCTG GAAAGTGTGG TGATTGTCAG
1921 TCGTCATGGT GTGCGTGCTC CAACCAAGGC CACGCAACTG ATGCAGGATG TCACCCAGAG
1981 CGCATGGCCA ACCTGGCCGG TAAAACTGGG TTGGCTGACA CCGCGCGGTG GTGAGCTAAT
2041 CGCTATCTC GGACATTACC AACGCCAGCG TCTGGTAGCC GACGGATTGC TGGCGAAAAA
2101 GGGCTGCCCC CAGTCTGGTC AGGTGCGGAT TATTGCTGAT GTCGACGAGC GTACCCGTAA
2161 AACAGGCGAA GCCTTCGCCG CCGGGCTGGC ACCTGACTGT GCAATAACCG TACATACCCA
2221 GGAGATACG TCCAGTCCCG ATCCGTTATT TAATCCTCTA AAAACTGGCG TTTGCCAACT
2281 GGATAACGCG AACGTGACTG ACGCGATCCT CAGCAGGGCA GGAGGGTCAA TTGCTGACTT
2341 TACCGGGCAT CGGCAAACGG CGTTTCGCGA ACTGGAACGG GTGCTTAATT TTCCGCAATC
2401 AAATTTGTGC CTTAAACGTG AGAAACAGGA CGAAAGCTGT TCATTAACGC AGGCATTACC
2461 ATCGGAATC AAGGTGAGCG CCGACAATGT CTCATTAACC GGTGCGTAA GGTTCGCATC
2521 AATGCTGACG GAGATATTTT TCCTGCAACA AGCACAGGGA ATGCCGGAGC CGGGGTGGGG
2581 AAGGATCACC GATTACACC AGTGGAACAC CTTGCTAAGT TTGCATAACG CGCAATTTTA
2641 TTTGCTACAA CGCACGCCAG AGGTTGCCCG CAGCCGCGCC ACCCGTTAT TAGATTTGAT
2701 CAAGACAGCG TTGACGCCCC ATCCACCGCA AAAACAGGCG TATGGTGTGA CATTACCCAC
2761 TTCAGTGCTG TTTATCGCCG GACACGATAC TAATCTGGCA AATCTCGGCG GCGCACTGGA
2821 GCTCAACTGG ACGCTTCCCG GTGAGCCGGA TAACACGCCG CCAGGTGGTG AACTGGTGT
2881 TGAACGCTGG CGTCGGCTAA GCGATAACAG CCAGTGGATT CAGGTTTCG TGGCTTTCCA
2941 GACTTTACAG CAGATGCGTG ATAAAACGCC GCTGTCATTA AATACGCCG CCGGAGAGGT
3001 GAAACTGACC CTGGCAGGAT GTGAAGAGCG AAATGCGCAG GGCAATGTGT CGTTGGCAGG
3061 TTTTACGCAA ATCGTGAATG AAGCACGCAT ACCCGCTTGC AGTTTGTAAG GTATAAGGCA
3121 GTTATTGGTG CCCTTAAACG CCTGGTGCTA CGCCTGAATA AGTGATAATA AGCGGATGAA
3181 TGGCAGAAAT TCGCCGGATC TTTGTGAAGG AACCTTACTT CTGTGGTGTG ACATAATTGG
3241 ACAAACTACC TACAGAGATT TAAAAAACCT CCCACACCTC CCCCTGAACC TGAAACATAA
3301 AATGAATGCA ATTGTTGTTG TTAATTGTT TATTGCAGCT TATAATGGT ACAAAATAAG
3361 CAATAGCATC ACAAAATTTCA CAAATAAAGC ATTTTTTTCA CTGCATTCTA GTTGTGGTTT
3421 GTCCAAACTC ATCAATGTAT CTTATCATGT CTGGATCGAT CCCCGGGTAC CGAGCTCGAA
3481 TTCGTAATCA TGGTCATAGC TGTTTCCTGT GTGAAATTGT TATCCGCTCA CAATTCCACA
3541 CAACATACGA GCCGGAAGCA TAAAGTGTA AGCCTGGGGT GCCTAATGAG TGAGCTAACT
3601 CACATTAATT GCGTTGCGCT CACTGCCCCG TTTCCAGTCG GGAAACCTGT CGTGCCAGCT
3661 GCATTAATGA ATCGGCCAAC GCGCGGGGAG AGGCGGTTTG CGTATTGGGC GCTCTTCCGC
3721 TTCCTCGCTC ACTGACTCGC TGCGCTCGGT CGTTGCGCTG CGGCGAGCGG TATCAGCTCA
3781 CTCAAAGGCG GTAATACGGT TATCCACAGA ATCAGGGGAT AACCGAGGAA AGAACATGTG
3841 AGCAAAAGGC CAGCAAAAGG CCAGGAACCG TAAAAAGGCC GCGTTGCTGG CGTTTTTTCA
3901 TAGGCTCCGC CCCCCTGACG AGCATCACAA AAATCGACGC TCAAGTCAGA GGTGGCGAAA
3961 CCCGACAGGA CTATAAAGAT ACCAGGCGTT TCCCCCTGGA AGCTCCCTCG TCGCTCTCC
4021 TGTTCCGACC CTGCCGCTTA CCGGATACCT GTCCGCCTTT CTCCCTTCGG GAAGCGTGGC
4081 GCTTCTCAA TGCTCACGCT GTAGGTATCT CAGTTCGGTG TAGGTCGTTG GCTCCAAGCT
4141 GGGCTGTGTG CACGAACCCC CCGTTCAGCC CGACCGCTGC GCCTTATCCG GTAACATCG
4201 TCTTGAGTCC AACC CGGTAA GACACGACTT ATCGCCACTG GCAGCAGCCA CTGGTAACAG
4261 GATTAGCAGA GCGAGGTATG TAGGCGGTGC TACAGAGTTC TTGAAGTGGT GGCCTAACTA
4321 CGGCTACACT AGAAGGACAG TATTTGGTAT CTGCGCTCTG CTGAAGCCAG TTACCTTCGG
4381 AAAAAGAGTT GGTAGCTCTT GATCCGGCAA ACAAAACCACC GCTGGTAGCG GTGGTTTTTT
4441 TGTTTGCAAG CAGCAGATTA CGCGCAGAAA AAAAGGATCT CAAGAAGATC CTTTGATCTT
4501 TTCTACGGGG TCTGACGCTC AGTGGAACGA AAATCACGT TAAGGGATTT TGGTCATGAG
4561 ATTATCAAAA AGGATCTTCA CCTAGATCCT TTAAATTA AAATGAAGTT TTAAGTCAAT
4621 CTAAAGTATA TATGAGTAAA CTTGGTCTGA CAGTTACCAA TGCTTAATCA TGAGGCACC
4681 TATCTCAGCG ATCTGTCTAT TTCGTTTATC CATAGTTGCC TGACTCCCCG TCGTGTAGAT
4741 AACTACGATA CGGGAGGGCT TACCATCTGG CCCCAGTGCT GCAATGATAC CGCGAGACCC
4801 ACGCTCACCG GCTCCAGATT TATCAGCAAT AAACCAGCCA GCCGGAAGGG CCGAGCGCAG
4861 AAGTGGTCC TCAACTTTAT CCGCCTCCAT CCAGTCTATT AATTGTTGCC GGAAGCTAG
4921 AGTAAGTAGT TCGCCAGTTA ATAGTTTGGC CAACGTTGTT GCCATTGCTA CAGGCATCGT
4981 GGTGTCACGC TCGTCGTTTG GTATGGCTTC ATTGAGCTCC GGTTCCCAAC GATCAAGGCG
5041 AGTTACATGA TCCCCATGT TGTGCAAAA AGCGGTTAGC TCCTTCGGTC CTCCGATCGT
5101 TGTCAGAAAGT AAGTTGGCCG CAGTGTATC ACTCATGTT ATGGCAGCAC TGCATAATTC

```

Figure 20 (continued):

```
5161 TCTTACTGTC ATGCCATCCG TAAGATGCTT TTCTGTGACT GGTGAGTACT CAACCAAGTC
5221 ATTCTGAGAA TAGTGTATGC GGCGACCGAG TTGCTCTTGC CCGGCGTCAA TACGGGATAA
5281 TACCGCGCCA CATAGCAGAA CTTTAAAAGT GCTCATCATT GGAAAACGTT CTTCGGGGCG
5341 AAAACTCTCA AGGATCTTAC CGCTGTTGAG ATCCAGTTCG ATGTAACCCA CTCGTGCACC
5401 CAACTGATCT TCAGCATCTT TTACTTTCAC CAGCGTTTCT GGGTGAGCAA AAACAGGAAG
5461 GCAAAATGCC GCAAAAAGG GAATAAGGGC GACACGGAAA TGTTGAATAC TCATACTCTT
5521 CCTTTTTCOA TATTATTGAA GCATTTATCA GGGTTATTGT CTCATGAGCG GATACATATT
5581 TGAATGTATT TAGAAAAATA AACAAATAGG GGTTCCGCGC ACATTTCCCC GAAAAGTGCC
5641 ACCTGACGTC TAAGAAACCA TTATTATCAT GACATTAACC TATAAAAATA GGCGTATCAC
5701 GAGGCCCTTT CGTCTCGCGC GTTTCGGTGA TGACGGTGAA AACCTCTGAC ACATGCAGCT
5761 CCCGGAGACG GTCACAGCTT GTCTGTAAGC GGATGCCGGG AGCAGACAAG CCCGTCAGGG
5821 CGCGTCAGCG GGTGTTGGCG GGTGTCGGGG CTGGCTTAAC TATGCGGCAT CAGAGCAGAT
5881 TGTA CTGAGA GTGCACCATA TCGGTGTGA AATACCGCAC AGATGCGTAA GGAGAAAATA
5941 CCGCATCAGG CGCCATTGCG CATTGAGGCT GCGCAACTGT TGGGAAGGGC GATCGGTGCG
6001 GGCTCTTCG CTATTACGCC AGCTGGCGAA AGGGGGATGT GCTGCAAGGC GATTAAGTTG
6061 GGTAACGCCA GGGTTTTCCC AGTCACGACG TTGTAAAACG ACGGCCAGTG CCAAGC
```

//

Figure 21: Nucleic acid sequence of the known segment of the R15/appa transgene used for the generation of transgenic mice (SEQ ID NO:5).

LOCUS R15/appa 3470 bp DNA SYN 15-APR-2000
 DEFINITION R15/appa transgene with vector sequences removed.
 ACCESSION R15/appa
 REFERENCE 1 (bases 1 to 3470)
 SOURCE synthetic construct.
 ORGANISM synthetic construct
 artificial sequence.
 KEYWORDS salivary proline-rich protein, acid glucose-1-phosphatase; appA
 gene; periplasmic phosphoanhydride phosphohydrolase; artificial
 sequence;
 AUTHORS Golovan, S., Forsberg, C.W., Phillips, J.
 JOURNAL Unpublished.

DEFINITION Rat salivary proline-rich protein (RP15) gene.
 ACCESSION M64793 M36414
 VERSION M64793.1 GI:206711
 SOURCE Rat (Sprague-Dawley) liver DNA.
 ORGANISM Rattus norvegicus
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata;
 Mammalia;
 Eutheria; Rodentia; Sciurognathi; Muridae; Murinae;
 Rattus.
 REFERENCE 1 (bases 1 to 1748)
 AUTHORS Lin, H.H. and Ann, D.K.
 TITLE Molecular characterization of rat multigene family
 encoding
 proline-rich proteins
 JOURNAL Genomics 10, 102-113 (1991)
 MEDLINE 91257817
 FEATURES Location/Qualifiers
 source 1..1748
 /organism="Rattus norvegicus"
 /strain="Sprague-Dawley"
 /db_xref="taxon:10116"
 /tissue_type="liver"
 /tissue_lib="cosmid genomic library"
 misc_feature 1802-1810
 /function=" consensus sequence for initiation in
 higher eukaryotes "

FEATURES Location/Qualifiers

DEFINITION E. coli periplasmic phosphoanhydride phosphohydrolase (appA)
 gene,

ACCESSION M58708 L03370 L03371 L03372 L03373 L03374 L03375
 VERSION M58708.1 GI:145283
 SOURCE Escherichia coli DNA.
 ORGANISM Escherichia coli
 Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
 Escherichia.

REFERENCE 1 (bases 1811..3109)
 AUTHORS Dassa, J., Marck, C. and Boquet, P.L.
 TITLE The complete nucleotide sequence of the Escherichia coli gene appA
 reveals significant homology between pH 2.5 acid phosphatase
 and glucose-1-phosphatase ~

Figure 21 (continued):

JOURNAL J. Bacteriol. 172 (9), 5497-5500 (1990)
 MEDLINE 90368616

FEATURES Location/Qualifiers

Source 1811..3109
 /organism="Escherichia coli"
 /db_xref="taxon:562"

sig_peptide 1811..1876
 /gene="appA"

CDS 1811..3109
 /gene="appA"
 /standard_name="acid phosphatase/phytase"
 /transl_table=11
 /product="periplasmic phosphoanhydride phosphohydrolase"
 /protein_id="AAA72086.1"
 /db_xref="GI:145285"

/translation="MKAILIPFLSLLIPLTPQSAFAQSEPELKLESVVIVSRHGVRA
 TKATQLMQDVTPTDAWPTWPVKLGWLTTPRGGELIAYLGHYQRQLVADGLLAKKGCPQS
 GQVAIIADVDERTRKTGEAFAAGLAPDCAITVHTQADTSSPDPLFNPLKTGVCQLDNA
 NVTDAILSRAGGSIADFTGHRQTAFRELERVLNFPQSNLCLKREKQDESCSLTQALPS
 ELKVSADNVSLTGAVSLASMLTEIFLLQQAQGMPEPGWGRITDSHQWNTLLSLHNAQF
 YLLQRTPEVARSRATPLLDLIKTALTPHPPQKQAYGVTLPTSVLFIAGHDTNLANLGG
 ALELNWTLPGQPDNTPPGGELVFERWRRRLSDNSQWIIQVSLVFOTLQQMRDKTPLSLNT
 PPGEVKLTLAGCEERNAQGMCSLAGFTQIVNEARIPACSL"

mat_peptide 1877 3106
 /gene="appA"
 /product="periplasmic phosphoanhydride phosphohydrolase"

mutation replace(1817..1819,"gcg changed to gcc")
 /gene="appA"
 /standard_name="A3 mutant"
 /note="created by site directed mutagenesis"
 /phenotype="silent mutation"

mutation replace(3092..3094,"ccg changed to ccc")
 /gene="appA"
 /standard_name="P428 mutant"
 /note="created by site directed mutagenesis"
 /phenotype="silent mutation"

mutation replace(3095..3097,"gcg changed to gct")
 /gene="appA"
 /standard_name="A429 mutant"
 /note="created by site directed mutagenesis"
 /phenotype="silent mutation"

polyA_signal 3262..3457
 /note="SV40 signals"

BASE COUNT 1065 a 721 c 735 g 949 t

ORIGIN

1 GGATCCCCCTT TGCTATGTAG TTTTAAATGG AAATTACAAC CCATAGTGTG TTGATAAATA
 61 GAGAGTCCTG TTTGGTTTAA GCAACCTCTG TTTCTCATAA ACTCCATAAA AACAGGAATA
 121 CTCTTTGTTT CTAGCATAAC CAAAAGATTT AGTGAATTGA AAACAATGTT CCCTTAGAGT
 181 ATAGGTCTAA TAACCCCGAA AATATTACCA TGATACTGAG CATTTGTAAG TATCTCATAG
 241 CATGTAGTAT CCATAGTCCA TCAATGAGAG AGACATTTAA CATGATTTTC ATTAATCAGG

Figure 21 (continued):

```

301 TGGAAAAGAC ATGACAACAT TCACAGGCAC TGCACAGAAC ATAGTGGTCC ACCTTGACACA
361 TATTTCACTA AACTAGGTTT ATCTATTTTG TTGCTTTCTC TAACATCTCT GCAATGAAGC
421 AGGTCAACAG TGCCACATAT CCTTTACTTA ACCTAAGGAA CACAAAAAAT TTTCTACATA
481 TATCCTGGTT AGAGAGTGCT TAAAATAAGT TTTCCAAGAA TGGAAAAGAA ATGTTCTGAC
541 TTAACAATTA AGACAGTATT TATTTAAAGC AAGAAATATG AGGCACACAA GAAAAATTTT
601 TGGGAAGAAA CCATTTGGTG AACAATATTT CAAATAAAAA TAGACAAAACA TAGTTAATTG
661 TAAACATAT GTTTGACCAG CCCTTCTTTT CAATAGGCTT AATGTGAATA AAATGTTAAA
721 GATTCTCTTT GGGTGGCTGC AAATTGTCCA CGAATAAGAC AAAATATAAA AATAAGGACT
781 GAGTCTCACA AAATGAAAAG GAAATATATT CAGAAAGAGA ATCTTGAGAG AATGTGTTGT
841 CACAAATTAA AGAAAACCTG TGGTGAATGA CATCCTGAGG CCTGAGCTAT TACTGACATT
901 TAAGATAAAG GTAACGTGAT ACATTTGTCC CATTGAGGGG ACAAGAAAGC TGCTCTCATG
961 TTCAGTCTA TAATTCTTGC CTTAAACAAC TTAAATAGAA TGATTTAAAA TAGGGAGCTG
1021 TCCATGGACC TTTGAAATAT AAAATAGTCA AGCAACTTAT CAAGGAATTA CAGATTCCCTT
1081 GATACTAACA CAGGTAAATC CCACACGTGT TTTGAGACTA CATTGCTGCG GATTTTATTG
1141 ATGTAATAGG TCACATGTTT TTCGGGCCAA TGTTGCTGTT ATTCGGTTAC TTCAAGAGAA
1201 TAGTGGCAAC TGATGCTATG TATTCTAGGG GTTTGAAGTG ATGTTTCATG ATTGAAATTT
1261 GTAAAAGAAT AACATCATCA TTCTTAACAA TAGAACATAT AAAGTCACAC AGAAGTGACA
1321 GTGTTTAAGC TGTACTATTG ATCAAAGAAA TTTATTACCT TCAGTTTCAA TGGAAATAAT
1381 TACTGATAAT ACAAACATGT GTGAACACAC ACTAATCCTA TCCAAATGCA CAGTGATACA
1441 CAGAAAATAT TAGCAAGTAG AATGCAATAT TTATATAACG ATTGTATTTA TCAATCAATT
1501 GTATGTATCA ATATATGGGC TATTTTCTTA CACATGATTT TATTCAAATT TACTCTAATC
1561 ATTGTTGAAC CATTTAGAAA AGGCATACTG GCAACTTTTC CTTACCTCAT CCAGCTGGGC
1621 AAAAGTCCCA GTGTGGAGTA AAGGATGCAA GATTTCTGCT TCTGTTAAGT ATAAAATAAT
1681 AGTATGAATT CAAAGGTGCC ATTCTTCTGC TTCTAGTTAT AAAGGCAGTG CTTGCTTCTT
1741 CCAGCACAGA TCTGGATCTC GAGGAGCTTG GCGAGATTTT CAGGAGCTAA GGAAGCTAAA
1801 AGCCGCCACC ATGAAAGCCA TCTTAATCCC ATTTTATCT CTCTGATTC CGTTAACCCC
1861 GCAATCTGCA TTCGCTCAGA GTGAGCCGGA GCTGAAGCTG GAAAGTGTGG TGATTGTCTAG
1921 TCGTCATGGT GTGCGTGCTC CAACCAAGGC CACGCAACTG ATGCAGGATG TCACCCGAGA
1981 CGCATGGCCA ACCTGGCCCG TAAACTGGG TTGGCTGACA CCGCGCGGTG GTGAGCTAAT
2041 CGCCTATCTC GGACATTACC AACGCCAGCG TCTGGTAGCC GACGGATTGC TGGCGAAAAA
2101 GGGCTGCCCC CAGTCTGGTC AGGTCGCGAT TATTGCTGAT GTCGACGAGC GTACCCGTAA
2161 AACAGGCGAA GCCTTCGCCG CCGGGCTGGC ACCTGACTGT GCAATAACCG TACATACCCA
2221 GGCAGATACG TCCAGTCCCG ATCCGTTATT TAATCCTCTA AAAACTGGCG TTTGCCAACT
2281 GGATAACGCG AACGTGACTG ACGCATCCT CAGCAGGGCA GGAGGGTCAA TTGTTGACTT
2341 TACCGGGCAT CGGCAAACGG CGTTTCGCGA ACTGGAACGG GTGCTTAATT TTCCGCAATC
2401 AAACCTGTGC CTTAAACGTG AGAAACAGGA CGAAAGCTGT TCATTAACGC AGGCATTACC
2461 ATCGGAACTC AAGGTGAGCG CCGACAATGT CTCATTAACC GGTGCGGTAA GCCTCGCATC
2521 AATGCTGACG GAGATATTTT TCCTGCAACA AGCACAGGGA ATGCCGGAGC CGGGGTGGGG
2581 AAGGATCACC GATTACACC AGTGGAACAC CTTGCTAAGT TTGCATAACG CGCAATTTTA
2641 TTTGCTACAA CGCACGCCAG AGGTTGCCCC CAGCCGCGCC ACCCGGTTAT TAGATTTGAT
2701 CAAGACAGCG TTGACGCCCC ATCCACCGCA AAAACAGGCG TATGGTGTGA CATTACCCAC
2761 TTCAGTGCTG TTTATCGCCG GACACGATAC TAATCTGGCA AATCTCGGCG GCGCACTGGA
2821 GCTCAACTGG ACGCTTCCCG GTCAGCCGGA TAACACGCCG CCAGGTGGTG AACTGGTGT
2881 TGAACGCTGG CGTCGGCTAA GCGATAACAG CCAGTGGATT CAGGTTTCGC TGGTCTTCCA
2941 GACTTTACAG CAGATGCGTG ATAAAACGCC GCTGTCATTA AATACGCCGC CCGGAGAGGT
3001 GAAACTGACC CTGGCAGGAT GTGAAGAGCG AAATGCGCAG GGCATGTGTT CGTTGGCAGG
3061 TTTTACGCAA ATCGTGAATG AAGCACGCAT ACCCGCTTGC AGTTTGTAAG GTATAAGGCA
3121 GTTATTGGTG CCCTTAAACG CCTGGTGCTA CGCCTGAATA AGTGATAATA AGCGGATGAA
3181 TGGCAGAAAT TCGCCGGATC TTTGTGAAGG AACCTTACTT CTGTGGTGTG ACATAATTGG
3241 ACAAACCTACC TACAGAGATT TAAAAAACCT CCCACACCTC CCCCTGAACC TGAAACATAA
3301 AATGAATGCA ATTGTTGTTG TTAACCTGTT TATTGCAGCT TATAATGGTT ACAAATAAAG
3361 CAATAGCATC ACAAATTTCA CAAATAAAGC ATTTTTCCTA CTGCATTCTA GTTGTGGTTT
3421 GTCCAACTC ATCAATGTAT CTTATCATGT CTGGATCGAT CCCCAGGTAC

```

//

Figure 22: Nucleic acid sequence of the SV40/APPA+intron plasmid (SEQ ID NO:6).

LOCUS SV40/APPA 5421 bp DNA CIRCULAR SYN 14-APR-2000
 DEFINITION Ligation of SV40 promoter/enhancer into CAT/APPA+intron
 ACCESSION SV40/APPA
 REFERENCE 1 (bases 1 to 5421)
 SOURCE synthetic construct.
 ORGANISM synthetic construct
 artificial sequence.
 KEYWORDS SV40 promoter/enhancer, acid glucose-1-phosphatase; appA gene;
 periplasmic phosphoanhydride phosphohydrolase; artificial
 sequence;
 AUTHORS Golovan, S., Forsberg, C.W., Phillips, J.
 JOURNAL Unpublished.

DEFINITION E. coli periplasmic phosphoanhydride phosphohydrolase (appA)
 gene,

ACCESSION M58708 L03370 L03371 L03372 L03373 L03374 L03375
 VERSION M58708.1 GI:145283
 SOURCE Escherichia coli DNA.
 ORGANISM Escherichia coli
 Bacteria; Proteobacteria; gamma subdivision; Enterobacteriaceae;
 Escherichia.

REFERENCE 1 (bases 40 1337)
 AUTHORS Dassa, J., Marck, C. and Boquet, P.L.
 TITLE The complete nucleotide sequence of the Escherichia coli gene appA
 reveals significant homology between pH 2.5 acid phosphatase
 and glucose-1-phosphatase
 JOURNAL J. Bacteriol. 172 (9), 5497-5500 (1990)
 MEDLINE 90368616

FEATURES Location/Qualifiers
 Source 40 1337
 /organism="Escherichia coli"
 /db_xref="taxon:562"
 sig_peptide 40..105
 /gene="appA"
 CDS 40 1337
 /gene="appA"
 /standard_name="acid phosphatase/phytase"
 /transl_table=11
 /product="periplasmic phosphoanhydride phosphohydrolase"
 /protein_id="AAA72086.1"
 /db_xref="GI:145285"

/translation="MKAILIPFLSLLIPLTPQSAFAQSEPELKLESVVIVSRHGVRAP

TKATQLMQDVTTPDAWPTWPVKLGWLTTPRGGELIAYLGHYQRQRLVADGLLAKKGCPQS

GQVAIIADVDERTRKTGEAFAAGLAPDCAITVHTQADTSSPDPLFNPLKTGVCQLDNA

NVTDAILSRAGGSIADFTGHRQTAFRELERVLNFPQSNLCLKREKQDESCSLTQALPS

ELKVSADNVSLTGAVSLASMLTEIFLLQQAQGMPEPGWGRITDSHQWNTLLSLHNAQF

YLLQRTPEVARSRATPLLDLIKALTTPHPQKQAYGVTLPTSVLFIAGHDTNLANLGG

ALELNWTLPGQPDNTPPGGELVFERWRRLSDNSQWIQVSLVFQTLQQMRDKTPLSLNT

PPGEVKLTLAGCEERNAQGMCSLAGFTQIVNEARIPACSL"

mat_peptide 106 1334
 /gene="appA"

Figure 22 (continued):

```

                                /product="periplasmic phosphoanhydride phosphohydrolase"

mutation      replace(46.. 48,"gcg changed to gcc")
               /gene="appA"
               /standard_name="A3 mutant"
               /note="created by site directed mutagenesis"
               /phenotype="silent mutation"
mutation      replace(1320..1322," ccg changed to ccc")
               /gene="appA"
               /standard_name=" P428 mutant"
               /note="created by site directed mutagenesis"
               /phenotype=" silent mutation "
mutation      replace(1323..1325," gcg changed to gct")
               /gene="appA"
               /standard_name=" A429 mutant"
               /note="created by site directed mutagenesis"
               /phenotype=" silent mutation "

DEFINITION    Plasmid pBLCAT3   (bases 2200 to 4924)
ACCESSION     X64409
VERSION       X64409.1   GI:58163
SOURCE        synthetic construct.
ORGANISM      synthetic construct
               artificial sequence.
REFERENCE     1   (bases 2200 to 4924)
AUTHORS       Luckow,B.H.R.
TITLE         Direct Submission
JOURNAL       Submitted (06-FEB-1992) B.H.R. Luckow, German Cancer Res
               Center, Im Neuenheimer Feld 280, W-6900 Heidelberg, FRG
REFERENCE     2   (bases 2200 to 4924)
AUTHORS       Luckow,B. and Schutz,G.
TITLE         CAT constructions with multiple unique restriction sites
for
regulatory    the functional analysis of eukaryotic promoters and
               elements
JOURNAL       Nucleic Acids Res. 15 (13), 5490 (1987)
MEDLINE       87260024
COMMENT       Promoterless CAT vector for transient transfection
experiments   with eukaryotic cells. Allows the analysis of foreign
               promoters and enhancers.
FEATURES
  source       Location/Qualifiers
               2200 to 4924
               /organism="synthetic construct"
               /db_xref="taxon:32630"

  SV40 t intron 1380..1993
               /note="SV40 signals"
  polyA_signal  1990..2230
               /note="SV40 signals"
  CDS           complement(3471..4317)
               /codon_start=1
               /transl_table=11
               /gene="Amp"
               /product="beta-lactamase"
               /protein_id="CAA45753.1"
               /db_xref="GI:58165"

```

Figure 22 (continued):

SV40 promoter/enhancer 5023..5402
/note="SV40 signals"

BASE COUNT 1413 a 1321 c 1331 g 1355 t
ORIGIN

```

1 CGAGATTTTTC AGGAGCTAAG GAAGCTAAAA GCGGCCACCA TGAAAGCCAT CTTAATCCCA
61 TTTTATCTC TTCTGATTCC GTTAACCCCG CAATCTGCAT TCGCTCAGAG TGAGCCGGAG
121 CTGAAGCTGG AAAGTGTGGT GATTGTGAGT CGTCATGGTG TCGGTGCTCC AACCAGGCC
181 ACGCAACTGA TGCAGGATGT CACCCAGAC GCATGGCCAA CCTGGCCGGT AAAACTGGGT
241 TGGCTGACAC CGCGNGGTGG TGAGCTAATC GCCTATCTCG GACATTACCA ACGCCAGCGT
301 CTGGTAGCCG ACGGATTGCT GCGGAAAAAG GGCTGCCCGC AGTCTGGTCA GGTCGCGATT
361 ATTGCTGATG TCGACGAGCG TACCCGTAAA ACAGGCGAAG CCTTCGCCG CGGGCTGGCA
421 CCTGACTGTG CAATAACCGT ACATACCCAG GCAGATACGT CCAGTCCCGA TCCGTTATTT
481 AATCCTCTAA AAAGTGGCGT TTGCCAACTG GATAACGCGA ACGTGACTGA CGCGATCCTC
541 AGCAGGGCAG GAGGGTCAAT TGCTGACTTT ACCGGGCATC GGCAAACGGC GTTTCGCGAA
601 CTGGAACGGG TGCTTAATTT TCCGCAATCA AACTTGTGCC TTAACGTGA GAAACAGGAC
661 GAAAGCTGTT CATTAAACGCA GGCATTACCA TCGGAACCTCA AGGTGAGCGC CGACAATGTC
721 TCATTAACCG GTGCGGTAAG CCTCGCATCA ATGCTGACGG AGATATTTCT CCTGCAACAA
781 GCACAGGGAA TGCCGGAGCC GGGGTGGGGA AGGATCACCG ATTCACACCA GTGGAACACC
841 TTGCTAAGTT TGCATAACGC GCAATTTTAT TTGCTACAAC GCACGCCAGA GGTTCGCCGC
901 AGCCGCGCCA CCCCCTTATT AGATTTGATC AAGACAGCGT TGACGCCCCA CCACCGCAA
961 AACAGGCGTA TGGTGTGACA TTACCCACTT CAGTGCTGTT TATCGCCGGA CACGATACTA
1021 ATCTGGCAA TCTCGGCGGC GCACTGGAGC TCAACTGGAC GCTTCCCGGT CAGCCGGATA
1081 ACACGCCGCC AGGTGGTGAA CTGGTGTGTT AACGCTGGCG TCGGCTAAGC GATAACAGCC
1141 AGTGGATTCA GGTTCGCTG GTCTTCCAGA CTTTACAGCA GATGCGTGAT AAAACGCCGC
1201 TGTCATTAAA TACGCCGCC GAGAGGTGA AACTGACCCT GGCAGGATGT GAAGAGCGAA
1261 ATGCGCAGGG CATGTGTTCC TTGGCAGGTT TTACGCAAAT CGTGAATGAA GCACGCATAC
1321 CCGCTTGCAG TTTGTAAGGC AGTTATTGGT GCCCTTAAAC GCCTGGTGCT ACGCCTGAAT
1381 AAGTGATAAT AAGCGATGA ATGGCAGAAA TTCGCCGAT CTTTGTGAAG GAACCTTACT
1441 TCTGTGGTGT GACATAATTG GACAAACTAC CTACAGAGAT TTAAAGCTCT AAGGTAAATA
1501 TAAATTTTTT AAGTGATATA TGTGTTAAAC TACTGATTCT AATTGTTTGT GTATTTTAGA
1561 TTCCAACCTA TGGAACGAT GAATGGGAGC AGTGGTGAA TGCCTTTAAT GAGGAAAACC
1621 TGTTTTGCTC AGAAGAAATG CCATCTAGTG ATGATGAGGC TACTGCTGAC TCTCAACATT
1681 CTA CTCTCC AAAAAGAAG AGAAAGGTAG AAGACCCCAA GGACTTTCCT TCAGAATTGC
1741 TAAGTTTTTT GAGTCATGCT GTGTTTAGTA ATAGAACTCT TGCTTGCTTT GCTATTTACA
1801 CCACAAAGGA AAAAGCTGCA CTGCTATACA AGAAAATTAT GGAATAATAT TCTGTAACTT
1861 TTATAAGTAG GCATAACAGT TATAACTGTA ACATACTGTT TTTTCTTACT CCACACAGGC
1921 ATAGAGTGTC TGCTATTAAT AACTATGCTC AAAAAATTGTG TACCTTTAGC TTTTAAATTT
1981 GTAAAGGGGT TAATAAGGAA TATTTGATGT ATAGTGCCTT GACTAGAGAT CATAATCAGC
2041 CATAACCAT TTGTAGAGGT TTTACTTGCT TTAAAAAACC TCCCACACCT CCCCTGAAC
2101 CTGAAACATA AAATGAATGC AATTGTTGTT GTTAACCTGT TTATTGCAGC TTATAATGGT
2161 TACAAATAAA GCAATAGCAT CACAAATTTT ACAAATAAAG CATTTTTTTC ACTGCATTCT
2221 AGTTGTGGTT TGTCCAAAC CATCAATGTA TCTTATCATG TCTGGATCGA TCCCGGGTA
2281 CCGAGCTCGA ATTCGTAATC ATGGTCATAG CTGTTTCCTG TGTGAAATTG TTATCCGCTC
2341 ACAATTCCAC ACAACATACG AGCCGGAAGC ATAAAGTGTA AAGCCTGGGG TGCCTAATGA
2401 GAGAGCTAAC TCACATTAAT TCGCTTGCGC TCACTGCCCG CTTTCCAGTC GGGAAACCTG
2461 TCGTGCCAGC TGCATTAATG AATCGGCCAA CGCGCGGGGA GAGGCGGTTT GCGTATTGGG
2521 CGCTCTTCCG CTTCTCTGCT CACTGACTCG CTGCGCTCGG TCGTTCCGCT GCGGCGAGCG
2581 GTATCAGCTC ACTCAAAGGC GGTAATACGG TTATCCACAG AATCAGGGGA TAACGCAGGA
2641 AAGAACATGT GAGCAAAGG CCAGCAAAGG GCCAGGAACC GTAAAAAGGC CGCGTTGCTG
2701 GCGTTTTTCC ATAGGCTCCG CCCCCCTGAC GAGCATCACA AAAATCGACG CTCAAGTCAG
2761 AGGTGGCGAA ACCCGACAGG ACTATAAAGA TACCAGGCGT TTCCCTCTGG AAGCTCCCTC
2821 GTGCGCTCTC CTGTTCCGAC CCTGCCGCTT ACCGGATACC TGTCCGCTGT TCTCCCTCG
2881 GGAAGCGTGG CGCTTCTCA ATGCTCACGC TGTAGGTATC TCAGTTCGGT GTAGGTCGTT
2941 CGCTCCAAGC TGGGCTGTGT GCACGAACCC CCCGTTTCA GCACACGCTG CGCCTTATCC
3001 GGTAACATAT GTCTTGAGTC CAACCCGGTA AGACACGACT TATCGCCACT GGCAGCAGCC
3061 ACTGTAACA GGATTAGCAG AGCGAGGTAT GTAGGCGGTG CTACAGAGTT CTTGAAGTGG

```

Figure 22 (continued):

```
3121 TGGCCTAACT ACGGCTACAC TAGAAGGACA GTATTTGGTA TCTGCGCTCT GCTGAAGCCA
3181 GTTACCTTCG GAAAAAGAGT TGGTAGCTCT TGATCCGGCA AACAAACCAC CGCTGGTAGC
3241 GGTGGTTTTT TTGTTTGCAA GCAGCAGATT ACGCGCAGAA AAAAAGGATC TCAAGAAGAT
3301 CCTTTGATCT TTTCTACGGG GTCTGACGCT CAGTGGAACG AAAACTCACG TTAAGGGATT
3361 TTGGTCATGA GATTATCAAA AAGGATCTTC ACCTAGATCC TTTTAAATTA AAAATGAAGT
3421 TTTAAATCAA TCTAAAGTAT ATATGAGTAA ACTTGGTCTG ACAGTTACCA ATGCTTAATC
3481 AGTGAGGCAC CTATCTCAGC GATCTGTCTA TTTCGTTTAT CCATAGTTGC CTGACTCCCC
3541 GTCGTGTAGA TAACTACGAT ACGGGAGGGC TTACCATCTG GCCCCAGTGC TGCAATGATA
3601 CCGCGAGACC CACGCTCACC GGCTCCAGAT TTATCAGCAA TAAACCAGCC AGCCGGAAGG
3661 GCCGAGCGCA GAAGTGGTCC TGCAACTTTA TCCGCCTCCA TCCAGTCTAT TAATTGTTGC
3721 CGGGAAGCTA GAGTAAGTAG TTCGCCAGTT AATAGTTTGC GCAACGTTGT TGCCATTGCT
3781 ACAGGCATCG TGGTGTCACG CTCGTCGTTT GGTATGGCTT CATTAGCTC CGGTTCCCAA
3841 CGATCAAGGC GAGTTACATG ATCCCCCATG TTGTGCAAAA AAGCGGTTAG CTCCTFCGGT
3901 CCTCCGATCG TTGTCAGAAG TAAGTTGGCC GCAGTGTTAT CACTAGTTGC CTGACTCCCC
3961 CTGCATAATT CTCTTACTGT CATGCCATCC GTAAGATGCT TTTCTGTGAC TGGTGAGTAC
4021 TCAACCAAGT CATTCTGAGA ATAGTGTATG CGGCGACCGA GTTGCTCTTG CCCGGCGTCA
4081 ATACGGGATA ATACCGCGCC ACATAGCAGA ACTTTAAAAG TGCTCATCAT TGGAAAACGT
4141 TCTTCGGGGC GAAAACTCTC AAGGATCTTA CCGCTGTTGA GATCCAGTTC GATGTAACCC
4201 ACTCGTGCAC CCAACTGATC TTCAGCATCT TTTACTTTCA CCAGCGTTTC TGGGTGAGCA
4261 AAAACAGGAA GGCAAAATGC CGCAAAAAGG GGAATAAGGG CGACACGAA ATGTTGAATA
4321 CTCATACTCT TCCTTTTTCA ATATTATTGA AGCATTATC AGGGTTATTG TCTCATGAGC
4381 GGATACATAT TTGAATGTAT TTAGAAAAAT AAACAAATAG GGGTTCCGCG CACATTTCCC
4441 CGAAAAGTGC CACCTGACGT CTAAGAAACC ATTATTATCA TGACATTAAC CTATAAAAT
4501 AGGCGTATCA CGAGGCCCTT TCGTCTCGCG CGTTTCGGTG ATGACGGTGA AAACCTCTGA
4561 CACATGCAGC TCCCGGAGAC GGTCAAGCT TGTCTGTAAG CGGATGCCGG GAGCAGACAA
4621 GCCCGTCAGG GCGCGTCAGC GGGTGTGGC GGGTGTGGG GCTGGCTTAA CTATGCGGCA
4681 TCAGAGCAGA TTGTACTGAG AGTGCACCAT ATGCGGTGTG AAATACCGCA CAGATGCGTA
4741 AGGAGAAAAT ACCGCATCAG GCGCCATTG CCATTCAGGC TGCGCAACTG TTGGGAAGGG
4801 CGATCGGTGC GGGCCTCTTC GCTATTACGC CAGCTGGCGA AAGGGGGATG TGCTGCAAGG
4861 CGATTAAGTT GGGTAACGCC AGGGTTTTCC CAGTCACGAC GTTGTA AAAAC GACGGCCAGT
4921 GCCAAGCTTT AACTTTATG CTTCCGGCTC GTATGTTGTG TGGAATTGTG AGCGGATAAC
4981 AATTTACAC AGGAAACAGC TATGACCATG ATTACGAATT CGGCGCAGCA CCATGGCCTG
5041 AAATAACCTC TGAAAGAGGA ACTTGGTTAG GTACCTTCTG AGGCGGAAAG AACCAGCTGT
5101 GGAATGTGTG TCAGTTAGGG TGTGGAAGT CCCCAGGCTC CCCAGCAGGC AGAAGTATGC
5161 AAAGCATGCA TCTCAATTAG TCAGCAACCA GGTGTGGAAG GTCCCCAGGC TCCCCAGCAG
5221 GCAGAAGTAT GCAAAGCATG CATCTCAATT AGTCAGCAAC CATAGTCCCG CCCCTAACTC
5281 CGCCCATCCC GCCCCTAACT CCGCCAGTT CCGCCATTG TCCGCCCAT GGCTGACTAA
5341 TTTTTTTTAT TTATGCAGAG GCCGAGGCCG CCTCGGCCTC TGAGCTATTC CAGAAGTAGT
5401 GAGGAGGCTC GAGGAGCTTG G
```

//

Figure 23. The nucleic acid sequence of the Lama2/APPA transgene used for the generation of transgenic mice and transgenic pigs (SEQ ID NO: 7)

LOCUS transgene 17732 bp DNA SYN 14-APR-2000
 DEFINITION Lama-appA cut XhoI..20623 to NotI..17732
 ACCESSION transgene
 KEYWORDS parotid secretory protein; acid glucose-1-phosphatase; appA
 gene;
 periplasmic phosphoanhydride phosphohydrolase; artificial
 sequence;
 cloning vector
 REFERENCE 1 (bases 1 to 17732)
 AUTHORS Golovan, S., Forsberg, C.W., Phillips, J.
 JOURNAL Unpublished.

FEATURES

DEFINITION M. musculus Psp gene for parotid secretory protein.
 ACCESSION X68699
 VERSION X68699.1 GI:53809
 SOURCE house mouse.
 ORGANISM Mus musculus
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Mammalia;
 Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 REFERENCE 1 (bases 3777 to 5332;)
 AUTHORS Svendsen, P., Laursen, J., Krogh-Pedersen, H. and Hjorth, J.P.
 TITLE Novel salivary gland specific binding elements located in
 the PSP proximal enhancer core
 JOURNAL Nucleic Acids Res. 26 (11), 2761-2770 (1998)
 MEDLINE 98256451
 REFERENCE 2 (bases 7147 to 12653; 13952 to 17731)
 AUTHORS Mikkelsen, T.R.
 TITLE Direct Submission
 JOURNAL Submitted (07-OCT-1992) T.R. Mikkelsen, Department of
 Molecular Biology, University of Aarhus, CF Mollers Alle
 130, 8000 Aarhus, DENMARK
 REFERENCE 3 (bases 7147 to 12653; 13952 to 17731)
 AUTHORS Laursen J, Hjorth JP
 TITLE A cassette for high-level expression in the mouse salivary
 glands.
 JOURNAL Gene 1997 Oct 1;198(1-2):367-72
 MEDLINE 9370303

FEATURES

Location/Qualifiers

source 1.to 12653; 13952 to 17731
 /organism="Mus musculus"
 /strain="C3H/As"
 /db_xref="taxon:10090"
 /chromosome="2"
 /map="Estimate: 69 cM from centromere"
 /clone="Lambda YP1, Lambda YP3, Lambda YP7"
 /clone_lib="Lambda-PHAGE (Lambda L47.1)"
 /germline
 /note="Allele: b"
 misc_feature 3777-5332
 /gene="PSP"
 /function="salivary gland specific positive acting
 regulatory region"
 enhancer 7147..8724

Figure 23 (continued):

```

                /evidence=experimental
exon            11778..11824
                /gene="Psp"
                /note="exon a"
                /number=1
                /evidence=experimental
exon            12626.. 14190
                /gene="Psp"
                /note="exon b fused with exons h and i"
misc_feature    12644-12652
                /function=" consensus sequence for initiation in higher
                eukaryotes ."
misc_feature    13952-13965
                /function=" M13mp18 polylinker"

```

DEFINITION E. coli periplasmic phosphoanhydride phosphohydrolase (appA) gene,

```

ACCESSION  M58708 L03370 L03371 L03372 L03373 L03374 L03375
VERSION    M58708.1  GI:145283
SOURCE      Escherichia coli DNA.
ORGANISM    Escherichia coli
            Bacteria; Proteobacteria; gamma subdivision;
            Enterobacteriaceae;
            Escherichia.

```

```

REFERENCE   1  (bases 12653..13951)
AUTHORS    Dassa,J., Marck,C. and Boquet,P.L.
TITLE       The complete nucleotide sequence of the Escherichia coli
            gene appA reveals significant homology between pH 2.5
            acid phosphatase and glucose-1-phosphatase
JOURNAL     J. Bacteriol. 172 (9), 5497-5500 (1990)
MEDLINE     90368616

```

```

FEATURES             Location/Qualifiers
     Source             12653..13951
                        /organism="Escherichia coli"
                        /db_xref="taxon:562"
     sig_peptide         12653..12718
     /gene="appA"
     CDS                 12653             13951
                        /gene="appA"
                        /standard_name="acid phosphatase/phytase"
                        /transl_table=11
                        /product="periplasmic phosphoanhydride
                        phosphohydrolase"
                        /protein_id="AAA72086.1"
                        /db_xref="GI:145285"

```

```

/translation="MKAILIPFLSLLIPLTPQSAFAQSEPELKLESVVIVSRHGVRA
TKATQLMQDVTPTDAWPTWPVKLGWLTPRGGELIAYLGHYQRQRLVADGLLAKKGCPQS
GQVAIIADVDERTRKTGEAFAAGLAPDCAITVHTQADTSSPDPLFNPLKTGVCQLDNA
NVTDAILSRAGGSIADFTGHRQTAFRELERVLNFPQSNLCLKREKQDESCSLTQALPS

```

Figure 23 (continued):

ELKVSADNVSLTGAVSLASMLTEIFLLQQAQGMPEPGWGRITDSHQWNTLLSLHNAQF

YLLQRTPEVARSRATPLLDLIKLTALTPHPPQKQAYGVTLPSTVLFIAGHDTNLANLGG

ALELNWTLPGQPDNTPPGGELVFERWRRRLSDNSQWIQVSLVFQTLQQMRDKTPLSLNT

PPGEVKLTLAGCEERNAQGMCSLAGFTQIVNEARIPACSL"

mat_peptide 12719 13948
/gene="appA"
/product="periplasmic phosphoanhydride
phosphohydrolase"

mutation replace(12659.. 12661,"gcg changed to gcc")
/gene="appA"
/standard_name="A3 mutant"
/note="created by site directed mutagenesis"
/citation=[3]
/phenotype="silent mutation"

mutation replace(13934..13936," ccg changed to ccc")
/gene="appA"
/standard_name=" P428 mutant"
/note="created by site directed mutagenesis"
/citation=[3]
/phenotype=" silent mutation "

mutation replace(13937..13939," gcg changed to gct")
/gene="appA"
/standard_name=" A429 mutant"
/note="created by site directed mutagenesis"
/citation=[3]
/phenotype=" silent mutation "

BASE COUNT 4719 a 4125 c 4168 g 4719 t
ORIGIN

```

1 TCGAGAGTAT CTTTGTTCAGC TGTGCCTCCA ACAAAGGGGT ACTGTTGCCC ACATAGAAAG
61 ATCTAAACTA ATTAATTAAT CCCTCACCCG CAAATCTTTC AGTCACTAAG TTAGCACGAT
121 TGTGTAACAA GTTCTCCAA GAGAGATAC AGATGAGGTG GTATAGGGTG GACCTGGCTG
181 CTGAGGAGAC ACCTGCATCT GACTAAGAAG AGCCACGGTG TTAGTTGAAT GGTGTGGAGT
241 AGGGTGGTTC TGTGGGACAG TAGAAAATCG AGAGGCATGT GCCGTTTAGT GAACTGATGG
301 AAGCTACCCC AAACGACAGA GATTGTCAGT CAGGCCAATC CGTTTCGAGT TTGATGGGCA
361 GCCGGACAGT GAGACAGACA CACCTACTCA GTTGGAGGAA GGATGAGAAC AATGGCCAGC
421 AGGGATTGAG AGACCCTGAC AGGCGCAAGG CCCTAACACA CACACCTACC ACCTCACTTG
481 ACAAAGCTGC CAAAGACCAA AGACTTGTTT TCCATTAGAA ATGACAGCTG GCTTGACCCG
541 ACAGCATAAT AAGCAGAGTG TACTCTGATT GGAGAACTTT AATGTGTTTC ATTCAGTATT
601 ATAAAAGGAC AGTATTACAG ATTTTGTGTT ACATGCTGTG TACATGTGGG GCAGTGTGTC
661 TTAAAGTAGG GTAAAGTACT CTTTAAAAAT GGGTCCTAGA TATTTTTTCC TTAACTCAA
721 GTCTCTTACT GTTTAAATGA TTTTATTTT GTTTAATATG GAGGAAAAAG AAGCGTAAAT
781 GGACAATATA TATTTAGAGA AAGATGGTTA GCTGTCAGAA AAATATGCAA ATCAAAATCA
841 CACCAAGACT GCAGCACACC CCTGTCAGAT GGCTGTGATC AAGAAAATAA ATGACAATGA
901 GTGGTGGTGA AGATGTACTA AAGGGAAACA CACACACACA CACACACACA CACACACACA
961 CACACTGGAG CAACCACTGT GGAAATCAGT ATGAATGGTC CTCAAAAACC TGAAGATAGA
1021 GCGGGGCGTG GTGGCATA CA TTTTATTCC CAGCACTGGG GAGGCAGAGG CAGGTGGATC
1081 TCTGAGTTCC AGGCCAGCCT GGTCTATAGC ACAGGTCTTA GGACAGCCAG GGCTACACAG
1141 AAAAACCCTG CCTTGATTAA ACCAAACCAA ACCAAACCAA ACCAAACCAA ACCAAACCAA
1201 ACCAAACCAA ACCAAACCAA ACCAAACCAA AACACTGAAG ATAGAAGTTC AGTATTCCAT
1261 TCCTAGATAT ATACCCAATG GAGACTAAGT CAGCAAGACA CCTGCACAGC CATGTTCACT
1321 ACTACACTGT TCACCACAGC CAGGCTGTGG AACCAGCCTG AGTGTCCATG ATAAATGAAT

```

53/58

RECTIFIED SHEET (RULE 91)

Figure 23 (continued):

1381	GGATAGGTAA	CTTCAAGGT	AAATGGACTC	TGCTGTGTAC	ATGCCTCACA	TTCTGTTTAT
1441	TCATTTTTCT	TTATGAGGTG	TCCATTCAGG	AGTCACATGG	TAGTTCTATT	TTCAGTCTTC
1501	TGAAGATACT	ACACTGGTCC	CCACAGTTTA	CACTTTTATC	AGCAGTGAAT	AAGGGTTCCT
1561	CTATCCTTAC	CATCATTTGT	TGTAATTTTT	CTTGATGACC	CTCTTTCTGA	CAGGGATAGG
1621	ATGTAATATC	AGTGTGAGGA	AGTACAACCT	GTTTTCTAAG	TATTTATTGG	CCCCTTGCAT
1681	TTCTTCTTTT	GAAAACTGTC	GGTTCCTGAC	ATCTGCTCAG	GTATTCATTG	GATGTTGTTT
1741	CTTTGGTGTT	TGAGTTCTTA	TGAATTCTAG	ATGTTAAATC	CCTGCCTGTG	GTTCTCTCCC
1801	ATTCTGTAGG	CTGCCTCCTC	ACCCTGGCAA	TTGTTGTCTT	TGTTTTGCAG	AAACTTTTGA
1861	CTTCATGGAA	TCTCATTTGT	CAGTTTTCCC	TCCTCTGCTA	TAGCCTGAGC	TAATGCACTG
1921	GTTTTTACAG	AGCCCTGGTC	TATGCCTTTA	TCCTCCTCTG	GCAGCTTCGG	AGTTTCATTT
1981	CTTACATTTA	GATCTTTGAT	CCACTTTGAA	CAAGTTTTGG	AGCAGGGTGA	GAGATACGAA
2041	TCTAGTTCCA	TTCTTCCATA	TGTGATCCTA	GTTTACATAG	CATCGTTGGT	TGAAGAGGTT
2101	TTATTTTATT	TTTAAATAAT	TGTGCATAAA	AAACGAGGTG	GTGTAGCAG	GTTGGATTGG
2161	TTTCTTTGTC	CTTTGATCTA	CAGGTCTTGT	TTTGTGTCAG	TCTCATGATG	TTTTATTGCT
2221	ATGGCTCTGT	CATACAGTCT	GAGGTCAGGT	ATTGTGATAT	ACCTTCAGTA	TTGCTCCCTC
2281	AGACTCAGGT	TTGCTTTGGC	CAGGAGTCAT	CTTACTCAGT	GCTCTTAGAG	CTCCCCCAGC
2341	ATGTAGCTGC	TACTATTCTT	AGTTGATAAA	TCAGGAAACT	GGGGCTCAGA	GAGATTAACT
2401	GTCTTGAAC	ACTTCTGGGG	AGGTGAAACG	TGGAGACACT	AAACTGTGTT	TACCCTGTAC
2461	TGCTCCAGTA	GCTGTGCGGT	GCTGGGCTAC	AGCAAAGCAC	CTATACTATA	TATTACTCAG
2521	GAGGTGGAAA	AACTCAGCCT	CCCTTGGGGT	TCCCAAGCTC	CCAGGTGTCC	AGTCACTGCT
2581	GGAAACCTCA	TGGAGTCTGA	AAGGAAGGGT	TGAGGGTACA	TGGGGCAGCG	ATGAGGAGCC
2641	TGGGGCTGGG	ATCTCCCAAA	CACCTGGATA	TCCAGATGCC	ACTGGGTCAG	GGGGAGTTGG
2701	GAACAGAGTT	GGGATGTCCA	TGGACCTGTG	ACAAGGCCAG	GGCCAGGGGG	AGGATAACTC
2761	TGGCTTTACT	AATTGCGGAA	AGTCCTTAGC	TTAGCAGCAG	TTGTCTGGGA	GCACAGAGGG
2821	GCCTTCTGTA	AGAGGCTCAG	GCAGTGCCGC	TCTGTAGGCG	AAGGTCCTTCT	CCATGTTCCC
2881	CATGGTGGTT	CTTGATGAAA	GAGACAGTCC	TTGGCTCCAA	ACTGGTTTAT	TGATTGTTCA
2941	TTGTGGAAAA	TGGGTGCACA	CCACCTTCTC	AGGGTGGACC	AGAGATCAAA	TACCTTTTGC
3001	AGGGAGGAAT	ATCTGGGAAG	GGAGCCTTAC	TGGCTAAACC	CTCAGGGCCT	CTAGATACAT
3061	CATTAGCATG	GAGAACTCTG	TTCTGGGCTA	CATGACCACA	GGCCACATTT	CCACAAGCCA
3121	CATGTGGGAA	GTGTGGCACA	TGTTCTAGGC	CAGGAATCTG	GTAGGGAGCG	TGGAGCCACC
3181	TACCATCCCA	GGTGGGTGCC	TGGGTGCCAG	GGACCCTGAA	CCCGCTCAAC	CTTACCAAGT
3241	TTCTTGGCAG	GGTCCACTGT	CCTACACAGA	AGCTGGAGGA	GGTGTGAGGG	TTGTGTCTTT
3301	GTGGAATGTC	CCATGCTGCT	TGGGGCTCAG	TTTCTCCACC	TGTACCTCAT	TGGTTTGGGT
3361	ATAAAAAGTG	GGGATACTTT	ATTATTCTCT	GACTCGGTCC	TGAGGAAAAA	GCATCGTGGC
3421	AGTCCAGGAA	CCACACCCTG	AGGTTCTTGC	ACTGAAGGGA	CTCCCTAAGT	CTCTGGAGTC
3481	TCTCCCCCTT	ACAGAGCTGC	CAAAGTCTAG	GTTCTTTTGA	GGATAACAGA	GCCATGCTTG
3541	GTAAGCAGAC	AACAGCATTT	GTTTACTCAA	CCTTCTTTTG	TCAGCTCCCT	CTTCATAAAC
3601	AAGTTGAGAC	ACCATGCTGG	CTTGAGGAAG	ACTTCTAAAG	CCAGACAAC	GTGCAAGGAA
3661	GAAGAAGAAG	GGGCAAGTGG	AGTTAGCCTG	GATGTAGCCC	TCAAAGTCTC	CAGAGACCAG
3721	CCATGAAGGC	TCAAGTGGAG	GGCAAGACCT	GCAGCAGCCA	AGCATCTGGC	AGGAGAGGAT
3781	CCTGGGAACC	CCTCTACCAT	GACACACATT	CTTCTGTCAG	GTACACTTA	ATAGGCCATT
3841	TCTTATTTGG	ATCTATCATG	GTGTTCTGTG	CGAGATTAAT	GAGGTGTTAT	GCTGCGAACA
3901	GAAAGTTATA	TAAAAACAAG	TCCCCCCCCC	TTGTCACTGC	TGCTAAGAAAT	GTAGCAGAAA
3961	TTGTCTCAAG	TGTCTCTCTA	ATCAGAAACA	ATAAAGGTCT	CCTTGGATTG	AAGCCCTCCA
4021	GTTTCCTCCT	TCCTTGCTGA	GCCTTGGACA	CCCATACAAA	CCTCCTGGAT	GCTACAGCTC
4081	TGGGCAGAGA	CTCCAAGGTG	GGGAGAGACT	GATGGTACAA	AAGCAAAATA	CTTGTGTTGGG
4141	GGTACACCCA	CTCCTCTGCC	TGTGTGGTTC	CTGCAGTCAG	TCCTGCAGAC	AGGCCCTCAG
4201	TGGGTCTTCC	ATGGGCAACA	CGCAGAGGGA	GGCAATGGAT	GGGAATACCC	ACACCCTGGT
4261	TAGTTTACCC	CGGCCATGCT	CTCTGCTCTT	CATCCCTCCT	CTGCCCTCTT	CCACGGCTTT
4321	CTCTGCAGGA	ATCATATCTT	CATATTGGCC	CACAGGTGTT	CTCCCTACCC	TAGCTATGAT
4381	GTTTACTTTA	GAGTGACCTT	AGCAGGGCTG	GTGGGAATGA	GTTCTAGAAG	GCTCACGGAG
4441	ATGCTAGGGA	AGAAACGTCT	TCTAACTACT	GAGGTTACTA	AGTTCTGGT	GTTGTGTCTT
4501	GCCTTCCCT	TGTTAAAGTC	ACCTTGAAGT	TAGTGCAGAA	GAAATCAGAG	CCCAGTCACA
4561	GAGTAAATAT	GGTCTGAAG	ATTTCTCTTG	AGTGCCCGA	ATCCATGACA	TTTCAAGAGC
4621	CCTCTTTGTA	CCTTAAGTCA	TTTGGGGTGG	TATCTTCTGC	TTGATGTATG	TGTGTGTGTT
4681	TATCAAAGAG	TGAGATGGTT	ACATAAGAGG	TGCTCTAAAG	GACAGAGAGG	ATTGTGAATT
4741	GTGGCATGTG	ACATCCTCAT	GCCTTGCTCT	GGTGCCAGGA	GGAAGTGTAT	CAGAAAAGAG
4801	TAAGAGGTCA	TTTCTGAG	GCTGTCACTA	TAGAGGAGAT	CTTACAGTGC	ATTCCCTCCT

Figure 23 (continued):

4861	CCAGGCCCTG	CCTGAGGATA	GACATGTGCT	GACTGCAACT	GAAACAGAGG	CTTGGGATGG
4921	AGAGTTAGGT	TCACAGAAGG	GAGGGTGGGA	GATGGATGCT	TGCTGGGTTC	TGGGTCTCAT
4981	CACCAGCTCC	TGACCACCCG	GTCAGCCCAT	GTGCTTATTC	CATAGCTTTC	TTTTGCTATG
5041	TTTACTCAGT	GTGGTGTTTG	TTGGGACCCA	GCAGAAGCCA	GTCCCAGGCT	GACAGCTGTG
5101	GATACACAGG	GCAGCATGAG	GGTCTCAGC	CTGAAGCAGT	CAGGCTGGCA	GAAGAGAAAG
5161	ACCAGCACAC	ATTCCTTCAA	CCAATATGT	CTTGAAAAAC	AAACATATTA	TATCACATAT
5221	ATTGCATTTA	TGAGACAGCT	AAAATGTACT	CGGGTAGCAT	GACTCCAGGT	GGGGATATCT
5281	GCAAGTGCCA	TGAGTGGCAG	AGGGACAGCC	AATGTGAGGC	AAGAAGGAAT	TCTGGCTCAA
5341	CACAGCTTAG	CTCCCTGGTG	TTGGTTCAAA	CTTTGAGAGT	TTGACCACAA	GCAC'TTTATT
5401	TTTGACATAT	TAAACAGAG	CACAAC'TTG	GGAAAAAGTT	TTCTTATGAA	AATTATCACA
5461	ATAAAGCTTA	AGGCATGACT	ACATTA'AAAT	GCCTTTGCAA	AGTATATGTG	CCCTCTTCCA
5521	CAAGAATGGT	TCTATTGACT	GAGAAATAAT	GTTCAGGATA	AAGATCCAGG	AAGAAAAGAT
5581	CAGGGATAAG	TAAAATACTA	AAC'TCTTTG	CAAAGTACAT	AGACCTCTTT	TCATAACAAT
5641	GGGTTCTATT	GACTGACAAG	CACTGCTCAG	GAGTTGGGAA	AGAGTCTAGC	ATAAGCACGA
5701	TAGCCTGGAG	ACTCTAGTGA	GGTCTAGTCT	TACAGACAGC	AAAAATCACC	AGGTTACAAA
5761	CTACATTCAT	TTCCAGTTTT	CTGATCAGGC	ACAGGTATGA	ATCCCTTCTG	TTGAAGAGAA
5821	AAGTCCATGT	GTTTAAAATA	TCTGGTTTCT	CCAGTGCTAT	TAGCGAGAAG	ACTTGAGCCC
5881	TATACAAC'TC	CCACCTGGAG	TGACATCCTG	TCTTCATGGT	ATATTACATA	CCTAGACACG
5941	CTCATCTCAC	AGACTTAGGA	CTTTGTCTTC	TGATCTCCAT	TTCTGATCCC	ACTTCCACCT
6001	TTGCCTTGAT	AGTGTCA'TTT	TCTTCACTGC	CTTGGTGACA	ACCATGTTAT	CCTCTGTGTA
6061	TTTGAGTGTT	ACCATTTTCA	GATTTTACCT	TATGCAAGA	TCACACAGTC	TTTGTCTTTC
6121	TGTCTGGATG	CATGCTAATC	TCTACACAAC	AA'CCCTTCCC	CGTCACTCAG	ATCTTCTCTC
6181	ATTAACACAT	ACATGGTGCT	GAAGAGGCTA	GGGAGCTTCC	CTTCAGTGGG	GAGCTAGCTG
6241	GCTATTGGGC	CTTTTTGACT	GTCCAGGAAG	GCCCCCAATT	GCTGAGACAA	GAAC'TTAGAT
6301	TCTTCATTAT	TGACTCTAAC	TCATGTATCA	AGCAGAAGCT	AATGAATAGT	TATCAACAGG
6361	ATCAGAGGTT	CCAGTGTAAG	ACACTTTGAC	ATGAAAAGAAC	GGAGGAAGGA	CAGATGGATG
6421	CATAAAAGCA	GGACCACTGC	CCCAGGAAGG	TCCTGGAAAC	TGATGCAGGG	CAAAGGACAG
6481	GTTATAAACC	AAATCTTAGG	GAGTCAGGAA	GAGCACAGAG	GAGCTCAACC	AACTGACCAC
6541	TGCTTAGGGG	CTACCAACCC	AATCCTCCCT	GTGGGAACAG	CTAAGCTATC	AGCCAAGGGT
6601	AATAAACAGG	CAGGACCTGT	GGATGACATG	GAGAGCATAG	GGACCTGGG	TCCAGCCTTT
6661	AGCACCTGCA	CTCTCAGGAT	ACTCCACCAT	TGTGTCTTAG	AGAGCCTAGG	GATACTGGGT
6721	CCAGCCTTTG	GTACCTTCAC	TCTCAGGGTA	CCCCATCACT	GTGTCTTGGA	GAGCCTAGGC
6781	ACCCTGGGTC	CAGCCTTCAG	TACCTGCGCT	CTCAGGACAC	CCCACCATTG	TCTCTTGCCC
6841	CGTCTCTTCT	TCCTCTTCCT	CCCTTTCATT	GTCTCTTCTC	TGTTTCTTTC	TTGACTCTCC
6901	TTTCCCTCA	CACCCTCACT	CTAGTTCCTC	CCTTCCCTCT	CTGCATCACC	CTATTCTCTC
6961	TGTGGTCCCT	CCACTTTCCT	TTATCTCTCA	TGCTTCTCTC	CTCCCTCAAA	TACTTGTAC
7021	CCACTATACT	TCAGGGGCCA	GCTCTAGTGA	CAAAGCTGTT	AATAGCAAGA	TCTCAGATC
7081	TCCAACGGCT	CAGAGGAGCC	AGAACTCTCT	CCAGGTCCAA	TTTCAGGTTT	TTTCAGGTTT
7141	CTTCGAAAGC	TTTCAGCAAA	TGCTCAGGGA	ACATGCCACT	AACAAGAAGA	TGCAAATTCC
7201	AGTTGAGAGT	GGGAAAGGCC	CTTGCGTAGG	TCCCATCTTC	CAGGCCAAGG	TCAGAGGGGC
7261	TCTGTGTAAT	CCGGATTGAC	AGGGCTCAGA	ACAATGTTTT	GTTTTTAAGG	TTTATTTATT
7321	TTAGGTGTTA	GTGTCTTTGC	TTGCATGACC	TTATGTGCAT	CATGTGTGTG	CAGGTTCCCTG
7381	ATGACAGTAG	AGGAGGGCTT	TGAATCCCTG	GGGATAGGAA	GTTACAGGAA	ATTATAAGCT
7441	GCTTTGTGGG	TCTTCTAGCT	TTCCCAACAG	AAGTGAATGC	TCTTCACCAC	TGAGCCATCT
7501	CTCTAGGCCC	AAGAGACATT	GCTTTATGGA	TATAATTGTG	TGTGTGTGTC	AACATTGAGG
7561	AAAGGGAAT	AAAAA'AAAAA	CTTCAGCCGC	TAAGGTTGTA	CAGTTTGCAT	AATTGCTACT
7621	TTTAGTTGTG	ATAAAATGGC	AGGTGCTTCA	ACATTTATAT	ATACAAAAAC	TTCCCTGCTG
7681	GTGGTTCAAC	TGTGAGAACT	GGGGTAAGTG	GGTGAGTTCT	CTTTTTCTGT	CTCTGTCTCT
7741	GTCTCTCTCC	TTCCATTCTT	TCTTAAAGGA	AATAAACATT	GCAGCTGGGT	TATAGCTCAT
7801	CAATATGGAA	GTTACAGAAG	TGAAAAAAGG	CATTGCCTTG	GTGGGTGGTG	TTACCAGCTG
7861	ATTTTTGGTT	GTCCTGCAAG	GAGGTCTGGG	GACTGGCTGC	TCTGTCTCTG	TCTGTATGAG
7921	TGAGGGAAGT	CTGGGGAGCA	GATTC'CCCTAA	CCTTCAGCCT	GGCCTGGTTC	CTGAGTGAAC
7981	CCAGCCTCTC	TGGTCCTAGT	AGCTTTT'TCC	AAACAGGAAT	CTGAGTGGTG	ACAGGGAAACA
8041	AGTACCAGCC	CATTGCTTAA	GTGCCAGGCT	TAGTGAGGGC	AGGAAGCTGC	CATAGCTGGG
8101	ATTAGTAGTT	GTATTGGATG	TAGGAAGTCC	TATCCTGGGA	CAGCTAATCC	TTAATGCTTC
8161	ACTGGAGATT	TTCAATGAGA	AATTTATCCC	ACGGCCCATC	TGGCCCCATC	CTTTTGTCTC
8221	CAACAGCCAA	GTATTTTCCA	TTAGAGGAGA	CTTCTGTAC	ACTTGATGGA	TGCTCATTCC
8281	AAGGTGACTT	GGGGCAGTCA	GTACAGACTT	GGGATGACCT	CTGACAGGCT	AACCTCTCCC

Figure 23 (continued):

8341	CAACAAGGGC	CCTCTATGTT	TGCTATGTAA	TGTAATGTCA	GACATTGTCA	GGAGTGTCCG
8401	CAGCACAGCC	TGCCCAGTGT	GAGGGCTCTC	ATAGGTTTCC	CACTGTCTTA	TCTACACAGG
8461	GATAACGAGG	AGGTAAGCTG	CAGTTCCCAG	TCTCACTTCA	CAGAGGAAGA	GATAACCCCA
8521	TCCCAGGTCA	TGTAGCCAGC	AGTGGAAGA	ATGAGGATTT	GAATCAGGT	CTTCCAAGTC
8581	CCATTGATAG	CATCTCCTCA	CAAGTCCCTT	GCCACCCTCA	CGATGCCTTA	GACACTTGCC
8641	TGCCCTTTAT	ACTAAGGAGA	TGCAGGTACA	AGGGGTTTAC	CCATGTAGCA	GCTGAGGCAG
8701	CTGGGGATAG	ATACCAGCAG	CAGGCCTGAT	GTCACCACTC	TAACCTCCAGC	ATCCCCAGTC
8761	TGTGTTCCCTG	GAGTGTGAAA	ATCCCTACTT	AACAAGATTG	TGCAACAGTC	CTTGGCTCTG
8821	TGACCCATAG	CTGGAACAG	GATTCTCATT	GATTTGTGGA	ACATGGTGGC	AGCCAGCCAA
8881	AAAGAGGGTC	TGCATACAGA	AGACACGTGT	GGCAAGGCCA	CAGCAGACTC	TGACTACCTT
8941	AGCTTACAGA	ATTACAAGGT	CATAATGTCC	TCTGCTTTGG	TCACCTCATG	TTAAGGCACG
9001	CCCCTAATGA	AGATGGGGCA	GAAGACTGAA	GGAATGGCCA	ACCAATAACT	GGCCCAACTT
9061	GAGACCCATC	CTACAGGCAA	GCATCAATTC	CTGACACTAC	TAATGATACT	CTGTTATGCT
9121	TGCAGACAGA	AGCCTAGCAT	AACTATCCTC	CGAGAGGTCC	ACCCAGCAAC	TGACTGAAAC
9181	AGAAAAAGAT	ATCCACAGGC	AAACAGTGGA	TGGAGGTCAG	GGACTATTAT	GGGAGAGCTG
9241	TGGGAAGGAT	TAAAAACCCT	GAAGGGGATA	GGAACCCAC	AGGAAGACCA	ACAGAGTCAA
9301	CTAAGAGACC	TGTGGGAGCT	CTCAGAGACT	GAGCCACCAA	CCAAAGAGCA	TACACAGGCC
9361	GGTCCGAGGC	ACCTGGCACG	TGTGAAGCAG	ACATGCAGCT	CAGTCTCCAT	GTAGGTCTCT
9421	CAATAAGCGG	TAGCCTGACT	GCAGTATCCA	ATCCCCAACA	GGGCTGCATA	GCTGGCCCTC
9481	AGTGGGGGAG	GATGCCCCCTA	ATCCTGCAGA	GACTTGATGA	GTGGAGAGCT	ATCCAGGGGG
9541	AACCCACCCT	CTCTGAGAAG	GGAATGGGGA	TGGGGGAGGG	ACTCTGTGAA	GAGGGGACAA
9601	GGACAAACAA	GAACCTCAAA	TAGGTCAGGC	CCTAAAGGCT	TGCTAAGTAG	CAGTGGCCCA
9661	GCTCTGTCTT	GTTCTCTCAGC	CCAAGGCTCA	GCTCCACCT	GTTCTGTGT	TTTTCTGGCT
9721	TTTCATGGGC	CTAGGACTTG	GTGACCAGTT	CAAACAATGG	GGCCTGTGGA	AGACACAATA
9781	TACAAGACTA	GGGACATTCC	TGTTCTGCTG	ACTATCCATA	GCCTGATGTA	GGTGAAGGA
9841	CCCAATCACT	GGATTTCTAC	CCTTGACAGC	CCTTGACAGC	TGAGGGCCTC	TCAGAAACCT
9901	ATTTCTTCCA	CTGAAAAATG	AGACTCTCAA	ATGAACCTCG	TGACAATCAT	CAGGCTTATT
9961	AAAGAGGTGT	ATCTAACCTG	AATGGCAAGC	AGACAGCAGG	CAAAATGTCTG	TATCAACCTC
10021	TAGGAAGGAC	AAGAACTGCT	CACTGCTGCC	CCCCAGGAGG	CCATTTGCTG	AAACAGCTGC
10081	TCTCCTGCTG	GTGCACAGGC	CCTGCCTTCT	CATTGCAGCC	ACAGCCCTT	CCTGTCTGAA
10141	CCTCCTGTCA	GGTCACTGGG	AAACAGATCA	AGATGGAACA	GGACAGCTCC	TGATGGTAAA
10201	TAAAAACACG	TGGTCATGGC	TATTCATAGG	GGTTTATGCT	TCTTCAGTCC	ACACTGTGAA
10261	GAGCTGTGGG	CATGAACCAC	AGTGTTCCAG	GTAGAGTTGG	GGTCTGAAA	TTACAGCTGG
10321	GGTGAGCTCA	GTAAATGTGA	GCTGGAGGTC	ACTCGTGAGA	CACACATCTC	TGCTGCTTCT
10381	GTTCCCAATA	TCCTGAGGAG	ACGACACATC	TACTTTGTTT	AGAGGCCACA	GTCTAGTTGA
10441	CCTGAGAGTT	ACCAGTTTCT	TATTTGTGTG	TGTGTGTGTG	TGTGTGTGTG	TGTGTGTGTG
10501	TGTTGTTCTG	GTGTGAGTGC	AGGTGCACAT	ATGATAGCGT	ACACGTTGAG	GTCAGAGGAT
10561	AACTATCAGG	CGTTGTCCCC	TCCTACTTTT	CCTCGGACTC	TGGAGAACAA	ACATGGGTCC
10621	TTATTCCAGG	GGAGCAAGTC	GCTGTTGGCT	GACACATCTT	GCTCACATAC	ATTTTACCTA
10681	GACAATGGAG	CCTCCATCAG	AGTATTACTT	TAGCTCCTCA	CCGATGGCAA	TGCACCACCT
10741	CTCTACCCAC	ATAGGAGTTG	GGTCTCCACA	CACCCCCACA	CCCCCTTCAC	CAAAACGTTT
10801	TCAGTTACTT	TATCTGGTAA	AGTTCTCAG	AGAATGAAGC	CAGTATTAA	AACATGGAAT
10861	CATTTGGGAA	CCTGGATCTA	GCAATACCCC	ACCCTAGATG	GAGTTGCTGA	GTTTTACCTT
10921	CAGATTATAA	TTCCCCCTTA	GCTTCTATGG	TTTATTCTGA	AACCAGGGGA	ACTCGATTCC
10981	TCCCTTTGGA	CCACAGACAT	CCTGGCTTGT	GAATTCACAT	GTCATCTACT	GCTAATCCAT
11041	TGGTAGTATG	TGGCTCACAG	AGACACACTA	CAGTCATGGC	CAATGTCAAG	GTAGGACAGA
11101	TGTGAATCAT	TCCCCCAGTC	CTGCTGTTTT	CATGACTAAC	CCTCCTCAGC	ACAGTGACCA
11161	TGAACCTACT	TTTCCCCTCC	TTTTATTTTT	AGAATTGCTG	GAATTTTCTA	TTTTGAGAAA
11221	TAATAGCCTT	GGGCAGCAAT	AAACAAAATC	ATCTAGAAAAG	CTGGTTTAAA	ATACAGATGG
11281	TTGAGTCAGT	GAAAGAGTGA	GGAATGTCAT	TATTGGCCCC	TCACAGAGGC	TGGCTCACTC
11341	CAGCAGAGGT	GGTTGAAGCT	CTTGGACACG	GGTCAGGTGC	ATAGGAAAGG	TNGTCTGGGA
11401	CACTGAGAAC	CACAATTGAA	CAAACAGAAC	TGTTGGCTTT	TTTTTTTTTTA	AATGAGTTCT
11461	CAAAAAATGA	CTGGCTAGCT	TAGGCAAATA	CTTCGAGCCA	ACCCAACAGA	ACATTCTTCC
11521	ATTGATTTCAT	TCTGGATCTT	CTTTCTAGAC	AATACTGAAC	TGACCCCTTG	TTGGCAGTCT
11581	CAAGTTTGAC	AACATAGGGC	TTTGAACCTG	GCACAAGGTC	CATCACTGTC	ACCCAAGCAT
11641	CTGGGTGAC	CTTTGGGTTG	GAATACTTTG	GCTAACCTTA	GATATTTTCT	TGGAGTATC
11701	TTTAGAACAT	CCAGGAAATA	GGGCTTGATT	CTCATCCTGG	GACCACAATA	TAAGTCACCC
11761	TAGAATCCCA	GGAGATCGTG	CAGAGAAACA	AGGATCTCTC	TCGTGTGCAT	CCTTCTTCAA

Figure 23 (continued):

11821	AGCAGTGAGT	AGTGACTCCA	CTAAACTGAG	TTCCCATCTG	AGAGTCCACA	GGAGGCTTTG
11881	GGGCAAGAAG	CAGAGGGAAG	GCACTGTTTG	TGTTGGTAAA	GTTTTGACTC	TAACAAATTT
11941	GAAGACATAG	ATGACATTGT	GTCAGACTAA	CAACAACCTA	GACTCATGTG	GGTTCGTGTT
12001	AGGGATCAGA	TTTTATTTCAT	CAATGACTTG	TCTTAGTGTA	TAGAGAAAGG	CTTCCTACTG
12061	GAGTGTAGGC	TCAATAATGA	CAGAAGAGAT	AGCTATTTCC	CCTAGGGACT	GTGCTGCTCC
12121	AAGTTTGGTG	GAGAAAGGCA	GTGGGGAACC	TAGATGTGCT	CTCTGGGGAG	GGGGTCTGAA
12181	GCTGGCTTCA	TAGAAGGTGT	GAAGTTTTGC	TGAAACATCT	AAACAGAAAT	ATAGCTTAGG
12241	AAAGTGAGCA	GGCAAGGCAG	GGAATGTGTT	GCATATGTAT	ATGTACATGA	ATATATTATG
12301	TTATAGATAC	ACACACATTT	GAACCTCATT	TGCAGATGAC	AGAAAATAGG	TTATTTTGCC
12361	TCTCTTAAC	GCTAAGCACA	ATGACTTCCA	GTTCCATCCA	TTCCTGAAA	TGCCACAATT
12421	TCATTTTTC	TTGTGGCTGA	ATAAAATTCC	ATTGCAGACT	GGGCCCTACT	TCATCCACTC
12481	CTGAGGGCAG	GCATATCCCC	TGGCTCCATT	TCTTACCTAT	TGTGAAGAGA	AGTGCAACTG
12541	TCTTGTTGAA	AGGCAAGCGT	GAGAGAGGCA	GGCACTAATT	GTGGGTTTTT	GTTTCTTCTT
12601	CCTGCTATGA	CTCTCCATTT	GTCAGAACCA	AAGATCGATA	AAAGCCGCCA	CCATGAAAGC
12661	CATCTTAATC	CCATTTTAT	CTCTTCTGAT	TCCGTTAACC	CCGCAATCTG	CATTCGCTCA
12721	GAGTGAGCCG	GAGCTGAAGC	TGGAAAGTGT	GGTGATTGTC	AGTCGTCATG	GTGTGCGTGC
12781	TCCAACCAAG	GCCACGCAAC	TGATGCAGGA	TGTCACCCCA	GACGCATGGC	CAACCTGGCC
12841	GGTAAACTG	GGTTGGCTGA	CACCGCGCG	TGGTGAGCTA	ATCGCCTATC	TCGGACATTA
12901	CCAAGCCAG	CGTCTGGTAG	CCGACGGATT	GCTGGCGAAA	AAGGGCTGCC	CGCAGTCTGG
12961	TCAGGTCGCG	ATTATTGCTG	ATGTCGACGA	GCGTACCCGT	AAAACAGGCG	AAGCCTTCGC
13021	CGCCGGGCTG	GCACCTGACT	GTGCAATAAC	CGTACATACC	CAGGCAGATA	CGTCCAGTCC
13081	CGATCCGTTA	TTTAATCCTC	TAAAACTGG	CGTTTGCCAA	CTGGATAACG	CGAACGTGAC
13141	TGACGCGATC	CTCAGCAGGG	CAGGAGGGTC	AATTGCTGAC	TTTACCGGGC	ATCGGCAAAC
13201	GGCGTTTCGC	GAAC TGGAAC	GGGTGCTTAA	TTTTCCGCAA	TCAAAC TTGT	GCCTTAAACG
13261	TGAGAAACAG	GACGAAAGCT	GTTCAATTAAC	GCAGGCATTA	CCATCGGAAC	TCAAGGTGAG
13321	CGCCGACAAT	GTCTCATTA	CCGGTGCGGT	AAGCCTCGCA	TCAATGCTGA	CGGAGATATT
13381	TCTCCTGCAA	CAAGCAGAG	GAATGCCGGA	GCCGGGGTGG	GGAAAGGATCA	CCGATTACACA
13441	CCAGTGGAAC	ACCTTGCTAA	GTTTGCTATA	GCGCAATTT	TATTTGCTAC	AACGCACGCC
13501	AGAGGTTGCC	CGCAGCCGCG	CCACCCCGTT	ATTAGATTTG	ATCAAGACAG	CGTTGACGCC
13561	CCATCCACCG	CAAAAACAGG	CGTATGGTGT	GACATTACCC	ACTTCAGTGC	TGTTTATCGC
13621	CGGACACGAT	ACTAATCTGG	CAAATCTCGG	CGGCGCACTG	GAGCTCAACT	GGACGCTTCC
13681	CGGTCAGCCG	GATAACACGC	CGCCAGGTGG	TGAAC TGGTG	TTTGAACGCT	GGCGTCGGCT
13741	AAGCGATAAC	AGCCAGTGGA	TTCAGGTTTC	GCTGGTCTTC	CAGACTTTAC	AGCAGATGCG
13801	TGATAAAACG	CCGCTGT CAT	TAAATACGCC	GCCCGGAGAG	GTGAAACTGA	CCCTGGCAGG
13861	ATGTGAAGAG	CGAAATGCGC	AGGGCATGTG	TTCGTTGGCA	GGTTTTACGC	AAATCTGAA
13921	TGAAGCAGCG	ATACCCGCTT	GCAGTTTGTA	AGGTACCCGG	GGATCACAA	TTGCCCTCTG
13981	AAGAGGAAGA	ACAGAAGGAT	GCCACAACCTC	TCCTGTGGC	TACTCTCCAG	TGGTTTCATC
14041	TTACTTCTGA	TGGCATTTC	CTCTAGAAAG	TGCTACTATC	ATCCACACAT	TTCTACCTGA
14101	GACCACCCAA	AGGACCCTCC	CAAATCTCT	TCCTCTCTGA	GTAGTCTCCA	CACCTGTTAC
14161	CACCATCCCA	GAATTAAAT	CCTAACTGCA	CTCTGGCGTG	TGACTTGCCCT	CAGTCTTGC
14221	AATAAGAGTT	GTTGGCAGTG	CCAGGCGTGG	TGGCGCACGC	CTTAATTTCC	AGCACTTGGG
14281	AGGCAGAGGC	AGGCGGATTT	CTGAGTTTCA	GGCCAGCCTG	GTCTACAGAG	TGAGTTCCAG
14341	GACAGCCAGG	GCTATACAGA	GAAACCCTGT	GTCGAAAAAC	CAAAAAA	AAAAAAGTT
14401	GTTGGCAGAG	TGTGGGTTAT	ATACCAGGTG	GAGATTTCAA	ATGAGTGGCT	GAAGCTGTAG
14461	CCAGAAGGAA	CTTAGAGGAT	AGCTCATAAC	TTAAAAAGAA	ATGTAGAGAG	TAGCAGAAAC
14521	ATTGAGAGAG	TGGGCACACA	GCCACTGTGT	GAATGTGGCA	GAACACAATC	CAGCCAGCTA
14581	TACATGCATA	AGTGTATATT	GGCGCCATCC	TGACTGATGA	GACACAGGAA	AACAGATAGA
14641	CGGGGTTAGG	TGGCCATGGC	CTTTCCTGCC	TGCCTCTTCC	TAAGGGTCAT	CTCAAGACCT
14701	TATGCTCTCT	TAACTCTTCC	ATTGCTACTT	AGCTTCTAGA	TATCACCTCC	AGATTAGTCT
14761	CCTTGGGTAC	ATCAGTGATC	CTGGTGATAT	CCAGGGCTTC	CTGATTCCAT	CTTTGTCATA
14821	GAGGCTGCAA	CTAAAGAGGT	CTTCTTAATA	CTTCACACCC	TGATGCCAAA	AGGAAGACAC
14881	AGAAGTTCAC	AGAGGTGAAG	TGATTTCATG	AGGACATACA	GTGAGCAAGC	ATCAGGGTCC
14941	GGATTATCTG	ACTCTACTCT	AAC TTTTATG	TAAATGTGCT	TTATGCCATT	AACACTGTCA
15001	TGTTCTGTGCT	TCAGCTCTGG	GAGACTCCCA	AGCACTCTTA	GGCACAAGCC	ACAATTAAGG
15061	GACTCTGACA	CTCTGCATTG	ATTAATTAGC	ATGGTGGTCT	CTATGTTTCC	AGATTTCATGA
15121	TTGTTTCACT	TTCCATATAG	GCTATGAAGG	GTGTGAGGAA	ATTTTTTGGG	GACAGAATTG
15181	GAGGCAATCC	ACCTCTCTCA	GGAAGCCTCT	ATCTGGAAAA	GCTTACAAC	CAGGGACAGT
15241	AACTGTAGGC	CCAGTCCTTG	GTGTCCAAA	TGGGTTTTAT	GGTTTGAATC	TGCAAGCCT

Figure 23 (continued):

```

15301 TCCATGTGCT CAAAGGTTTG AACATGGAGC CTCCTCCTGG TAACACTGTA TTGGAGGCTT
15361 TTGAGACTGG ATGCTCTTTG GTCCCATGTT TTGCTACATC ATCTGTCAAG ATATGACCCA
15421 GGCATGCTAC CAGCTACCAC AGACTATGCC TCTCCAGCTT TCATGTTCTC CCCACCATGA
15481 TAGACTTGTA TCTCCTAAAA ATGGAATCAA AGCAAACTTT TCCTGCATTA AGTTTTTTTTT
15541 TTTCTGTTTAA GTGTTTGGTC ACAGGGACAA GAAAACACTC AATACAGATA ATTAGTACCA
15601 GAGTTGAGGT TCATTGCTCT AGCAAGTTGG ATCAAATTTT TAGGGCTTTG GAACGTGATT
15661 ATAAGAGACA TGTAGAAGAG TCTGAAGCTG TGGGCTACAG AAGTGTCAAC AGTTTTTAAG
15721 AATAGTTTAA TACACCATGG GAATTGTGAA AATCAGAATG CTCACACAAA GGCAGACAGG
15781 AAAACGTGAG CATGTGGCGT GTGAGAGGGC ATAAGAAGGA ACCTAGGGGG AAATGAGCTA
15841 GAAGCCATTG GGCTACGTTA GGGAACGTGT GTGGCTGTGC TTGGCCCATG CCCTGGCAAT
15901 CTGAATGAGG CCAAATTTTA AAGGAGTGGA CTAATCGAT TGTCAAGAGAA AATATCAAGA
15961 CAGACCACCA CTCAGGCTAT GCCGTGTTTG TGACCGACCA GCTACTCTTA GCCAGCTCTA
16021 TTGTGAAATT CCAGAGCAAT TATCAGAGCA TGAAGATACA TACAGTTTAG TGAAGTAAGG
16081 GGTGTGGGTC CCTAAGTGGA TGGTGCAATA ATCTATGTAG GTGATGCCTA AGTGACACTT
16141 GATAATCCAA AATATCAGCA ATGTGGAATG TCTTCCAAGG AGACCTGTAG ACACACATTT
16201 TAGAACTTTG CTCATGGCTG TAATAAATAG CTAGCTAGAA ATCATTTCCT GAAGAGGTTA
16261 GTCTGAGTTA CGGTTCCAGG GCAAACATTC AGTGATGGCA AGGAAGGCAT TGCAGTCAGG
16321 AGCCAAAGGT CAGCTGGTCA CATTGCAACA AGAGTAGAGA GTCAGAGTGT GAGTAGAAAG
16381 AGGATACAGG TTATAAAACC TCACTGTCCA CTCTCAGCAA TCCATTTTCT CCTAAAAGGC
16441 TTTACCTTCT AAAGATTTTA GTCTTCAAAA CCAGTACCAG TAGCCTGGGA ACAAAGTTG
16501 AAACAAATGA GCCTTTGTGG GGCATTTCAC ACTTAAACA GGGCATCACC TAGGAGGAGC
16561 CCTGTGTGCA GTAGGAAGTG TGGCCTCTGT GTCAGGAATG CTCAGGCTAA TAAGGGGTCC
16621 TCTATCTGAG GGACCCTATG AAGATTCAAC AAGTAGTTGT GAGAATCCC TGTAATGGA
16681 TGCTACCAAT TTGACATTTG TAGACCTGCT ATTGTGTGCT TCTTTATTGG GCTCTCCCAT
16741 CTCCCAACTT TCCAACCCAT ATTCCACATT AATCCCTTCC ACCACCATGC AACACTAGGT
16801 AGGAGAGAAG GAAGGTTAGA AGAGAAAGTG GGTATAGATC TATTTAGACT ACTTCCTGCT
16861 GATTAGGGGC AAGTCCAATC GTCATTGTCA GGATACCTCC AACCAGCAAC CAGCAAACCA
16921 GCAAATCAGA AACAGCAAAA GCAGCCAACA AGGCAGCACT AACCAGCAGG ATTGGGGTCCG
16981 GTAGCGTGGG AGCAGTCACT ACTGGTCTTC TCATGGCTTT GGCATTAATA CTCTCTCAAG
17041 AAATCCCGTA ATTTTTTCCC CACCACCTGA AATTCCGTAA TTTTAAATGC AAACATATCTA
17101 CAGCTGGCAA AAATCACATC TCTCCTAGAG CACAAGACAA ATCATAGTTA CTGGCTATTT
17161 GCAATCTGAA GCATCTCAAT ATCCCACACC TGGGATTAAA ACAAAAACAT ATTCACATCA
17221 CATAACTGTT TTTTTTTTCC AATTTTTTAT TAGGTATTTT CTTTATTTAC ATTTCAAATG
17281 CTATCCCGAA AGTCCCCTAT ACCCTCCAC CTCCCTGCTC CCCTACACAC CCACTCCAC
17341 TTTTTGACCC TGGAGTTCCC CGGTACTGGG GCATATAAAG TTTGCAAGAC CAAGGGGCCT
17401 CTCTTCCAG TGATGGCCGA CTAAGCCATC TTCTGCTACA TATGCAGATA GAGACACGAG
17461 CTCTGGGGGT ACTAGTTAGT TCATAITGTT GTTCCACCTA TAGGGTCGCA GACCCCTTCA
17521 GCTCCTTGGG TACTTTGTCT AGCTCCTCCA CTGGGGGCTC TGTGTTTTAT CTAATAGATG
17581 ACTGTGAGCA TCCACTTCTG TATTTGACAG GCCTGGCCT AGCGTCACAT GAGCCAGCTA
17641 TATCAGGGTC CTTTCAGCAA AACCTTGCTG GCATGTGCAA TAGTGTCTGC GTTTGGTGGT
17701 TGATTATGGG ATGGATCCAC TAGTTCTAGA GC

```

//

SEQUENCE LISTING

<110> University of Guelph
 Forsberg, Cecil W.
 Golovan, Sergeui
 Phillips, John P.

<120> Transgenic Animals Expressing Salivary Proteins

<130> U Guelph - 03

<140>

<141>

<150> 60/130,508

<151> 1999-04-23

<160> 7

<170> PatentIn Ver. 2.1

<210> 1

<211> 20623

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Lama2/APPA
 plasmid

<400> 1

```

tcgagagtat ctttgtcagc tgtgcctcca acaaaggggt actgttgccc acatagaaag 60
atctaaacta attaatat ccctcaccgc caaatctttc agtcactaag ttagcacgat 120
tgttgaacaa gttctccaaa ggagagatac agatgagtgc gtatagggtg gacctggctg 180
ctgaggagac acctgcatct gactaagaag agccacggtg ttagttgaat ggtgtggagt 240
aggggtggttc tgtgggacag tagaaaatcg agaggcatgt gccgtttagt gaactgatgg 300
aagctacccc aaacgacaga gattgtcagt caggccaatc cgtttcgagt ttgatgggca 360
gccggacagt gagacagaca cacctactca gttggaggaa ggatgagaac aatggccagc 420
agggattgag agaccctgac aggcgcaagg ccctaacaca cacacctacc acctcacttg 480
acaaagctgc caaagaccaa agacttggtc tccattagaa atgacagctg gcttgacccg 540
acagcataat aagcagagtg tactctgatt ggagaacttt aatgtgtttc attcagtatt 600
ataaaaggac agtattacag attttgttgt aactgctgt tacatgtggg gcagtgtgtc 660
tttaagtagg gtaaagtact ctttaaaaat gggtcctaga tattttttcc tttaactcaa 720
gtctcttact gtttaaatga tttttatfff gtttaatatg gaggaaaaag aagcgtaa 780
ggacaatata tatttagaga aagatgggta gctgtcagaa aaatatgcaa atcaaaatca 840
caccaagact gcagcacacc cctgtcagat ggctgtgatc aagaaaataa atgacaatga 900
gtggtggtga agatgtacta aagggaaaca cacacacaca cacacacaca cacacacaca 960
cacactggag caaccactgt ggaaatcagt atgaatggtc ctcaaaaacc tgaagataga 1020

```



```

gcggggcgctg gtggcataca cttttattcc cagcactggg gaggcagagg caggtggatc 1080
tctgagttcc aggccagcct ggtctatagc acaggttcta ggacagccag ggctacacag 1140
aaaaaccctg ccttgattaa accaaaccaa accaaaccaa accaaaccaa accaaaccaa 1200
accaaaccaa accaaaccag accaaaccaa aacactgaag atagaacttc agtattccat 1260
tcctagatat atacccaatg gagactaagt cagcaagaca cctgcacagc catgttcact 1320
actacactgt tcaccacagc caggctgtgg aaccagcctg agtgtccatg ataaatgaat 1380
ggataggtaa ctttcaaggt aaatggactc tgctgtgtac atgcctcaca ttctgtttat 1440
tcatttttct ttatgaggtg tccattcagg agtcacatgg tagttctatt ttcagtcttc 1500
tgaagatact acactgggtc ccacagttaa cacttttatc agcagtgaat aagggttcct 1560
ctatccttac catcatttgt tgtaattttt cttgatgacc ctctttctga cagggatagg 1620
atgtaatatc agtgtgagga agtacaactt gttttctaag tatttattgg ccccttgcat 1680
ttcttctttt gaaaactgtc ggttcctgac atctgctcag gtattcattg gatgttggtt 1740
ctttgggtgtt tgagttctta tgaattctag atgttaaate cctgcctgtg gttctctccc 1800
attctgtagg ctgcctcctc accctggcaa ttgttgcctt tgttttgcag aaacttttga 1860
cttcatggaa tctcatttgt cagttttccc tctctgcta tagcctgagc taatgcactg 1920
gtttttacag agccctgggtc tatgccttta tctcctctg gcagcttcgg agtttcattt 1980
cttacattta gatctttgat ccactttgaa caagttttgg agcaggggtga gagatacgaa 2040
tctagttcca ttcttccata tgtgatccta gtttacatag catcgttggg tgaagagggt 2100
ttattttatt tttaaataat gtgtcataaa aaacgagggt gttgtagcag tgtggatttg 2160
tttctttgtc ctttgatcta caggctctgt tttgtgtcag tctcatgatg ttttattgct 2220
atggctctgt catacagtct gaggtcaggt attgtgatat accttcagta ttgctccctc 2280
agactcaggt ttgctttggc caggagtcct cttactcagt gctcttagag ctccccagc 2340
atgtagctgc tactattctt agttgataaa tcaggaaact ggggctcaga gagattaact 2400
gtcttgaact acttctgggg aggtgaaacg tggagacact aaactgtgtt taccctgtac 2460
tgctccagta gctgtcgggt gctgggctac agcaaagcac ctatactata tattactcag 2520
gaggtggaaa aactcagcct cccttggggg tcccaagctc ccaggtgtcc agtactgct 2580
ggaaacctca tggagtctga aaggaagggt tgagggtaca tggggcagcg atgaggagcc 2640
tggggctggg atctcccaaa cacctggata tccagatgcc actgggtcag ggggagttgg 2700
gaacagagtt gggatgtcca tggacctgtg acaaggccag ggccaggggg aggataactc 2760
tggctttact aatttgcgaa agtccttagc ttagcagcag ttgtctggga gcacagaggg 2820
gccttctgta agaggctcag gcagtgccgc tctgtaggcg aaggctctct ccatgttccc 2880
catggtgggt cttgatgaaa gagacagtcc ttggctccaa actggtttat tgattgttca 2940
ttgtggaaaa tgggtgcaca ccaccttctc aggggtggacc agagatcaaa taccttttgc 3000
agggaggaat atctgggaag ggacgcttac tggctaaacc ctcagggcct ctagatacat 3060
cattagcatg gagaactctg ttctgggcta catgaccaca ggccacattt ccacaagcca 3120
catgtgggaa gtgtggcaca tgttctaggc caggaatctg gtaggagcg tggagccacc 3180
taccatccca ggtgggtgcc tgggtgccag ggacctgaa cccgctcaac cttaccaagt 3240
ttcttgagcag ggtccactgt cctacacaga agctggagga ggtgtgaggg ttgtgtcttt 3300
gtggaatgtc ccatgctgct tggggctcag tttctccacc tgtacctcat tggtttgggt 3360
ataaaaagtg gggatacttt attattctct gactcgggtc tgaggaaaaa gcatcgtggc 3420
agtccaggaa ccacaccctg aggttctctc actgaaggga ctcctaagt ctctggagtc 3480
tctccccttc acagagctgc caaagtctag gttcttttga ggataacaga gccatgcttg 3540
gtaagcagac aacagcattt gtttactcaa cttctttttg tcagctccct cttcataaac 3600
aagttgagac accatgctgg cttgaggaag acttctaaag ccagacaact gtgcaaggaa 3660
gaagaagaag gggcaagtgg agttagcctg gatgtagccc tcaaagtctc cagagaccag 3720
ccatgaaggc tcaagtggag ggcaagacct gcagcagcca agcatctggc aggagaggat 3780
cctgggaacc cctctacat gacacacatt cttcctgcag gtcacactta ataggccatt 3840
tcttatttgg atctatcatg gtgttctgtg cgagattaat gaggtgttat gctgcgaaca 3900

```

```

gaaagttata taaaaacaag tccccccccc ttgtcactgc tgctaagaat gtagcagaaa 3960
ttgtctcaag tgtctctcta atcagaaaca ataaaggctc ccttggattc aagccctcca 4020
gtttcctcct tccttgctga gccttggaca cccatacaaa cctcctggat gctacagctc 4080
tgggcagaga ctccaagggtg gggagagact gatggtacaa aagcaaaata cttgtttggg 4140
ggtacacca ctctctgcc tgtgtggttc ctgcagtcag tctgcagac aggccctcag 4200
tgggtcttcc atgggcaaca cgcagagggg ggcaatggat gggaataccc acaccctggt 4260
tagtttacc cggccatgct ctctgctctt catccctcct ctgccctctg ccacggcttt 4320
ctctgcagga atcatatctt catattggcc cacagggtgt ctctcacc tagctatgat 4380
gtttacttta gagtgacctt agcagggtct gtgggaatga gttctagaag gctcacggag 4440
atgctaggga agaaacgtct tctaactact gaggttacta agttcctggt ggttgtctct 4500
gcctttccct tgttaaagtc accttgaagt tagtgcagaa gaaatcagag cccagtcaca 4560
gagtaaatat ggtcctgaag atttcctttg agtgcacaga atccatgaca tttcaagagc 4620
cctctttgta ccttaagtca tttgggggtg tatcttctgc ttgatgtatg tgtgtgtgtt 4680
tatcaaagag tgagatgggt acataagagg tgctctaaag gacagagagg atttgcaatt 4740
gtggcatgtg acatcctcag gccttgcctt ggtgccagga ggaactgatg cagaaaagag 4800
taagaggtea tttcctggag gctgtcacta tagaggagat cttacagtgc attccctcct 4860
ccaggccctg cctgaggata gacatgtgct gactgcaact gaaacagagg cttgggatgg 4920
agagttaggt tcacagaagg gaggggtggga gatggatgct tgctgggttc tgggtctcat 4980
caccagctcc tgaccacccg gtcagcccat gtgcttattc catagctttc ttttgctatg 5040
tttactcagt gtgggtgtttg ttgggaccca gcagaagcca gtcccaggct gacagctgtg 5100
gatacacagg gcagcatgag ggtcctcagc ctgaagcagt caggctggca gaagagaaag 5160
accagcacac attccttcaa ccaactatgt cttgaaaaac aaacatatta tatcacatat 5220
attgcattta tgagacagct aaaatgtact cgggtagcat gactccagggt ggggatatct 5280
gcaagtgcca tgagtggcag agggacagcc aatgtgaggc aagaaggaat tctggctcaa 5340
cacagcttag ctccctggtg ttggttcaaa ctttgagagt ttgaccacaa gcactttatt 5400
tttgacatat taaacagag cacaactttg ggaaaaagtt ttcttatgaa aattatcaca 5460
ataaagctta aggcatgact acattaaaat gcctttgcaa agtatatgtg ccctcttcca 5520
caagaatggg tctattgact gagaaataat gttcaggata aagatccagg aagaaaagat 5580
cagggtataag taaaatacta aactcttttg caaagtacat agaccctctt tcataacaat 5640
gggttctatt gactgacaag cactgctcag gagttgggaa agagtctagc ataagcacga 5700
tagcctggag actctagtga ggtctagtct tacagacagc aaaaatcacc aggttacaaa 5760
ctacattcat ttccagtttt ctgatcaggg acaggatga atcccttctg ttgaagagaa 5820
aagtccatgt gtttaaaata tctggtttct ccagtgtctat tagcgagaag acttgagccc 5880
tatacaactc ccacctggag tgacatcctg tcttcatggt atattacata cctagacacg 5940
ctcatctcac agacttagga ctttgtcttc tgatctccat ttctgatccc acttccacct 6000
ttgccttgat agtgtcattt tcttactgct cttggtgaca accatgttat cctctgtgta 6060
tttgagtgtt accattttca gattttacct gtatgcaaga tcacacagtc tttgtcttct 6120
tgtctggatg catgctaata tctacacaac aacccttccc cgtcactcag atcttctctc 6180
attaacacat acatgggtgt gaagaggcta gggagcttcc cttcagtggg gagctagctg 6240
gctattgggc ctttttgact gtccaggaag gcccccaatt gctgagacaa gaacttagat 6300
tcttcattat tgactctaac tcatgtatca agcagaagct aatgaatagt tatcaacagg 6360
atcagagggt ccagtgtgag acactttgac atgaaagaac ggaggaagga cagatggatg 6420
cataaaagca ggaccactgc cccaggaagg tcctggaaac tgatgcaggg caaaggacag 6480
gttataaacc aaatcttagg gagtcaggaa gagcacagag gagctcaacc aactgaccac 6540
tgcttagggg ctaccaaccc aatcctcctt gtgggaacag ctaagctatc agccaagggt 6600
aataaacagg caggacctgt ggatgacatg gagagcatag ggaccctggg tccagccttt 6660
agcacctgca ctctcaggat actccacat tgtgtcttag agagcctagg gatactgggt 6720
ccagcctttg gtaccttcac tctcagggtg ccccatcact gtgtcttgga ggcctaggc 6780

```

```

accctgggtc cagccttcag tacctgcget ctcaggacac cccaccattg tctcttgccc 6840
cgtctcttct tctcttctct ccttttcatt gtctcttctc tgtttcttct ttgactctcc 6900
tttccctca caccctcact ctagttctcc ccttccctct ctgcatcacc ctattctctc 6960
tgtggctcct ccactttcct ttatctctca tgcttctctc ctccctcaaa tacttgtcac 7020
ccactatact tcagggggcca gctctagtga caaagctgtt aatagcaaga ctctcagatc 7080
tccaacggct cagaggagcc agaccacca agaactctct ccagggtccaa tttcagggtc 7140
cttcgaaagc tttcagcaaa tgctcaggga acatgccact aacaagaaga tgcaaatcc 7200
agttgagagt gggaaaggcc cttgcgtagg tcccatcttc caggccaagg tcagaggggc 7260
tctgtgtaat ccggattgac agggctcaga acaatgtttt gtttttaagg tttatttatt 7320
ttaggtgtta gtgtctttgc ttgcatgacc ttatgtgcat catgtgtgtg caggttcctg 7380
atgacagtag aggagggtt tgaatccctg gggataggaa gttacaggaa attataagct 7440
gctttgtggg tcttctagct ttcccaacag aagtgaatgc tcttcaccac tgagccatct 7500
ctctaggccc aagagacatt gctttatgga tataattgtg tgtgtgtgtc aacattgagg 7560
aaagggaaat aaaaaaaaaa cttcagccgc taaggttgta cagtttctact aattgctact 7620
tttagttgtg ataaaatggc aggtgcttca acatttatat atacaaaaac ttcctgtctg 7680
gtgggttcaac tgtgagaact ggggtaagtg ggtgagttct ctttttctgt ctctgtctct 7740
gtctctctcc ttccattctt tcttaaaggga aataaacatt gcagctgggt tatagctcat 7800
caatatggaa gttacagaag tgaaaaaagg cattgccttg gtgggtgggt ttaccagctg 7860
atTTTTggtt gtcttgcaag gaggtctggg gactggctgc tctgtctctg tctgtatgag 7920
tgagggaagt ctggggagca gattccctaa ccttcagcct ggcttggttc ctgagtgaac 7980
ccagcctctc tggtcctagt agctttttcc aaacaggaat ctgagtgggt acaggggaaca 8040
agtaccagcc cattgcttaa gtgccagggt tagtgagggc aggaagctgc catagctggg 8100
attagtagtt gtattggatg taggaagtc tatectggga cagctaatac ttaatgcttc 8160
actggagatt ttcaatgaga aatttatccc acggcccata tggcccatc cttttgtctc 8220
caacagccaa gtattttcca ttagaggaga cttcctgtac acttgatgga tgctattcc 8280
aagggtgactt ggggcagtca gtacagactt gggatgacct ctgacagcct aacctctccc 8340
caacaagggc cctctatgtt tgctatgtaa tgtaatgtca gacattgtca ggagtgtccg 8400
cagcacagcc tgcccagtgt gagggctctc ataggtttcc cactgtctta tctacacagg 8460
gataacgagg aggtaaagct cagttccag tctcacttca cagaggaaga gataaccca 8520
tcccagggtc tgtagccagc agtggaaaga atgaggattt gaactcaggt cttccaagtc 8580
ccattgatag catctcctca caagtcctt gccaccctca cgatgcctta gacacttgcc 8640
tgccctttat actaaggaga tgcagggtaca aggggtttac ccatgtagca gctgaggcag 8700
ctggggatag ataccagcag caggcctgat gtcaccactc taactccagc atccccagtc 8760
tgtgttctct gagtgtgaaa atccctactt aacaagattg tgcaacagtc cttggctctg 8820
tgacccatag ctggaaacag gattctcatt gatttgtgga acatgggtggc agccagccaa 8880
aaagaggggtc tgcatacaga agacacgtgt ggcaaggcca cagcagactc tgactacctt 8940
agcttacaga attacaaggt cataatgtcc tctgctttgg tcacctcatg ttaaggacag 9000
gccctaataga agatggggca gaagactgaa ggaatggcca accaataact ggcccaactt 9060
gagacccatc ctacaggcaa gcatcaattc ctgacactac taatgatact ctgttatgct 9120
tgcagacaga agcctagcat aactatcctc cgagagggtcc acccagcaac tgactgaaac 9180
agaaaaagat atccacaggc aaacagtggg tggagggtcag ggactattat gggagagctg 9240
tggaagaggt taaaaaccct gaaggggata ggaacccac aggaagacca acagagtcaa 9300
ctaagagacc tgtgggagct ctgagagact gagccacca ccaaagagca tacacaggcc 9360
gggtccgaggc acctggcacg tgtgaagcag acatgcagct cagtctccat gtaggtcctc 9420
caataagcgg tagcctgact gcagtatcca atccccaaca gggctgcata gtctggcctc 9480
agtgggggag gatgccctc atcctgcaga gacttgatga gtggagagct atccaggggg 9540
aaccaccct ctctgagaag ggaatgggga tgggggaggg actctgtgaa gaggggacaa 9600
ggacaaacaa gaacctcaaa taggtcaggc cctaaaggct tgctaagtag cagtggccca 9660

```

```

gctctgtcct gttcctcagc ccaaggetca gctcccacct gtttctgtgt ttttctggct 9720
tttcatgggc ctaggacttg gtgaccagtt caaacaatgg ggctgtgga agacacaata 9780
tacaagacta gggacattcc tgttctgtctg actatccata gcctgatgta ggtggaagga 9840
cccaatcact ggatttctac ccttgcacaa ccttgacagc tgagggcctc tcagaaacct 9900
atthtctcca ctgaaaaatg agactctcaa atgaacgtcg tgacaatcat caggcttatt 9960
aaagaggtgt atctaacctg aatggcaagc agacagcagg caaatgtctg tatcaacctc 10020
taggaaggac aagaactgct cactgctgcc cccaggagg ccatttgctg aaacagctgc 10080
tctcctgtct gtgcacaggc cctgccttct cattgcagcc acagcccctt cctgtctgaa 10140
cctcctgtca ggtcactggg aaacagatca agatggaaca ggacagctcc tgatggtaaa 10200
taaaaaacag tggatcatggc tattcatagg ggtttatgct tcttcagtcc acactgtgaa 10260
gagctgtggg catgaaccac agtggttcgag gtagagttgg ggttctgaaa ttcacagtgg 10320
ggtgagctca gtaaatgtga gctggagggtc actcgtgaga cacacagtcc tgctgcttct 10380
gttcccaata tcctgaggag acgacacatc tactttgttc agaggccaca gtctagttga 10440
cctgagagtt accagtttct tatttgtgtg tgtgtgtgtg tgtgtgtgtg tgtgtgtgtg 10500
tgttgctcgt gtgtgagtgc aggtgcacat atgatacgct acacgttgag gtcagaggat 10560
aactatcagg cgttgtcccc tcctactttt cctcggactc tggagaacaa acatgggtcc 10620
ttattccagg ggagcaagtc gctgttggtc gacacatctt gctcacatac attttaccta 10680
gacaatggag cctccatcag agtattactt tagctcctca ccgatggcaa tgcaccacct 10740
ctctaccac ataggagttg ggtctccaca caccaccaca ccccttcac caaaacgttt 10800
tcagttactt tatctggtaa agttcatcag agaatgaagc cagtattaag aacatggaat 10860
catttgaggaa cctggatcta gcaatacccc accctagatg gagttgctga gttttcacct 10920
cagattataa ttcccccta gcttctatgg tttattctga aaccagggga actcgattcc 10980
tccttttggg ccacagacat cctggcttgt gaattcacat gtcactact gctaattccat 11040
tggtagtatg tggctcacag agacacacta cagtcatggc caatgtcaag gtaggacaga 11100
tgtgaatcat tccccagtc ctgctgtttt catgactaac cctcctcagc acagtgacca 11160
tgaacctact tttccctcc ttttattttt agaattgctg gaattttcta ttttgagaaa 11220
taatagcctt gggcagcatt aaacaaaatc atctagaaag ctgggtttaa atacagatgg 11280
ttgagtcagt gaaagagtga ggaatgtcat tattggcccc tcacagaggc tggctcactc 11340
cagcagaggt ggttgaagct cttggacacg ggtcaggtgc ataggaaagg tngtctggga 11400
cactgagaac cacaattgaa caaacagaac tgttggtttt ttttttttta aatgagttct 11460
caaaaaatga ctggctagct taggcaaata cttcgagcca acccaacaga acattcttcc 11520
attgattcat tctggatctt ctttctagac aatactgaac tgacccttg ttggcagtct 11580
caagtttgac aacatagggc tttgaacttg gcacaaggtc catcactgtc acccaagcat 11640
cctgggtgac ctttgggttg gaatatcttg gctaacctta gatattttct ttggagtatc 11700
tttagaacat ccaggaaata gggcttgatt ctcatcctgg gaccacaata taagtcaccc 11760
tagaatccca ggagatcgtg cagagaaaca aggatctctc tcgtgtgcat ccttcttcaa 11820
agcagtgagt agtgactcca ctaaactgag tttccatctg agagtccaca ggaggctttg 11880
gggcaagaag cagagggaag gcaactgttg tgttggtaaa gttttgactc taacaaattt 11940
gaagacatag atgacattgt gtcagactaa caacaaccta gactcatgtg ggttctgttt 12000
agggatcaga ttttattcat caatgacttg tcttagtgta tagagaaagg ctctcactg 12060
gagtgtagc tcaataatga cagaagagat agctatttcc cctagggact gtgctgctcc 12120
aagtttggtg gagaaaggca gtggggaacc tagatgtgct ctctggggag ggggtctgaa 12180
gctggcttca tagaaggtgt gaagttttgc tgaaacatct aaacagaatt atagcttagg 12240
aaagtgagca ggcaaggcag ggaatgtgtt gcatatgtat atgtacatga atatattatg 12300
ttatagatac acacacattt gaacctcatt tgcagatgac agaaaatagg ttattttgcc 12360
tctcttaact gctaagcaca atgacttcca gttccatcca tttcctgaaa tgccacaatt 12420
tcatttttca ttgtggctga ataaaattcc attgcagact gggccctact tcatccactc 12480
ctgagggcag gcatatcccc tggctccatt tcttacctat tgtgaagaga agtgcaactg 12540

```

```

tcttggtgaa aggcaagcgt gagagaggca ggcactaatt gtgggttttt gtttcttctt 12600
cctgctatga ctctccattt gtcagaacca aagatcgata aaagccgcca ccatgaaagc 12660
catcttaatc ccatttttat ctcttctgat tccgttaacc ccgcaatctg cattcgctca 12720
gagtgaagcc gagctgaagc tggaaagtgt ggtgattgtc agtcgctcatg gtgtgcgtgc 12780
tccaaccaag gccacgcaac tgatgcagga tgtcaccca gacgcatggc caacctggcc 12840
ggtaaaactg ggttggctga caccgcgcgg tggtagctat atcgccctatc tcggacatta 12900
ccaacgccag cgtctggtag ccgacggatt gctggcgaaa aagggtctgc cgcagtctgg 12960
tcaggctcgc attattgctg atgtcgacga gcgtaaccgt aaaacaggcg aagccttcgc 13020
cgccgggctg gcacctgact gtgcaataac cgtacatacc caggcagata cgtccagtcc 13080
cgatccgtta tttaatctc taaaaactgg cgtttgccaa ctggataacg cgaacgtgac 13140
tgacgcgatc ctacgacagg caggagggtc aattgctgac ttaccgggc atcggaac 13200
ggcgtttcgc gaactggaac ggggtgctta ttttcgcgaa tcaaacttgt gccttaaagc 13260
tgagaaacag gacgaaagct gttcattaac gcaggcatta ccatcggaac tcaaggtgag 13320
cgccgacaat gtctcattaa ccggtgcggt aagcctcgca tcaatgctga cggagatatt 13380
tctcctgcaa caagcacagg gaatgccgga gccgggggtg ggaaggatca ccgattcaca 13440
ccagtggaa accttgctaa gtttgcataa cgcgcaattt tatttgctac aacgcacgcc 13500
agaggttgcc cgcagccgcg ccaccccggt attagatttg atcaagacag cgttgacgcc 13560
ccatccaccg caaaaacagg cgtatggtgt gacattacc acttcagtgc tgtttatcgc 13620
cggacacgat actaatctgg caaatctcgg cggcgcaact gagctcaact ggacgcttcc 13680
cggtcagccg gataaacacg cgccagggtg tgaactggtg tttgaacgct ggcgtcggct 13740
aagcgataac agccagtgga ttcagggttc gctggtcttc cagactttac agcagatgcg 13800
tgataaaacg ccgctgtcat taaatacgcc gcccgagag gtgaaactga ccctggcagg 13860
atgtgaagag cgaaatgcgc agggcatgtg ttcgttgcca ggttttacgc aaatcgtgaa 13920
tgaagcacgc ataccgctt gcagtttgta aggtaccggt ggatcacaaac ttgccctctg 13980
aagaggaaga acagaaggat gccacaactc tctgctggc tactctccag tggtttcac 14040
ttacttctga tggcatttcc ctctagaaag tgctactatc atccacacat ttctacctga 14100
gaccacccaa aggaccctcc caaattctct tctctctga gtagtctcca cacctgttac 14160
caccatccca gaattaaaat cctaactgca ctctggcggt tgacttgctt cagtccttgc 14220
aataagagtt gttggcagtg ccaggcggtg tggcgcaagc ctttaattcc agcacttggg 14280
aggcagaggc aggcggattt ctgagttcga ggccagcctg gtctacagag tgagttccag 14340
gacagccagg gctatacaga gaaaccctgt gtcgaaaaac caaaaaaaa aaaaaaagtt 14400
gttggcagag tgtgggttat ataccagggt gagatttcaa atgagtggct gaagctgtag 14460
ccagaaggaa cttagaggat agctcataac ttaaaaagaa atgtagagag tagcagaaac 14520
attgagagag tgggcacaca gccactgtgt gaatgtggca gaacacaatc cagccagcta 14580
tacatgcata agtgtatatt ggcgccatcc tgactgatga gacacaggaa aacagataga 14640
cgggggttagg tggccatggc ctttctctgc tgctcttcc taagggtcat ctcaagacct 14700
tatgctctct taactcttcc attgctactt agcttctaga tatcaccctc agattagtct 14760
ccttgggtac atcagtgatc ctgggtgatat ccagggtctc ctgattccat ctttgtcata 14820
gaggctgcaa ctaaagaggt cttcttaata cttcacaccc tgatgccaaa aggaagacac 14880
agaagttcac agaggtgaag tgattcatgt aggacataca gtgagcaagc atcagggtcc 14940
ggattatctg actctactct aacttttatg taaatgtgct ttatgccatt aacactgtca 15000
ttcctgtgct tcagctctgg gagactccca agcactctta ggcacaagcc acaattaaag 15060
gactctgaca ctctgcattg attaatagc atggtggtct ctatgtttcc agattcatga 15120
ttgtttcact ttccatatag gctatgaagg gtgtgaggaa attttttggg gacagaattg 15180
gaggcaatcc acctctctca ggaagcctct atctggaaaa gcttacaact cagggacagt 15240
aactgtaggc ccagtccttg gtgtccaaaa tgggttttat ggtttgaatc tgcaaagcct 15300
tccatgtgct caaaggtttg aacatggagc ctctcctgg taacactgta ttggaggctt 15360
ttgagactgg atgctctttg gtcccatggt ttgctacatc atctgtcaag atatgacca 15420

```

```

ggcatgctac cagctaccac agactatgcc tctccagctt tcatgttctc cccaccatga 15480
tagacttgta tctcctaaaa atggaatcaa agcaaaacttt tcctgcatta agtttttttt 15540
tttctgttaa gtgttttggtc acagggacaa gaaaacactc aatacagata attagtagca 15600
gagttgaggt tcattgctct agcaagttgg atcaaatttt tagggctttg gaactgattt 15660
ataagagaca tgtagaagag tctgaagctg tgggctacag aagtgtcacc agttttttaag 15720
aatagtttaa tacaccatgg gaattgtgaa aatcagaatg ctcacacaaa ggcagacagg 15780
aaaacgtgag catgtggcgt gtgagagggc ataagaagga acctaggggg aaatgagcta 15840
gaagccattc ggctacgtta gggaacgtgt gtggctgtgc ttggcccatg ccctggcaat 15900
ctgaatgagg ccaaatttta aaggagtggg ctaactcgat tgtcagagaa aatatcaaga 15960
cagaccacca ctacggctat gccgtgtttg tgaccgacca gctactctta gccagctcta 16020
ttgtgaaatt ccagagcaat tatcagagca tgaagatata tacagtttag tgaagtaagg 16080
gggtgtgggtc cctaagtggg tgggtgcataa atctatgtag gtgatgccta agtgacactt 16140
gataatccaa aatatcagca atgtggaatg tcttccaagg agacctgtag acacacattt 16200
tagaactttg ctcatggctg taataaatag ctagctagaa atcatttcct gaagagggtta 16260
gtctgagtta cggttccagg gcaaacattc agtgatggca aggaaggcat tgcagtcagg 16320
agccaaaggt cagctggtca cattgcatca agagtagaga gtcagagtgt gtagtagaaag 16380
aggatacagg ttataaaacc tcaactgtcca ctctcagcaa tccattttct ctaaaaggc 16440
tttaccttct aaagatttta gtcttcaaaa ccagtagcag tagcctggga acaaaagtgt 16500
aaacaaatga gcctttgtgg ggcatttcac acttaaaaca gggcatcacc taggaggagc 16560
cctgtgtgca gtaggaagtg tggcctctgt gtcaggaatg ctcaggctaa taaggggtcc 16620
tctatctgag ggaccctatg aagattcaac aagtagttgt gagaattccc tgtaaattgga 16680
tgctaccaat ttgacatttg tagacctgt attgtgtgct tctttattgg gctctcccat 16740
ctcccaactt tccaacctat attccacatt aatcccttcc accaccatgc aacactaggt 16800
aggagagaag gaagggttaga agagaaagtg ggtatagatc tatttagact acttcctgct 16860
gattaggggc aagtccaatc gtcattgtca ggatacctcc aaccagcaac cagcaaacca 16920
gcaaatcaga aacagcaaaa gcagccaaca aggcagcact aaccagcagg attgggggtcg 16980
gtagcgtggg agcagtcact actgggtcttc tcatggcttt ggcattaata ctctctcaag 17040
aaattccgta attttttccc caccacctga aattccgtaa ttttaaattg aaactatcta 17100
cagctggcaa aaatcacatc tctcctagag cacaagacaa atcatagtta ctggctattt 17160
gcaatctgaa gcatctcaat atcccacacc tgggattaaa acaaaaacat attcacatca 17220
cataactgtt ttttttttcc aattttttat taggtatttt cttttatttac atttcaaagt 17280
ctatcccga agtcccctat accctcccac ctccctgctc ccctacacac ccactcccac 17340
tttttgaccc tggagttccc cggtactggg gcatataaag tttgcaagac caaggggcct 17400
ctcttcccag tgatggccga ctaagccatc ttctgttaca tatgcagata gagacacgag 17460
ctctgggggt actagttagt tcatattgtt gttccaccta tagggctgca gaccttca 17520
gctccttggg tactttgtct agctcctcca ctgggggctc tgtgttttat ctaatagatg 17580
actgtgagca tccacttctg tatttgacag gcaactggcct agcgtcacat gagccagcta 17640
tatcagggtc ctttcagcaa aaccttgctg gcatgtgcaa tagtgtctgc gtttggtggt 17700
tgattatggg atggatccac tagttctaga gcggccgcca ccgcggtgga gctccagctt 17760
ttgttccctt tagtgagggt taattgcgcg cttggcgtaa tcatgggtcat agctgtttcc 17820
tgtgtgaaat tgttatccgc tcacaattcc acacaacata cgagccggaa gcataaagtg 17880
taaagcctgg ggtgcctaata gagtgagcta actcacatta attgcgttgc gctcactgcc 17940
cgctttccag tgggaaacc tgcgtgcca gctgcattaa tgaatcggcc aacgcgcggg 18000
gagaggcggg ttgcgtattg ggcgtcttc cgcttcctcg ctactgact cgctgcgctc 18060
ggctgttcgg ctgcggcgag cggtatcagc tcaactcaaag gcggaataac ggttatccac 18120
agaatcaggg gataacgcag gaaagaacat gtgagcaaaa ggccagcaaa aggccaggaa 18180
ccgtaaaaag gccgcgttgc tggcggtttt ccataggctc cgccccctg acgagcatca 18240
caaaaatcga cgctcaagtc agaggtggcg aaacccgaca ggactataaa gataccaggc 18300

```

```

gtttccccct ggaagctccc tcgtgcgctc tctgttccg accctgccgc ttaccggata 18360
cctgtccgcc tttctccctt cggaagcgt ggcgtttct catagctcac gctgtaggta 18420
tctcagttcg gtgtaggctg ttcgctccaa gctgggctgt gtgcacgaac cccccgttca 18480
gcccgaaccg tgcgccttat ccggttaacta tcgtcttgag tccaacccgg taagacacga 18540
cttatcgcca ctggcagcag ccactggtaa caggattagc agagcgaggt atgtaggcgg 18600
tgctacagag ttcttgaagt ggtggcctaa ctacggctac actagaagga cagtatttgg 18660
tatctgcgct ctgctgaagc cagttacctt cggaaaaaga gttggtagct cttgatccgg 18720
caaacaaacc accgctggta gcggtggttt ttttgtttgc aagcagcaga ttacgcgcag 18780
aaaaaaagga tctcaagaag atcctttgat cttttctacg ggggtctgacg ctcagtggaa 18840
cgaaaactca cgttaaggga ttttggtcac gagattatca aaaaggatct tcacctagat 18900
ccttttaaat taaaaatgaa gttttaaatc aatctaaagt atatatgagt aaacttggtc 18960
tgacagttac caatgcttaa tcagtgaggc acctatctca gcgatctgtc tatttcgttc 19020
atccatagtt gcctgactcc ccgtcgtgta gataactacg atacgggagg gcttaccatc 19080
tggccccagt gctgcaatga taccgcgaga cccacgctca ccggctccag atttatcagc 19140
aataaaccag ccagccggaa gggccgagcg cagaagtggc cctgcaactt tatccgcctc 19200
catccagtct attaatgtt gccgggaagc tagagtaagt agttcgccag ttaatagttt 19260
gcgcaacggt gttgccattg ctacaggcat cgtggtgtca cgctcgtcgt ttggtatggc 19320
ttcattcagc tccggttccc aacgatcaag gcgagttaca tgatccccca tgttgtgcaa 19380
aaaagcgggt agctccttcg gtcctccgat cgttgtcaga agtaagttgg ccgcagtgtt 19440
atcactcatg gttatggcag cactgcataa ttctcttact gtcatgccat ccgtaagatg 19500
cttttctgtg actggtgagt actcaaccaa gtcattctga gaatagtgtg tgcggcgacc 19560
gagttgctct tgcccggcgt caatacggga taataccgcg ccacatagca gaactttaaa 19620
agtgtcatc attgaaaaac gttcttcggg gcgaaaaactc tcaaggatct taccgctgtt 19680
gagatccagt tcgatgtaac ccactcgtgc acccaactga tcttcagcat cttttacttt 19740
caccagcgtt tctgggtgag caaaaacagg aaggcaaaat gccgcaaaaa agggaataag 19800
ggcgacacgg aaatgttgaa tactcatact cttccttttt caatattatt gaagcattta 19860
tcagggttat tgtctcatga gcggatacat atttgaatgt atttagaaaa ataaacaaat 19920
aggggttccg cgcacatttc cccgaaaagt gccacctaaa ttgtaagcgt taatattttg 19980
ttaaaattcg cgttaaattt ttgttaaadc agctcatttt ttaaccaata ggccgaaatc 20040
ggcaaaatcc cttataaatc aaaagaatag accgagatag ggttgagtgt tgttccagtt 20100
tggaacaaga gtccactatt aaagaacgtg gactccaacg tcaaaggggc aaaaaccgtc 20160
tatcagggcg atggccact acgtgaacca tcaccctaata caagtttttt ggggtcgagg 20220
tgccgtaaaag cactaaatcg gaaccctaaa gggagccccc gatttagagc ttgacgggga 20280
aagccggcga acgtggcgag aaaggaaggg aagaaagcga aaggagcggg cgctagggcg 20340
ctggcaagtg tagcggtcac gctgcgcgta accaccacac ccgccgcgct taatgcgccg 20400
ctacagggcg cgtcccatc gccattcagg ctgcgcaact gttgggaagg gcgatcggtg 20460
cgggcctctt cgctattacg ccagctggcg aaagggggat gtgctgcaag gcgattaagt 20520
tgggtaacgc cagggttttc ccagtcacga cgttgtaaaa cgacggccag tgagcgcgcg 20580
taatacgact cactataggg cgaattgggt accgggcccc ccc 20623

```

<210> 2

<211> 6708

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: R15/APPA +

intron plasmid with pBLCAT3 vector

<400> 2

```

ggatccccctt tgctatgtag tttttaatgg aaattacaac ccatagtgtg ttgataaata 60
gagagtcctg tttgggttaa gcaacctctg tttctcataa actccataaa aacaggaata 120
ctctttgttt ctagcataac caaaagattt agtgaattga aaacaatgtt cccttagagt 180
ataggtctaa taaccccgaa aatattacca tgatactgag catttgtaag tatctcatag 240
catgtagtat ccatagtcca tcaatgagag agacatttaa catgattttc attaatacagg 300
tggaagagac atgacaacat tcacaggcac tgcacagAAC atagtgggtcc accttgacaca 360
tatttcacta aactagggtt atctattttg ttgctttctc taacatctct gcaatgaagc 420
agggtcaacag tgccacatat cctttactta acctaaggaa cacaaaaaat tttctacata 480
tatcctgggt agagagtgtc taaaataagt tttccaagaa tggaaaagaa atgttctgac 540
ttaacaatta agacagtatt tatttaaagc aagaaatatg aggcacacaa gaaaatattt 600
tggaagaaaa ccatttggtg aacaatattt caaataaaaa tagacaaaca tagttaattg 660
taaaacatat gtttgaccag cccttctttt caataggctt aatgtgaata aaatgttaaa 720
gattctcttt ggggtggctgc aaattgtcca cgaataagac aaaatataaa aataaggact 780
gagtctcaca aaatgaaaag gaaatatatt cagaaagaga atcttgagag aatgtgttgt 840
cacaaattaa agaaaacctg tggatgaatga catcctgagg cctgagctat tactgacatt 900
taagataaag gtaactgtat acatttgtcc cattgagggg acaagaaagc tgctctcatg 960
ttcagctcta taattcttgc cttaaacaac ttaaatagaa tgatttaaaa tatggagctg 1020
tccatggacc tttgaaatat aaaatagtca agcaacttat caaggaatta cagattcctt 1080
gatactaaca caggtaaata ccacacgtgt tttgagacta catttgctgg gattttattg 1140
atgtaatagg tcacatgttt ttcgggcca tgttgcgtgt attcgggttac ttcaagagaa 1200
tagtggcaac tgatgctatg tattctaggg gtttgaagtg atgtttcatg attgaaattt 1260
gtaaaagaat aacatcatca ttcttaacaa tagaacatat aaagtcacac agaagtgaca 1320
gtgtttaagc tgtactattg atcaaagaaa tttattacct tcagtttcaa tggaaataat 1380
tactgataat acaaacatgt gtgaacacac actaatccta tccaaatgca cagtgatata 1440
cagaaaatat tagcaagtag aatgcaatat ttatataacg attgtattta tcaatcaatt 1500
gtatgtatca atatatgggc tattttctta cacatgattt tattcaaatt tactctaata 1560
attgttgaac catttagaaa aggcatctg gcaacttttc cttacctcat ccagctgggc 1620
aaaagtccca gtgtggagta aaggatgcaa gatttcctgc tctgttaagt ataaaataat 1680
agtatgaatt caaagggtgcc attcttctgc ttctagttat aaaggcagtg cttgcttctt 1740
ccagcacaga tctggatctc gaggagcttg gcgagatttt caggagctaa ggaagctaaa 1800
agccgccacc atgaaagcca tcttaatccc atttttatct cttctgatte cgtaacccc 1860
gcaatctgca ttcgctcaga gtgagccgga gctgaagctg gaaagtgtgg tgattgtcag 1920
tcgtcatggg gtgcgtgctc caaccaaggc cacgcaactg atgcaggatg tcaccccaga 1980
cgcatggcca acctggccgg taaaactggg ttggctgaca ccgcgcggtg gtgagctaata 2040
cgctatctc ggacattacc aacgccagcg tctggtagcc gacggattgc tggcgaaaaa 2100
gggctgcccg cagtctggtc aggtcgcgat tattgctgat gtcgacgagc gtaccgtaa 2160
aacaggcgaa gccttcgccg ccgggctggc acctgactgt gcaataaccg tacataacca 2220
ggcagatacg tccagtcccg atccgttatt taatcctcta aaaactggcg tttgccaact 2280
ggataacgcg aacgtgactg acgcgatcct cagcagggca ggagggtcaa ttgctgactt 2340
taccgggcat cggcaaacg cgtttcgcga actggaacg gtgcttaatt ttccgcaatc 2400
aaacttgtgc cttaaagctg agaaacagga cgaaagctgt tcattaacgc aggcattacc 2460
atcggaactc aagggtgagcg ccgacaatgt ctcatatacc ggtgcggtaa gcctcgcata 2520
aatgctgacg gagatatttc tcctgcaaca agcacaggga atgccggagc cgggggtggg 2580
aaggatcacc gattcacacc agtgaacac cttgctaagt ttgcataacg cgcaatttta 2640
tttgctacaa cgcacgccag aggttgcccg cagccgcgcc accccgttat tagatttgat 2700

```



```

caagacagcg ttgacgcccc atccaccgca aaaacaggcg tatggtgtga cattaccac 2760
ttcagtgtcg tttatcgccg gacacgatac taatctggca aatctcggcg gcgcactgga 2820
gctcaactgg acgcttcccc gtcagccgga taacacgccc ccaggtggtg aactggtggt 2880
tgaacgctgg cgtcggctaa gcgataacag ccagtggtatt caggtttcgc tggctctcca 2940
gactttacag cagatgcgtg ataaaacgcc gctgtcatta aatacgccgc ccggagaggt 3000
gaaactgacc ctggcaggat gtgaagagcg aaatgcgcag ggcattgtgtt cgttggcagg 3060
ttttacgcaa atcgtgaatg aagcacgcat acccgcttgc agtttgtaag gtataaggca 3120
gttattggtg cccttaaacg cctggtgcta cgctgaata agtgataata agcggatgaa 3180
tggcagaaat tcgcccgatc tttgtgaagg aaccttactt ctgtggtgtg acataattgg 3240
acaaactacc tacagagatt taaagctcta aggtaaatat aaaattttta agtgtataat 3300
gtgttaaaact actgattcta attgtttgtg tattttagat tccaacctat ggaactgatg 3360
aatgggagca gtggtggaat gcctttaatg aggaaaacct gttttgctca gaagaaatgc 3420
catctagtga tgatgaggct actgctgact ctcaacattc tactcctcca aaaaagaaga 3480
gaaaggtaga agaccccaag gactttcctt cagaattgct aagttttttg agtcatgctg 3540
tgtttagtaa tagaactctt gcttgctttg ctatttacac cacaaggaa aaagctgcac 3600
tgctatacaa gaaaattatg gaaaaatatt ctgtaacctt tataagtagg cataacagtt 3660
ataatcataa catactgttt tttcttactc cacacaggca tagagtgtct gctattaata 3720
actatgctca aaaatttgtt accttttagct ttttaatttg taaaggggtt aataaggaaat 3780
atgtgatgta tagtgccctg actagagatc ataatcagcc ataccacatt tgtagagggt 3840
ttacttgctt taaaaaacct cccacacctc cccctgaacc tgaaacataa aatgaatgca 3900
attgttggtg ttaacttggt tattgcagct tataatgggt acaaataaag caatagcatc 3960
acaaatttca caaataaagc atttttttca ctgcattcta gttgtgggtt gtccaaactc 4020
atcaatgtat cttatcatgt ctggatcgat cccgggttac cgagctcgaa ttcgtaatca 4080
tggtcatagc tgtttctctg gtgaaattgt tatccgctca caattccaca caacatacga 4140
gccggaagca taaagtgtaa agcctggggt gcctaattgag tgagctaact cacattaatt 4200
gcgttgcgct cactgcccgc tttccagtcg ggaaacctgt cgtgccagct gcattaatga 4260
atcggccaac gcgcggggag aggcggtttg cgtattgggc gctcttcgc ttcctcgctc 4320
actgactcgc tgcgctcggc cgttcggctg cggcgagcgg tatcagctca ctcaaaggcg 4380
gtaatacggc tatccacaga atcaggggat aacgcaggaa agaacatgtg agcaaaaggc 4440
cagcaaaaagg ccaggaaccg taaaaaggcc gcgttgctgg cgtttttcca taggctccgc 4500
ccccctgacg agcatcacaa aaatcgacgc tcaagtcaga ggtggcgaaa cccgacagga 4560
ctataaagat accaggcgtt tccccctgga agctccctcg tgcgctctcc tgttccgacc 4620
ctgcgcctta ccggatacct gtccgccttt ctcccttcgg gaagcgtggc gctttctcaa 4680
tgctcacgct gtaggtatct cagttcgggt taggtcggtt gctccaagct gggctgtgtg 4740
cacgaacccc ccgttcagcc cgaccgctgc gccttatecg gtaactatcg tcttgagtcc 4800
aacccggtaa gacacgactt atcgccactg gcagcagcca ctggtaacag gattagcaga 4860
gcgaggtatg taggcggtgc tacagagttc ttgaagtggg ggcctaacta cggctacact 4920
agaaggacag tatttggtat ctgcgctctg ctgaagccag ttaccttcgg aaaaagagtt 4980
ggtagctctt gatccggcaa acaaaccacc gctggtagcg gtggtttttt tgtttgcaag 5040
cagcagatta cgcgcagaaa aaaaggatct caagaagatc ctttgatctt ttctacgggg 5100
tctgacgctc agtggaaacg aaactcacgt taagggattt tggatcatgag attatcaaaa 5160
aggatcttca cctagatcct tttaaattaa aaatgaagtt ttaaataaat ctaaagtata 5220
tatgagtaaa cttggtctga cagttaccaa tgcttaatca gtgaggcacc tatctcagcg 5280
atctgtctat ttcgttcate catagttgcc tgactccccg tcgtgtagat aactacgata 5340
cgggaggggt taccatctgg cccagtgct gcaatgatac cgcgagaccc acgctcaccg 5400
gtccagatt tatcagcaat aaaccagcca gccggaaggg ccgagcgag aagtggctct 5460
gcaactttat ccgcctccat ccagtctatt aattgttgcc gggagctag agtaagtagt 5520
tcgccagtta atagtttgcg caacgttggt gccattgcta caggcatcgt ggtgtcacgc 5580

```

```

tcgtcgtttg gtatggcttc attcagctcc gggtcccaac gatcaaggcg agttacatga 5640
cccccatgt tgtgcaaaaa agcggttagc tccttcggtc ctccgatcgt tgtcagaagt 5700
aagttggccg cagtgttatc actcatgggt atggcagcac tgcataattc tcttactgtc 5760
atgccatccg taagatgctt ttctgtgact ggtgagtact caaccaagtc attctgagaa 5820
tagtgatatgc ggcgaccgag ttgctcttgc ccggcgtcaa tacgggataa taccgcgcca 5880
catagcagaa ctttaaaagt gctcatcatt ggaaaacggt cttcggggcg aaaactctca 5940
aggatcttac cgctgttgag atccagttcg atgtaacca ctcgtgcacc caactgatct 6000
tcagcatctt ttactttcac cagcgtttct gggtgagcaa aaacaggaag gcaaaatgcc 6060
gcaaaaaagg gaataagggc gacacggaaa tgttgaatac tcatactctt cttttttcaa 6120
tattattgaa gcatttatca gggttattgt ctcatgagcg gatacatatt tgaatgtatt 6180
tagaaaaata aacaaatagg gggtccgcgc acatttccc gaaaagtgcc acctgacgtc 6240
taagaaacca ttattatcat gacattaacc tataaaaaata ggcgatatcac gaggcccttt 6300
cgtctcgcgc gtttcgggtga tgacggtgaa aacctctgac acatgcagct cccggagacg 6360
gtcacagctt gtctgtaagc ggatgccggg agcagacaag cccgtcaggg cgcgtcagcg 6420
gggtgttggcg ggtgtcgggg ctggcttaac tatgcggcat cagagcagat tgtactgaga 6480
gtgcaccata tgcggtgtga aataccgcac agatgcgtaa ggagaaaata ccgcatcagg 6540
cgccattcgc cattcaggct gcgcaactgt tgggaagggc gatcgggtgcg ggcctcttcg 6600
ctattacgcc agctggcgaa agggggatgt gctgcaaggc gattaagttg ggtaacgcca 6660
gggttttccc agtcacgacg ttgtaaaacg acggccagtg ccaagctt 6708

```

<210> 3

<211> 4060

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: R15/APPA +
intron transgene

<400> 3

```

ggatcccctt tgctatgtag tttttaatgg aaattacaac ccatagtgtg ttgataaata 60
gagagtcctg tttggtttaa gcaacctctg tttctcataa actccataaa aacaggaata 120
ctctttgttt ctagcataac caaaagattt agtgaattga aaacaatgtt cccttagagt 180
ataggctctaa taaccccgaa aatattacca tgatactgag catttgtaag tatctcatag 240
catgtagtat ccatagtcca tcaatgagag agacatttaa catgattttc attaatacagg 300
tggaagagac atgacaacat tcacaggcac tgcacagaac atagtgggtcc accttgacac 360
tatttcacta aactagggtt atctattttg ttgctttctc taacatctct gcaatgaagc 420
aggtaaacag tgccacatat cctttactta acctaaggaa cacaaaaaat tttctacata 480
tatcctgggt agagagtgtt taaaataagt tttccaagaa tggaaaagaa atgttctgac 540
ttaacaatta agacagtatt tatttaaagc aagaaatatg aggcacacaa gaaaatatatt 600
tggaagaaaa ccatttggtg aacaatatat caaataaaaa tagacaaaca tagttaattg 660
taaaacatat gtttgaccag cccttctttt caataggctt aatgtgaata aaatgttaaa 720
gattctcttt ggggtggctgc aaattgtcca cgaataagac aaaatataaa aataaggact 780
gagtctcaca aaatgaaaag gaaatatatt cagaaagaga atcttgagag aatgtgttgt 840
cacaaattaa agaaaacctg tggatgaatga catcctgagg cctgagctat tactgacatt 900
taagataaag gtaactgtat acatttgtcc cattgagggg acaagaaagc tgctctcatg 960
ttcagctcta taattcttgc cttaaacac ttaaatagaa tgatttaaaa tatggagctg 1020

```

```

tccatggacc tttgaaatat aaaatagtc aagcaacttat caaggaatta cagattcctt 1080
gatactaaca caggtaaata ccacacgtgt tttgagacta catttgctgg gattttattg 1140
atgtaataagg tcacatgttt ttcgggcca tgttgctgtt attcggttac ttcaagagaa 1200
tagtggcaac tgatgctatg tattctaggg gtttgaagtg atgtttcatg attgaaattt 1260
gtaaaagaat aacatcatca ttcttaacaa tagaacatat aaagtcacac agaagtgaca 1320
gtgtttaagc tgtactattg atcaaagaaa tttattacct tcagtttcaa tggaaataat 1380
tactgataat acaaacatgt gtgaacacac actaatccta tccaaatgca cagtataca 1440
cagaaaatat tagcaagtag aatgcaatat ttatataacg attgtattta tcaatcaatt 1500
gtatgtatca atatatgggc ttttttctta cacatgattt tattcaaatt tactctaata 1560
attgttgaac catttagaaa aggcatatct gcaacttttc cttacctcat ccagctgggc 1620
aaaagtccca gtgtggagta aaggatgcaa gatttcctgc tctgttaagt ataaaaataat 1680
agtatgaatt caaagggtgcc attcttctgc ttctagttat aaaggcagtg cttgcttctt 1740
ccagcacaga tctggatctc gaggagcttg gcgagatttt caggagctaa ggaagctaaa 1800
agccgccacc atgaaagcca tcttaatccc atttttatct cttctgattc cgttaacccc 1860
gcaatctgca ttcgctcaga gtgagccgga gctgaagctg gaaagtgtgg tgattgtcag 1920
tcgctcatgg gtgcgtgctc caaccaaggc cacgcaactg atgcaggatg tcaccccaga 1980
cgcatggcca acctggccgg taaaactggg ttggctgaca ccgcgcggtg gtgagctaat 2040
cgcttatctc ggacattacc aacgccagcg tctggtagcc gacggattgc tggcgaaaaa 2100
gggctgcccg cagtctggtc aggtcgcgat tattgctgat gtcgacgagc gtacccgtaa 2160
aacaggcgaa gccttcgccg ccgggctggc acctgactgt gcaataaccg tacataccca 2220
ggcagatacg tccagtcccg atccgttatt taatcctcta aaaactggcg tttgccaact 2280
ggataacgcg aacgtgactg acgcgatcct cagcagggca ggagggtcaa ttgctgactt 2340
taccgggcat cggcaaacgg cgtttcgcga actggaacgg gtgcttaatt ttccgcaatc 2400
aaacttgtgc cttaaactgt agaaacagga cgaaagctgt tcattaacgc aggcattacc 2460
atcggaaactc aaggtgagcg ccgacaatgt ctcatatacc ggtgcggtaa gcctcgcac 2520
aatgctgacg gagatatttc tcctgcaaca agcacaggga atgcggagc cggggtgggg 2580
aaggatcacc gattcacacc agtggaacac cttgctaagt ttgcataacg cgcaatttta 2640
tttgctacaa cgcacgccag aggttgcccg cagccgcgcc acccgttat tagatttgat 2700
caagacagcg ttgacgcccc atccaccgca aaaacaggcg tatggtgtga cattaccac 2760
ttcagtgtg tttatcgccg gacacgatac taatctggca aatctcggcg gcgcactgga 2820
gctcaactgg acgcttcccg gtcagccgga taacacgccg ccagggtggtg aactggtgtt 2880
tgaacgctgg cgtcggctaa gcgataacag ccagtggatt caggtttcgc tggcttcca 2940
gactttacag cagatgcgtg ataaaacgcc gctgtcatta aatacgcgc ccggagaggt 3000
gaaactgacc ctggcaggat gtgaagagcg aaatgcgcag ggcattgtgt cgttggcagg 3060
ttttacgcaa atcgtgaatg aagcacgcat acccgcttgc agtttgtaag gtataaggca 3120
gttattgggtg cccttaaact cctggtgcta cgctgaata agtgataata agcggatgaa 3180
tggcagaaat tcgccggatc tttgtgaagg aaccttactt ctgtggtgtg acataattgg 3240
acaaactacc tacagagatt taaagctcta aggtaaatat aaaattttta agtgataat 3300
gtgttaaact actgattcta attgtttgtg tatttttagat tccaacctat ggaactgatg 3360
aatgggagca gtggtggaat gcctttaatg aggaaaacct gttttgctca gaagaaatgc 3420
catctagtga tgatgaggct actgctgact ctcaacattc tactcctcca aaaaagaaga 3480
gaaaggtaga agaccccaag gactttcctt cagaattgct aagttttttg agtcatgctg 3540
tgtttagtaa tagaactctt gcttgctttg ctatttacac caciaaggaa aaagctgcac 3600
tgctatacaa gaaaattatg gaaaaatatt ctgtaacctt tataagtagg cataacagtt 3660
ataatcataa catactgttt tttcttactc cacacaggca tagagtgtct gctattaata 3720
actatgctca aaaattgtgt acctttagct ttttaatttg taaaggggtt aataaggaat 3780
atttgatgta tagtgcttg actagagatc ataatacagc ataccacatt tgtagaggtt 3840
ttacttgctt taaaaaacct cccacacctc cccctgaacc tgaaacataa aatgaatgca 3900

```

```

attgttgttg ttaacttggt tattgcagct tataatgggt acaaataaag caatagcatc 3960
acaaatttca caaataaagc atttttttca ctgcattcta gttgtgggtt gtccaaactc 4020
atcaatgtat cttatcatgt ctggatcgat ccccggttac 4060

```

<210> 4

<211> 6116

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: R15/APPA
 plasmid with pBLCAT3 vector

<400> 4

```

ggatccccct tgctatgtag tttttaatgg aaattacaac ccatagtgtg ttgataaata 60
gagagtcctg tttggtttaa gcaacctctg tttctcataa actccataaa aacaggaata 120
ctctttgttt ctagcataac caaaagattt agtgaattga aaacaatgtt cccttagagt 180
ataggtctaa taaccccgaa aatattacca tgatactgag catttgtaag tatctcatag 240
catgtagtat ccatagtcca tcaatgagag agacatttaa catgattttc attaatcagg 300
tggaagagac atgacaacat tcacaggcac tgcacagaac atagtgggtc acctgcaca 360
tatttcaacta aactaggttt atctattttg ttgctttctc taacatctct gcaatgaagc 420
aggtcaacag tgccacatat cctttactta acctaaggaa cacaaaaaat tttctacata 480
tatcctgggt agagagtgt taaaataagt tttccaagaa tggaagagaa atgttctgac 540
ttaacaatta agacagtatt tatttaaagc aagaaatatg aggcacacaa gaaaatatatt 600
tggaagagaa ccatttggtg aacaatatatt caaataaaaa tagacaaaca tagttaattg 660
taaaacatat gtttgaccag cccttctttt caatagggtt aatgtgaata aaatgttaaa 720
gattctcttt ggggtggtgc aaattgtcca cgaataagac aaaatataaa aataaggact 780
gagtctcaca aaatgaaaag gaaatatatt cagaaagaga atcttgagag aatgtgttgt 840
cacaaattaa agaaaacctg tggatgaatga catcctgagg cctgagctat tactgacatt 900
taagataaag gtaactgtat acatttgtcc cattgagggg acaagaaagc tgctctcatg 960
ttcagctcta taattcttgc cttaaacaac ttaaatagaa tgatttaaaa tatggagctg 1020
tccatggacc tttgaaatat aaaatagtca agcaacttat caaggaatta cagattcctt 1080
gatactaaca caggtaaatc ccacacgtgt tttgagacta catttgctgg gattttattg 1140
atgtaaatagg tcacatgttt ttccggccaa tgggtgtgtt attcgggttac ttcaagagaa 1200
tagtggcaac tgatgctatg tattctaggg gtttgaagtg atgtttcatg attgaaattt 1260
gtaaaagaat aacatcatca ttcttaacaa tagaacatat aaagtccacac agaagtgaca 1320
gtgtttaagc tgtactattg atcaaagaaa tttattacct tcagtttcaa tggaaataat 1380
tactgataat acaaacatgt gtgaacacac actaatccta tccaaatgca cagtataca 1440
cagaaaatat tagcaagtag aatgcaatat ttatataacg attgtattta tcaatcaatt 1500
gtatgtatca atatatgggc tattttctta cacatgattt tattcaaatt tactctaatt 1560
attgttgaac catttagaaa aggcatactg gcaacttttc cttacctcat ccagctgggc 1620
aaaagtccca gtgtggagta aaggatgcaa gatttctctg tctgttaagt ataaaataat 1680
agtatgaatt caaagggtgc attcttctgc ttctagttat aaaggcagtg cttgcttctt 1740
ccagcacaga tctggatctc gaggagcttg gcgagatttt caggagctaa ggaagctaaa 1800
agcgcgccac atgaaagcca tcttaatccc atttttatct cttctgattc cgttaacccc 1860
gcaatctgca ttcgctcaga gtgagccgga gctgaagctg gaaagtgtgg tgattgtcag 1920
tcgtcatggt gtgcgtgctc caaccaaggc cagcgaactg atgcaggatg tcacccaga 1980

```

```

cgcatggcca acctggccgg taaaactggg ttggctgaca ccgcgcgggtg gtgagctaat 2040
cgcttatctc ggacattacc aacgccagcg tctggtagcc gacggattgc tggcgaaaaa 2100
gggctgcccg cagtctggtc aggtcgcgat tattgctgat gtcgacgagc gtacccgtaa 2160
aacaggcgaa gccttcgccg ccgggctggc acctgactgt gcaataaccg tacataccca 2220
ggcagatacg tccagtcccg atccgttatt taatcctcta aaaactggcg tttgccaaact 2280
ggataacgcg aacgtgactg acgcgatcct cagcagggca ggagggtcaa ttgctgactt 2340
taccgggcat cggcaaacgg cgtttcgcga actggaacgg gtgcttaatt ttccgcaatc 2400
aaacttgctg cttaaacgtg agaaacagga cgaaagctgt tcattaacgc aggcattacc 2460
atcggaactc aagggtgagcg ccgacaatgt ctcattaacc ggtgcggtaa gcctcgcac 2520
aatgctgacg gagatatttc tcctgcaaca agcacaggga atgccggagc cgggggtgggg 2580
aaggatcacc gattcacacc agtggaaacac cttgctaagt ttgcataacg cgcaatttta 2640
tttgctacaa cgcacgccag aggttgcccg cagccgcgcc acccgttat tagatttgat 2700
caagacagcg ttgacgcccc atccaccgca aaaacaggcg tatggtgtga cattaccac 2760
ttcagtgtcg tttatcgccg gacacgatac taatctggca aatctcggcg gcgcactgga 2820
gctcaactgg acgcttcccc gtcagccgga taacacgccg ccagggtggg aactgggtgt 2880
tgaacgctgg cgtcggctaa gcgataacag ccagtggatt caggtttcgc tggctctcca 2940
gactttacag cagatgcgtg ataaaacgcc gctgtcatta aatacgccgc ccggagaggt 3000
gaaactgacc ctggcaggat gtgaagagcg aaatgcgcag ggcatgtgtt cgttggcagg 3060
ttttacgcaa atcgtgaatg aagcacgcat acccgcttgc agtttgtaag gtataaggca 3120
gttattgggt cccttaaacg cctggtgcta cgcctgaata agtgataata agcggatgaa 3180
tggcagaaat tcgccggatc tttgtgaagg aacctactt ctgtgggtgt acataattgg 3240
acaaactacc tacagagatt taaaaaacct cccacacctc cccctgaacc tgaaacataa 3300
aatgaatgca attgttggtg ttaacttggt tattgcagct tataatgggt acaaataaag 3360
caatagcatc acaaatttca caaataaagc atttttttca ctgcattcta gttgtgggtt 3420
gtccaaactc atcaatgtat cttatcatgt ctggatcgat ccccggttac cgagctcgaa 3480
ttcgtaatca tggcatagc tgtttcctgt gtgaaattgt tatccgctca caattccaca 3540
caacatacga gccggaagca taaagtgtaa agcctggggg gcctaattgag tgagctaact 3600
cacattaatt gcgttgcgct cactgcccgc tttccagtcg ggaaacctgt cgtgccagct 3660
gcattaatga atcggccaac gcgcggggag aggcggtttg cgtattgggc gctcttcgc 3720
ttctcgcctc actgactcgc tgcgctcggt cgttcggctg cggcgagcgg tatcagctca 3780
ctcaaaggcg gtaatacggg tatccacaga atcaggggat aacgcaggaa agaacatgtg 3840
agcaaaaggc cagcaaaagg ccaggaaccg taaaaaggcc gcgttgctgg cgtttttcca 3900
taggctccgc cccctgacg agcatcacia aaatcgacgc tcaagtcaga ggtggcgaaa 3960
cccgacagga ctataaagat accaggcggt tccccctgga agctccctcg tgcgctctcc 4020
tgttccgacc ctgccgctta ccggatacct gtccgccttt ctcccttcgg gaagcgtggc 4080
gctttctcaa tgcacgct gttaggtatct cagttcggtg taggtcgttc gctccaagct 4140
gggctgtgtg caggaacccc ccgttcagcc cgaccgctgc gccttatccg gtaactatcg 4200
tcttgagtcc aaccgggtaa gacacgactt atcgccactg gcagcagcca ctggtaacag 4260
gattagcaga gcgaggatg taggcggtgc tacagagttc ttgaagtggg ggctaacta 4320
cggctacact agaaggacag tatttggtat ctgcgctctg ctgaagccag ttaccttcgg 4380
aaaaagagtt ggtagctctt gatccggcaa acaaaccacc gctggtagcg gtggtttttt 4440
tgtttgcaag cagcagatta cgcgcagaaa aaaaggatct caagaagatc ctttgatctt 4500
ttctacgggg tctgacgctc agtggaaacga aaactcacgt taagggattt tggctcatgag 4560
attatcaaaa aggatcttca cctagatcct tttaaattaa aaatgaagtt ttaaataaat 4620
ctaaagtata tatgagtaaa cttgggtctga cagttaccaaa tgcttaataca gtgaggcacc 4680
tatctcagcg atctgtctat ttcgttcac ctaggttgc tgactccccg tcgtgtagat 4740
aactacgata cgggagggtt taccatctgg cccagtgct gcaatgatac cgcgagaccc 4800
acgtcaccg gctccagatt tatcagcaat aaaccagcca gccggaaggg ccgagcgcag 4860

```

```

aagtggtcct gcaactttat ccgcctccat ccagtcctatt aattggtgcc gggaagctag 4920
agtaagtagt tcgccagtta atagtttgcg caacggttggt gccattgcta caggcatcgt 4980
gggtgtcacgc tcgtcgtttg gtatggcttc attcagctcc gggtcccaac gatcaaggcg 5040
agttacatga tccccatgt tgtgcaaaaa agcggttagc tccttcgggc ctccgatcgt 5100
tgtcagaagt aagttggccg cagtgttate actcatgggt atggcagcac tgcataattc 5160
tcttactgtc atgccatccg taagatgctt ttctgtgact ggtgagtact caaccaagtc 5220
attctgagaa tagtgtatgc ggcgaccgag ttgctcttgc ccggcgtcaa tacgggataa 5280
taccgcgcca catagcagaa ctttaaaagt gctcatcatt ggaaaacgtt cttcggggcg 5340
aaaactctca aggatcttac cgctgttgag atccagttcg atgtaaccca ctctgacacc 5400
caactgatct tcagcatctt ttactttcac cagcgtttct gggtgagcaa aaacaggaag 5460
gcaaaatgcc gcaaaaaagg gaataagggc gacacggaaa tgttgaatac tcatactctt 5520
cctttttcaa tattattgaa gcatttatca gggttattgt ctcatgagcg gatacatatt 5580
tgaatgtatt tagaaaaata aacaaatagg ggttcgcgcg acatttcccc gaaaagtgcc 5640
acctgacgtc taagaaacca ttattatcat gacattaacc tataaaaaata ggcgtatcac 5700
gaggcccttt cgtctcgcgc gtttcgggtga tgacggtgaa aacctctgac acatgcagct 5760
cccggagacg gtcacagctt gtctgtaagc ggatgccggg agcagacaag ccggtcaggg 5820
cgcgtcagcg ggtgttgggc ggtgtcgggg ctggcttaac tatgcggcat cagagcagat 5880
tgtactgaga gtgcaccata tgcgggtgtga aataccgcac agatgcgtaa ggagaaaata 5940
ccgcatcagg cgccattcgc cattcaggct gcgcaactgt tgggaagggc gatcgggtgcg 6000
ggcctcttcg ctattacgcc agctggcgaa agggggatgt gctgcaaggc gattaagttg 6060
ggtaacgcca gggttttccc agtcacgacg ttgtaaaacg acggccagtg ccaagc 6116

```

<210> 5

<211> 3470

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: R15/APPA
transgene

<400> 5

```

ggatcccctt tgctatgtag tttttaatgg aaattacaac ccatagtgtg ttgataaata 60
gagagtcttg tttggtttaa gcaacctctg tttctcataa actccataaa aacaggaata 120
ctctttgttt ctagcataac caaaagattt agtgaattga aaacaatgtt cccttagagt 180
ataggtctaa taaccccgaa aatattacca tgatactgag catttgtaag tatctcatag 240
catgtagtat ccatagtcca tcaatgagag agacatttaa catgattttc attaatcagg 300
tggaagagac atgacaacat tcacaggcac tgcacagaac atagtgggtc accttgacac 360
tatttcacta aactagggtt atctatatttg ttgctttctc taacatctct gcaatgaagc 420
aggtcaacag tgccacatat cttttactta acctaaaggaa cacaaaaaat tttctacata 480
tatcctgggt agagagtgt taaaataagt tttccaagaa tggaaaagaa atgttctgac 540
ttaacaatta agacagtatt tatttaaagc aagaaatatg aggcacacaa gaaaatatatt 600
tgggaagaaa ccatttggtg aacaatatatt caaataaaaa tagacaaaca tagttaattg 660
taaaacatat gtttgaccag cccttctttt caataggctt aatgtgaata aaatgttaaa 720
gattctcttt ggggtggctgc aaattgtcca cgaataagac aaaatataaa aataaggact 780
gagtctcaca aaatgaaaag gaaatatatt cagaaagaga atcttgagag aatgtgttgt 840
cacaaattaa agaaaacctg tggatgaatga catcctgagg cctgagctat tactgacatt 900

```

```

taagataaag gtaactgtat acatttgtcc cattgagggg acaagaaagc tgctctcatg 960
ttcagctcta taattcttgc cttaaacaac ttaaatagaa tgatttaaaa tatggagctg 1020
tccatggacc ttgaaatat aaaatagtca agcaacttat caaggaatta cagattcctt 1080
gatactaaca caggtaaata ccacacgtgt tttgagacta catttgctgg gattttattg 1140
atgtaatagg tcacatgttt ttcgggccaa tgttgctgtt attcggttac ttcaagagaa 1200
tagtggcaac tgatgctatg tattctaggg gtttgaagtg atgtttcatg attgaaattt 1260
gtaaaagaat aacatcatca ttcttaacaa tagaacatat aaagtcacac agaagtgaca 1320
gtgtttaagc tgtactattg atcaaagaaa tttattacct tcagtttcaa tggaaataat 1380
tactgataat acaaacatgt gtgaacacac actaatccta tccaaatgca cagtgataca 1440
cagaaaatat tagcaagtag aatgcaatat ttatataacg attgtattta tcaatcaatt 1500
gtatgtatca atatatgggc tattttctta cacatgattt tattcaaatt tactctaata 1560
attgttgaaac catttagaaa aggcatactg gcaacttttc cttacctcat ccagctgggc 1620
aaaagtccca gtgtggagta aaggatgcaa gatttcctgc tctgttaagt ataaaataat 1680
agtatgaatt caaaggtgcc attcttctgc ttctagttat aaaggcagtg cttgcttctt 1740
ccagcacaga tctggatctc gaggagcttg gcgagatttt caggagctaa ggaagctaaa 1800
agccgccacc atgaaagcca tcttaatccc atttttatct cttctgattc cgtaaccccc 1860
gcaatctgca ttcgctcaga gtgagccgga gctgaagctg gaaagtgtgg tgattgtcag 1920
tcgtcatggg gtgcgtgctc caaccaaggc cagcgaactg atgcaggatg tcaccccaga 1980
cgcatggcca acctggccgg taaaactggg ttggctgaca ccgcgcgggtg gtgagctaat 2040
cgctatctc ggacattacc aacgccagcg tctggtagcc gacggattgc tggcgaaaaa 2100
gggctgcccg cagtctggtc aggtcgcgat tattgctgat gtcgacgagc gtacccgtaa 2160
aacaggcgaa gccttcgccg ccgggctggc acctgactgt gcaataaccg tacataacca 2220
ggcagatacg tccagtcccg atccgttatt taatcctcta aaaactggcg tttgccaaact 2280
ggataacgcg aacgtgactg acgcgatcct cagcagggca ggagggtcaa ttgctgactt 2340
taccgggcat cggcaaacgg cgtttcgcga actggaacgg gtgcttaatt ttccgcaatc 2400
aaacttgtgc cttaaactg agaaacagga cgaaagctgt tcattaacgc aggcattacc 2460
atcggaaactc aaggtgagcg ccgacaatgt ctcattaacc ggtgcggtaa gcctcgcac 2520
aatgctgacg gagatatttc tcctgcaaca agcacaggga atgccggagc cggggtgggg 2580
aaggatcacc gattcacacc agtggaacac cttgctaagt ttgcataacg cgcaatttta 2640
tttgctacaa cgcacgccag aggttgcccg cagccgcgcc accccgttat tagatttgat 2700
caagacagcg ttgacgcccc atccaccgca aaaacaggcg tatggtgtga cattaccac 2760
ttcagtgctg tttatcgccg gacacgatac taatctggca aatctcggcg gcgcactgga 2820
gctcaactgg acgcttcccc gtcagccgga taacacgccg ccagggtgggtg aactggtgtt 2880
tgaacgctgg cgtcggctaa gcgataacag ccagtggatt caggtttcgc tggctctcca 2940
gactttacag cagatgcgtg ataaaacgcc gctgtcatta aatacgccgc ccggagaggt 3000
gaaactgacc ctggcaggat gtgaagagcg aaatgcgcag ggcatgtgtt cgttggcagg 3060
ttttacgcaa atcgtgaatg aagcacgcat acccgcttgc agtttgtaag gtataaggca 3120
gttattggtg cccttaaact cctggtgcta cgcctgaata agtgataata agcggatgaa 3180
tggcagaaat tcgccggatc tttgtgaagg aaccttactt ctgtggtgtg acataattgg 3240
acaaactacc tacagagatt taaaaaacct cccacacctc cccctgaacc tgaaacataa 3300
aatgaatgca attgttggtt ttaacttgtt tattgcagct tataatggtt acaaataaag 3360
caatagcatc acaaatttca caaataaagc atttttttca ctgcattcta gttgtgggtt 3420
gtccaaactc atcaatgtat cttatcatgt ctggatcgat ccccggttac 3470

```

<210> 6

<211> 5421

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: SV40/APPA +
intron plasmid

<400> 6

```

cgagattttc aggagctaag gaagctaaaa gccgccacca tgaaagccat cttaatccca 60
tttttatctc ttctgattcc gttaaccccg caatctgcat tcgctcagag tgagccggag 120
ctgaagctgg aaagtgtggt gattgtcagt cgtcatgggtg tgcgtgctcc aaccaaggcc 180
acgcaactga tgcaggatgt caccacagac gcatggccaa cctggccggt aaaactgggt 240
tggctgacac cgcngggtgg tgagctaata gcctatctcg gacattacca acgccagcgt 300
ctggtagccg acggattgct ggcgaaaaag ggctgccgc agtctggtca ggtcgcgatt 360
attgctgatg tcgacgagcg taccgcgtaaa acaggcgaag ccttcgccgc cgggctggca 420
cctgactgtg caataaccgt acatacccag gcagatacgt ccagtcccg tccgttattt 480
aatcctctaa aaactggcgt ttgccaaactg gataacgcga acgtgactga cgcgatcctc 540
agcagggcag gaggggtcaat tgctgacttt accgggcacg ggcaaacggc gtttcgcgaa 600
ctggaacggg tgcttaattt tccgcaatca aacttgtgcc ttaaactgta gaaacaggac 660
gaaagctgtt cattaacgca ggcattacca tcggaactca aggtgagcgc cgacaatgtc 720
tcattaaccg gtgcggtaag cctcgcatca atgctgacgg agatatttct cctgcaacaa 780
gcacagggaa tgccggagcc ggggtgggga aggatcaccg attcacacca gtggaacacc 840
ttgctaagtt tgcataacgc gcaattttat ttgctacaac gcacgccaga ggttgcccgc 900
agccgcgcca ccccgttatt agatttgatc aagacagcgt tgacgcccc caccgcaaaa 960
aacaggcgta tgggtgtgaca ttaccactt cagtgtgtt tatcgccgga cactgatact 1020
atctggcaaa tctcggcggc gcaactggag tcaactggac gcttcccggg cagccggata 1080
acacgccgcc aggtggtgaa ctggtgtttg aacgctggcg tcggctaagc gataacagcc 1140
agtggattca ggtttcgtg gtcttccaga ctttacagca gatgctgat aaaacgccgc 1200
tgtcattaaa tacgccgcc ggagaggtga aactgaccct ggcaggatgt gaagagcgaa 1260
atgcgcaggg catgtgttcg ttggcagggt ttacgcaaat cgtgaatgaa gcacgcatac 1320
ccgcttgtag tttgtaaggc agttattggt gcccttaaac gcctggtgct acgcctgaat 1380
aagtataat aagcggatga atggcagaaa ttcgccggat ctttgtgaag gaaccttact 1440
tctgtggtgt gacataattg gacaaactac ctacagagat ttaaagctct aaggtaaata 1500
taaaattttt aagtgtataa tgtgttaaac tactgattct aattgtttgt gtattttaga 1560
ttccaacctg tggaaactga gaatgggagc agtgggtgaa tgcccttaac gagggaaaacc 1620
tgttttgctc agaagaaatg ccatctagt atgatgaggg tactgctgac tctcaacatt 1680
ctactcctcc aaaaaagaag agaaaggtag aagaccccaa ggactttcct tcagaattgc 1740
taagtttttt gagtcatgct gtgttttagta atagaactct tgcttgcttt gctatttaca 1800
ccacaaagga aaaagctgca ctgctatata agaaaattat ggaaaaatat tctgtaacct 1860
ttataagtag gcataacagt tataatcata acatactgtt ttttcttact ccacacaggc 1920
atagagtgtc tgctattaat aactatgctc aaaaattgtg taccttttagc tttttaattt 1980
gtaaaggggt taataaggaa tatttgatgt atagtgcctt gactagagat cataatcagc 2040
cataccacat ttgtagaggt ttactttgct ttaaaaaacc tccacacct cccctgaac 2100
ctgaaacata aaatgaatgc aattgttgtt gtaacttgt ttattgcagc ttataatggt 2160
tacaaataaa gcaatagcat cacaaatttc acaataaag catttttttc actgcattct 2220
agttgtggtt tgcctaaact catcaatgta tcttatcatg tctggatcga tccccgggta 2280
ccgagctcga attcgtaate atggcatag ctgtttcctg tgtgaaattg ttatccgctc 2340
acaattccac acaacatacg agccggaagc ataaagtgt aagcctgggg tgcctaata 2400
gtgagctaac tcacattaat tgcgttgccg tctactgccc ctttccagtc gggaaacctg 2460

```


tcgtgccagc tgcattaatg aatcggccaa cgcgcgggga gaggcggttt gcgtattggg 2520
 cgctcttccg ctccctcgct cactgactcg ctgcgctcgg tcgttcggct gcggcgagcg 2580
 gtatcagctc actcaaaggc ggtaatacgg ttatccacag aatcagggga taacgcagga 2640
 aagaacatgt gagcaaaagg ccagcaaaag gccaggaacc gtaaaaaggc cgcgttgctg 2700
 gcgtttttcc ataggctccg cccccctgac gagcatcaca aaaatcgacg ctcaagtcag 2760
 aggtggcgaa acccgacagg actataaaga taccaggcgt tccccctgg aagctccctc 2820
 gtgcgctctc ctgttccgac cctgccgctt accggatacc tgtccgcctt tctcccttcg 2880
 ggaagcgtgg cgctttctca atgctcacgc tgtaggtatc tcagttcggg gtaggtcgtt 2940
 cgctccaagc tgggctgtgt gcacgaaccc cccgttcagc ccgaccgctg cgccttatcc 3000
 ggtaactatc gtcttgagtc caaccggta agacacgact tatcgccact ggcagcagcc 3060
 actggtaaca ggattagcag agcgaggatg tagggcggg ctacagagtt cttgaagtgg 3120
 tggcctaact acggctacac tagaaggaca gtatttggtg tctgcgctct gctgaagcca 3180
 gttaccttcg gaaaaagagt tggtagctct tgatccggca aacaaaccac cgctggtagc 3240
 ggtggttttt ttgtttgcaa gcagcagatt acgcgagaa aaaaaggatc tcaagaagat 3300
 cctttgatct tttctacggg gtctgacgct cagtggaaacg aaaactcacg ttaagggatt 3360
 ttggtcatga gattatcaaa aaggatcttc acctagatcc ttttaaatta aaaatgaagt 3420
 tttaaatcaa tctaaagtat atatgagtaa acttggtctg acagttacca atgcttaatc 3480
 agtgaggcac ctatctcagc gatctgtcta tttcgttcat ccatagttgc ctgactcccc 3540
 gtctgttaga taactacgat acgggagggc ttaccatctg gccccagtgc tgcaatgata 3600
 ccgcgagacc cacgctcacc ggctccagat ttatcagcaa taaaccagcc agccggaagg 3660
 gccgagcgca gaagtgggtc tgcaacttta tccgcctcca tccagtctat taattgttgc 3720
 cgggaagcta gagtaagtag ttcgccagtt aatagtttgc gcaacgttgt tgccattgct 3780
 acaggcatcg tgggtgtcacg ctctcgcttt ggtatggctt cattcagctc cggttcccaa 3840
 cgatcaaggc gagttacatg atccccatg ttgtgcaaaa aagcggttag ctccctcggg 3900
 cctccgatcg ttgtcagaag taagtggcc gcagtgttat cactcatggt tatggcagca 3960
 ctgcataatt ctcttactgt catgccatcc gtaagatgct tttctgtgac tggtagtac 4020
 tcaaccaagt cattctgaga atagtgtatg cggcgaccga gttgctcttg cccggcgctc 4080
 atacgggata ataccgcgcc acatagcaga actttaaaag tgctcatcat tggaaaacgt 4140
 tcttcggggc gaaaactctc aaggatctta ccgctgttga gatccagttc gatgtaaccc 4200
 actcgtgcac ccaactgatc ttcagcatct tttactttca ccagcgtttc tgggtgagca 4260
 aaaacaggaa ggcaaaatgc cgcaaaaaag ggaataaggc cgacacggaa atgttgaata 4320
 ctcatactct tcctttttca atattattga agcatttatc agggttattg tctcatgagc 4380
 ggatacatat ttgaatgtat ttagaaaaat aaacaaatag gggttccgag cacatttccc 4440
 cgaaaagtgc cacctgacgt ctaagaaacc attattatca tgacattaac ctataaaaaat 4500
 aggcgtatca cgaggccctt tcgtctcgcg cgtttcgggtg atgacggtga aaacctctga 4560
 cacatgcagc tcccggagac ggtcacagct tgtctgtaag cggatgccgg gagcagacaa 4620
 gcccgtcagg gcgcgtcagc ggggtgttggc ggggtgtcggg gctggcttaa ctatgaggca 4680
 tcagagcaga ttgtactgag agtgcacat atgcggtgtg aaataccgca cagatgcgta 4740
 aggagaaaat accgcatcag gcgccattcg ccattcaggc tgcgcaactg ttgggaaggg 4800
 cgatcggtgc gggcctcttc gctattacgc cagctggcga aagggggatg tgctgcaagg 4860
 cgattaagtt gggtaacgcc agggttttcc cagtcacgac gttgtaaaac gacggccagt 4920
 gccaaacttt acactttatg cttccggctc gtatgttgtg tggaattgtg agcgataaac 4980
 aatttcacac aggaaacagc tatgaccatg attacgaatt cggcgagca ccatggcctg 5040
 aaataacctc tgaaagagga acttggttag gtaccttctg aggcggaaag aaccagctgt 5100
 ggaatgtgtg tcagttaggg tgtggaaagt cccaggtctc cccagcaggc agaagtatgc 5160
 aaagcatgca tctcaattag tcagcaacca ggtgtggaaa gtccccaggc tccccagcag 5220
 gcagaagtat gcaaagcatg catctcaatt agtcagcaac catagtccc cccctaactc 5280
 cgcccatccc gccctaact ccgcccagtt ccgcccattc tccgcccatt ggctgactaa 5340

tttttttttat ttatgcagag gccgaggccg cctcggcctc tgagctattc cagaagtagt 5400
gaggaggctc gaggagcttg g 5421

<210> 7

<211> 17732

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Lama2/APPA
transgene

<400> 7

tgcagagtat ctttgtcagc tgtgcctcca acaaaggggt actggtgccc acatagaaag 60
atctaaacta attaattaat cctcaccgcg caaatctttc agtcactaag ttagcacgat 120
tgttgaacaa gttctccaaa ggagagatac agatgagtgc gtataggggtg gacctggctg 180
ctgaggagac acctgcatct gactaagaag agccacggtg ttagttgaat ggtgtggagt 240
aggggtgggtc tgtgggacag tagaaaatcg agaggcatgt gccgtttagt gaactgatgg 300
aagctacccc aaacgacaga gattgtcagt caggccaatc cgtttcagat ttgatgggca 360
gccggacagt gagacagaca cacctactca gttggaggaa ggatgagaac aatggccagc 420
agggattgag agacctgac aggcgcaagg ccctaacaca cacacctacc acctcacttg 480
acaaagctgc caaagaccaa agacttggtc tccattagaa atgacagctg gcttgacctg 540
acagcataat aagcagagtg tactctgatt ggagaacttt aatgtgtttc attcagtatt 600
ataaaaggac agtattacag attttgttgt aactgtctgt tacatgtggg gcagtgtgtc 660
tttaagtagg gttaaagtact ctttaaaaat gggtcctaga tattttttcc tttaactcaa 720
gtctcttact gtttaaatga tttttathtt gtttaatatg gaggaaaaag aagcgtaaat 780
ggacaatata tatttagaga aagatggtta gctgtcagaa aaatatgcaa atcaaaatca 840
caccaagact gcagcacacc cctgtcagat ggctgtgatc aagaaaataa atgacaatga 900
gtgggtgggtga agatgtacta aagggaaaca cacacacaca cacacacaca cacacacaca 960
cacactggag caacctactgt ggaaatcagt atgaatgggtc ctcaaaaacc tgaagataga 1020
gcggggcggtg gtggcataca cttttattcc cagcactggg gaggcagagg caggtggatc 1080
tctgagttcc aggccagcct ggtctatagc acaggttcta ggacagccag ggctacacag 1140
aaaaaccctg ccttgattaa accaaaccaa accaaaccaa accaaaccaa accaaaccaa 1200
accaaaccaa accaaaccag accaaaccaa aacactgaag atagaacttc agtattccat 1260
tcctagatat atacccaatg gagactaagt cagcaagaca cctgcacagc catgttcact 1320
actacactgt tcaccacagc caggctgtgg aaccagcctg agtgtccatg ataaatgaat 1380
ggataggtaa ctttcaaggt aaatggactc tgctgtgtac atgcctcaca ttctgtttat 1440
tcatttttct ttatgaggtg tccattcagg agtcacatgg tagttctatt ttcagtcttc 1500
tgaagatact aactgggtcc ccacagttta cacttttatc agcagtgaat aagggttcct 1560
ctatccttac catcatttgt tgtaattttt cttgatgacc ctctttctga cagggatagg 1620
atgtaatatc agtgtgagga agtacaactt gttttctaag tattttattgg ccccttgcat 1680
ttcttctttt gaaaactgtc ggttcctgac atctgctcag gtattcattg gatgtgttt 1740
ctttgggtgt tgagttctta tgaattctag atgttaaadc cctgcctgtg gttctctccc 1800
attctgtagg ctgcctctc accctggcaa ttggtgtcct tgttttgcag aaacttttga 1860
cttcattggaa tctcatttgt cagttttccc tcctctgcta tagcctgagc taatgcactg 1920
gtttttacag agccctgggtc tatgccttta tcctcctctg gcagcttcgg agtttcattt 1980
cttacattta gatctttgat ccactttgaa caagttttgg agcagggtga gagatacgaa 2040

tctagttcca ttcttccata tgtgataccta gtttacatag catcgttggt tgaagagggt 2100
ttatatttatt tttaaataat gtgtcataaa aaacgagggtg gttgtagcag tgtggatttg 2160
tttctttgtc ctttgatcta caggctctgt tttgtgtcag tctcatgatg ttttattgct 2220
atggctctgt catacagtct gaggtcaggt attgtgatat accttcagta ttgctccctc 2280
agactcaggt ttgctttggc caggagtcct cttactcagt gctcttagag cccccccagc 2340
atgtagctgc tactattctt agttgataaa tcaggaaact ggggctcaga gagattaact 2400
gtcttgaact acttctgggg aggtgaaacg tggagacact aaactgtgtt taccctgtac 2460
tgctccagta gctgtcgggt gctgggctac agcaaagcac ctatactata tattactcag 2520
gaggttgaaa aactcagcct cccttgggggt tcccaagctc ccagggtgtcc agtcactgct 2580
ggaaacctca tggagtctga aaggaagggt tgagggtaca tggggcagcg atgaggagcc 2640
tggggctggg atctcccaa cacctggata tccagatgcc actgggtcag ggggagttgg 2700
gaacagagtt gggatgtcca tggacctgtg acaaggccag ggccaggggg aggataactc 2760
tggtcttact aatttgcgaa agtccttagc ttagcagcag ttgtctggga gcacagaggg 2820
gccttctgta agaggctcag gcagtgcgc tctgtaggcg aaggctcttct ccatgttccc 2880
catggtgggt cttgatgaaa gagacagtc tgggtccaa actgggttat tgattgttca 2940
ttgtggaaaa tgggtgcaca ccaccttctc aggggtggacc agagatcaaa taccttttgc 3000
agggaggaat atctgggaag ggacgcttac tggctaaacc ctcagggcct ctagatacat 3060
cattagcatg gagaactctg ttctgggcta catgaccaca ggccacattt ccacaagcca 3120
catgtgggaa gtgtggcaca tgttctaggc caggaatctg gtagggagcg tggagccacc 3180
taccatccca ggtgggtgcc tgggtgccag ggacctgaa cccgctcaac cttaccaagt 3240
ttcctggcag ggtccactgt cctacacaga agctggagga ggtgtgaggg ttgtgtcttt 3300
gtggaatgtc ccatgtctgt tggggctcag tttctccacc tgtacctcat tgggttgggt 3360
ataaaaagtg gggatacttt attattctct gactcgggtc tgaggaaaaa gcatcgtggc 3420
agtccaggaa ccacacctg aggttctctg actgaaggga ctcctaagt ctctggagtc 3480
tctcccttcc acagagctgc caaagtctag gttcttttga ggataacaga gccatgcttg 3540
gtaagcagac aacagcattt gtttactcaa ccttcttttg tcagctccct cttcataaac 3600
aagttgagac accatgtctg cttgaggaag acttctaaag ccagacaact gtgcaaggaa 3660
gaagaagaag gggcaagtgg agttagcctg gatgtagccc tcaaagtctc cagagaccag 3720
ccatgaaggc tcaagtggag ggcaagacct gcagcagcca agcatctggc aggagaggat 3780
cctgggaacc cctctaccat gacacacatt cttcctgcag gtcacactta ataggccatt 3840
tcttatttgg atctatcatg gtgttctgtg cgagattaat gaggtgttat gctgcgaaca 3900
gaaagttata taaaaacaag tccccccccc ttgtcactgc tgctaagaat gtagcagaaa 3960
ttgtctcaag tgtctctcta atcagaaaca ataaagggtc ccttggattc aagccctcca 4020
gtttcctcct tccttgtctga gccttggaca cccatacaaa cctcctggat gctacagctc 4080
tgggcagaga ctccaagggt gggagagact gatggtacaa aagcaaaata cttgtttggg 4140
ggtacaccca ctctctgcc tgtgtggttc ctgcagtcag tctgcagac aggcctcag 4200
tgggtcttcc atgggcaaca cgcagaggga ggcaatggat gggaataccc acaccctgg 4260
tagtttacc cggccatgct ctctgctct catccctcct ctgcccctctg ccacggcttt 4320
ctctgcagga atcatatctt catattggcc cacagggtgt ctcctcacc tagctatgat 4380
gtttacttta gagtgcctt agcagggtct gtgggaatga gttctagaag gctcacggag 4440
atgctaggga agaaacgtct tctaactact gaggttacta agttcctggg ggttgtctct 4500
gcctttccct tgttaaagtc accttgaagt tagtgcagaa gaaatcagag cccagtcaca 4560
gagtaaatat ggtcctgaag atttcccttg agtgcccaga atccatgaca tttcaagagc 4620
cctctttgta ccttaagtc tttgggggtg tatcttctgc ttgatgtatg tgtgtgtgtt 4680
tatcaaagag tgagatgggt acataagagg tgccttaaag gacagagagg atttgcaatt 4740
gtggcatgtg acatcctcag gccttgcctt ggtgccagga ggaactgatg cagaaaagag 4800
taagaggtea tttcctggag gctgtcacta tagaggagat cttacagtgc attccctcct 4860
ccaggccctg cctgaggata gacatgtgct gactgcaact gaaacagagg cttgggatgg 4920

```

agagttaggt tcacagaagg gaggggtggga gatggatgct tgctgggttc tgggtctcat 4980
caccagctcc tgaccacccg gtcagcccat gtgcttatcc catagctttc ttttgctatg 5040
tttactcagt gtggtgtttg ttggggaccca gcagaagcca gtcccaggct gacagctgtg 5100
gatacacagg gcagcatgag ggtcctcagc ctgaagcagt caggctggca gaagagaaag 5160
accagcacac attccttcaa ccaactatgt cttgaaaaac aaacatatta tatcacatat 5220
attgcattta tgagacagct aaaatgtact cgggtagcat gactccagggt ggggatatct 5280
gcaagtgcc a tgagtggcag agggacagcc aatgtgaggg aagaaggaat tctggctcaa 5340
cacagcttag ctccctgggtg ttggttcaaa ctttgagagt ttgaccacaa gcactttatt 5400
tttgacatat ttaaacagag cacaactttg ggaaaaagtt ttcttatgaa aattatcaca 5460
ataaagctta aggcattgact acattaaaat gcctttgcaa agtatatgtg ccctcttcca 5520
caagaatggg tctattgact gagaaataat gttcaggata aagatccagg aagaaaagat 5580
cagggataag taaaatacta aactcttttg caaagtacat agaccctctt tcataacaat 5640
gggttctatt gactgacaag cactgctcag gagttgggaa agagtctagc ataagcacga 5700
tagcctggag actctagtga ggtctagtct tacagacagc aaaaatcacc aggttacaaa 5760
ctacattcat ttccagtttt ctgatcaggc acaggatga atcccttctg ttgaagagaa 5820
aagtccatgt gttaaaaata tctggtttct ccagtgtat tagcgagaag acttgagccc 5880
tatacaactc ccacctggag tgacatcctg tcttcatggg atattacata cctagacacg 5940
ctcatctcac agacttagga ctttgtcttc tgatctccat ttctgatccc acttccacct 6000
ttgccttgat agtgtcattt tcttactgct cttggtgaca accatgttat cctctgtgta 6060
tttgagtgtt accattttca gattttacct gtatgcaaga tcacacagtc tttgtctttc 6120
tgtctggatg catgctaate tctacacaac aacccttccc cgtcactcag atcttctctc 6180
attaacacat acatgggtgct gaagaggcta gggagcttcc cttcagtggg gagctagctg 6240
gctattgggc ctttttgact gtccaggaag gcccccaatt gctgagacaa gaacttagat 6300
tcttcattat tgactctaac tcatgtatca agcagaagct aatgaatagt tatcaacagg 6360
atcagagggt ccagtgtgag acactttgac atgaaagaac ggaggaagga cagatggatg 6420
cataaaagca ggaccactgc cccaggaagg tccctggaaac tgatgcaggg caaaggacag 6480
gttataaacc aaatcttagg gagtcaggaa gagcacagag gagctcaacc aactgaccac 6540
tgcttagggg ctaccaaccc aatcctcctt gtgggaacag ctaagctatc agccaagggt 6600
aataaacagg caggacctgt ggatgacatg gagagcatag ggaccctggg tccagccttt 6660
agcacctgca ctctcaggat actccaccat tgtgtcttag agagcctagg gatactgggt 6720
ccagcctttg gtaccttcac tctcagggtg ccccatcact gtgtcttgga gagcctaggc 6780
accctgggtc cagccttcag tacctgcgt ctcaggacac cccaccattg tctcttgccc 6840
cgtctcttct tctcttctc ccttttcatt gtctcttctc tgtttctttc ttgactctcc 6900
tttccctca caccctcact ctagtctctc ccttccctct ctgcatcacc ctattctctc 6960
tgtgggtccc ccactttcct ttatctctca tgcttctctc ctccctcaa tacttgctac 7020
ccactatact tcaggggcca gctctagtga caaagctgtt aatagcaaga ctctcagatc 7080
tccaacggct cagaggagcc agaccacca agaactctct ccagggtcaa tttcagggtc 7140
cttcgaaagc tttcagcaaa tgctcaggga acatgccact aacaagaaga tgcaaattcc 7200
agttgagagt gggaaaggcc cttgcgtagg tcccatcttc caggccaagg tcagaggggc 7260
tctgtgtaat ccggttgac agggctcaga acaatgtttt gtttttaagg tttattttatt 7320
ttaggtgtta gtgtctttgc ttgcatgacc ttatgtgcat catgtgtgtg cagggttctg 7380
atgacagtag aggagggtt tgaatccctg gggataggaa gttacaggaa attataagct 7440
gctttgtggg tcttctagct ttcccaacag aagtgaatgc tcttcaccac tgagccatct 7500
ctctaggccc aagagacatt gctttatgga tataattgtg tgtgtgtgtc aacattgagg 7560
aaagggaaat aaaaaaaaaa cttcagccgc taagggtgta cagtttctc aattgctact 7620
tttagttgtg ataaaatggc aggtgcttca acatttatat atacaaaaac ttccctgctg 7680
gtggttcaac tgtgagaact ggggtaagt ggtgagttct ctttttctgt ctctgtctct 7740
gtctctctcc ttccattctt tcttaaagga aataaacatt gcagctgggt tatagctcat 7800

```

caatatggaa gttacagaag tgaaaaaagg cattgccttg gtgggtggtg ttaccagctg 7860
 atttttgggt gtccctgcaag gaggtctggg gactggctgc tctgtctctg tctgtatgag 7920
 tgagggaagt ctggggagca gattccctaa ccttcagcct ggccctgggtc ctgagtgaac 7980
 ccagcctctc tggtcctagt agctttttcc aaacaggaat ctgagtgggtg acaggggaaca 8040
 agtaccagcc cattgcttaa gtgccagggg tagtgagggc aggaagctgc catagctggg 8100
 attagtagtt gtattggatg taggaagtcc tatcctggga cagctaatac ttaatgcttc 8160
 actggagatt ttcaatgaga aatttatccc acggcccata tggcccatc cttttgtctc 8220
 caacagccaa gtattttcca ttagaggaga cttcctgtac acttgatgga tgcctattcc 8280
 aagggtgactt ggggcagtcg gtacagactt gggatgacct ctgacagcct aacctctccc 8340
 caacaagggc cctctatgtt tgctatgtaa tgtaatgtca gacattgtca ggagtgtccg 8400
 cagcacagcc tgcccagtggt gagggctctc atagggttcc cactgtctta tctacacagg 8460
 gataacgagg aggtaagctg cagttcccag tctcacttca cagaggaaga gataacccca 8520
 tcccaggtca tgtagccagc agtggaaaga atgaggattt gaactcaggt cttccaagtc 8580
 ccattgatag catctcctca caagtccctt gccaccctca cgatgcctta gacacttgcc 8640
 tgccctttat actaaggaga tgcaggtaca aggggtttac ccatgtagca gctgaggcag 8700
 ctggggatag ataccagcag caggcctgat gtcaccactc taactccagc atccccagtc 8760
 tgtgttcctg gagtgtgaaa atccctactt aacaagattg tgcaacagtc cttggctctg 8820
 tgacctatag ctggaaacag gattctcatt gatttgtgga acatgggtggc agccagccaa 8880
 aaagaggggc tgcatacaga agacacgtgt ggcaaggcca cagcagactc tgactacctt 8940
 agcttacaga attacaaggt cataatgtcc tctgctttgg tcacctcatg ttaaggacag 9000
 gccctaataga agatggggca gaagactgaa ggaatggcca accaataact ggcccaactt 9060
 gagacccatc ctacaggcaa gcatcaattc ctgacactac taatgatact ctgttatgct 9120
 tgcagacaga agcctagcat aactatcctc cgagaggtcc acccagcaac tgactgaaac 9180
 agaaaaagat atccacaggc aaacagtggg tggaggtcag ggactattat gggagagctg 9240
 tgggaaggat taaaaaccct gaaggggata ggaacccccc aggaagacca acagagtcaa 9300
 ctaagagacc tgtgggagct ctacagagact gagccaccaa ccaaagagca tacacaggcc 9360
 ggtccgaggc acctggcacg tgtgaagcag acatgcagct cagtctccat gtaggctctc 9420
 caataagcgg tagcctgact gcagtatcca atccccaca gggctgcata gtctggcctc 9480
 agtgggggag gatgccccta atcctgcaga gacttgatga gtggagagct atccaggggg 9540
 aaccacccct ctctgagaag ggaatgggga tgggggaggg actctgtgaa gaggggacaa 9600
 ggacaaacaa gaacctcaaa taggtcaggc cctaaaggct tgctaagtag cagtggccca 9660
 gctctgtcct gttcctcagc ccaaggctca gctcccacct gtttctgtgt ttttctggct 9720
 tttcatgggc ctaggacttg gtgaccagtt caaacaatgg ggcctgtgga agacacaata 9780
 tacaagacta gggacattcc tgttctgctg actatccata gcctgatgta ggtggaagga 9840
 cccaatcact ggatttctac ccttgacaa ccttgacagc tgagggcctc tcagaaacct 9900
 atttcttcca ctgaaaaatg agactctcaa atgaacgtcg tgacaatcat caggcttatt 9960
 aaagaggtgt atctaacctg aatggcaagc agacagcagg caaatgtctg tatcaacctc 10020
 taggaaggac aagaactgct cactgctgcc ccccaggagg ccatttgctg aaacagctgc 10080
 tctcctgctg gtgcacaggc cctgccttct cattgcagcc acagcccctt cctgtctgaa 10140
 cctcctgtca ggtcactggg aaacagatca agatggaaca ggacagctcc tgatggtaaa 10200
 taaaaaacag tggcatggc tattcatagg ggtttatgct tcttcagtc acactgtgaa 10260
 gagctgtggg catgaaccac agtggttcgag gtagagttgg ggttctgaaa ttcacagtgg 10320
 ggtgagctca gtaaagtga gctggagggtc actcgtgaga cacacagtcc tgctgcttct 10380
 gttcccaata tcctgaggag acgacacatc tactttgttc agaggccaca gtctagttga 10440
 cctgagagtt accagtttct tatttgtgtg tgtgtgtgtg tgtgtgtgtg tgtgtgtgtg 10500
 tgttgttcgt gtgtgagtgc aggtgcacat atgatagcgt acacgttgag gtcagaggat 10560
 aactatcagg cgttgtcccc tctactttt cctcggactc tggagaacaa acatgggtcc 10620
 ttattccagg ggagcaagtc gctgttggct gacacatctt gctcacatac attttaccta 10680

```

gacaatggag cctccatcag agtattactt tagctcctca ccgatggcaa tgcaccacct 10740
ctctacccac ataggagttg ggtctccaca cccccccaca ccccttcac caaaacgttt 10800
tcagttactt tatctggtaa agttcatcag agaatgaagc cagtattaag aacatggaat 10860
catttgggaa cctggatcta gcaatacccc accctagatg gagttgctga gttttcacct 10920
cagattataa ttcccccta gcttctatgg tttattctga aaccagggga actcgattcc 10980
tccctttgga ccacagacat cctggcttgt gaattcacat gtcactact gctaattccat 11040
tggtagtatg tggctcacag agacacacta cagtcatggc caatgtcaag gtaggacaga 11100
tgtgaatcat tccccagtc ctgctgtttt catgactaac cctcctcagc acagtgacca 11160
tgaacctact tttccccctc ttttattttt agaattgctg gaattttcta ttttgagaaa 11220
taatagcctt gggcagcatt aaacaaaatc atctagaaaag ctgggtttaa atacagatgg 11280
ttgagtcagt gaaagagtga ggaatgtcat tattggcccc tcacagaggc tggctcactc 11340
cagcagaggt ggttgaagct cttggacacg ggtcaggtgc ataggaaagg tngtctggga 11400
cactgagaac cacaattgaa caaacagaac tgttggtttt ttttttttta aatgagttct 11460
caaaaaatga ctggctagct taggcaaata cttcgagcca acccaacaga acattcttcc 11520
attgattcat tctggatctt ctttctagac aatactgaac tgacccttg ttggcagtc 11580
caagtttgac aacatagggc tttgaacttg gcacaaggtc catcactgtc acccaagcat 11640
cctgggtgac ctttggttg gaatatcttg gctaacctta gatattttct ttggagtatc 11700
tttagaacat ccaggaaata gggcttgatt ctcactctgg gaccacaata taagtcaccc 11760
tagaatcca ggagatcgtg cagagaaaca aggatctctc tcgtgtgcat ctttcttcaa 11820
agcagtgagt agtgactcca ctaaactgag ttcccatctg agagtccaca ggaggctttg 11880
gggcaagaag cagaggggaag gcactgtttg tgttggtaaa gttttgactc taacaaattt 11940
gaagacatag atgacattgt gtcagactaa caacaaccta gactcatgtg ggttctgttt 12000
agggatcaga ttttattcat caatgacttg tcttagtgta tagagaaagg cttcctactg 12060
gagtgtaggc tcaataatga cagaagagat agctatttcc cctagggact gtgctgctcc 12120
aagtttggtg gagaaaggca gtggggaacc tagatgtgct ctctggggag ggggtctgaa 12180
gctggcttca tagaagggtg gaagttttgc tgaacatct aaacagaatt atagcttagg 12240
aaagtgagca ggcaaggcag ggaatgtgtt gcataatgat atgtacatga atatatatg 12300
ttatagatac acacacattt gaacctcatt tgcagatgac agaaaatagg ttattttgcc 12360
tctcttaact gctaagcaca atgacttcca gttccatcca tttcctgaaa tgccacaatt 12420
tcatttttca ttgtggctga ataaaattcc attgcagact gggccctact tcatccactc 12480
ctgagggcag gcataatcccc tggctccatt tcttacctat tgtgaagaga agtgcaactg 12540
tcttgttgaa aggcaagcgt gagagaggca ggcactaatt gtgggttttt gtttcttctt 12600
cctgctatga ctctccattt gtcagaacca aagatcgata aaagccgcca ccatgaaagc 12660
catcttaatc ccatttttat ctcttctgat tccgttaacc ccgcaatctg cattcgctca 12720
gagtgagccg gagctgaagc tggaaagtgt ggtgattgtc agtcgctcat gtgtgcgtgc 12780
tccaaccaag gccacgcaac tgatgcagga tgtcaccoca gacgcatggc caacctggcc 12840
ggtaaaactg ggttggctga caccgcgcgg tggtagctat atcgctatc tcggacatta 12900
ccaacgccag cgtctggtag ccgacggatt gctggcgaaa aagggtgccc cgcagtctgg 12960
tcaggtcgcg attattgctg atgtcgacga gcgtacccgt aaaacaggcg aagccttcgc 13020
cgccgggctg gcacctgact gtgcaataac cgtacatacc caggcagata cgtccagtcc 13080
cgatccgtta tttaatcctc taaaaactgg cgtttgccaa ctggataacg cgaacgtgac 13140
tgacgcgatc ctcagcaggg caggagggtc aattgctgac tttaccgggc atcggaac 13200
ggcgtttcgc gaactggaac ggggtgctta ttttccgcaa tcaaacttgt gccttaaagc 13260
tgagaaacag gacgaaagct gttcattaac gcaggcatta ccatcggaac tcaagggtgag 13320
cgccgacaat gtctcattaa ccggtgcggt aagcctcgca tcaatgctga cggagatatt 13380
tctcctgcaa caagcacagg gaatgccgga gccggggtgg ggaaggatca ccgattcaca 13440
ccagtggaa accttgctaa gtttgcataa cgcgcaattt tatttgctac aacgcacgcc 13500
agagggtgcc cgcagccgcg ccaccccggt attagatttg atcaagacag cgttgacgcc 13560

```

```

ccatccaccg caaaaacagg cgtatgggtg gacattaccc acttcagtgc tgtttatcgc 13620
cggacacgat actaatctgg caaatctcgg cggcgccactg gagctcaact ggacgcttcc 13680
cggtcagccg gataaacgc cggcagggtg tgaactgggtg tttgaacgct ggcgtcggct 13740
aagcgataac agccagtgga ttcagggttc gctgggtcttc cagactttac agcagatgcg 13800
tgataaaacg ccgctgtcat taaatacgcc gcccgagagag gtgaaactga ccctggcagg 13860
atgtgaagag cgaaatgcgc agggcatgtg ttcgttggca ggttttacgc aaatcgtgaa 13920
tgaagcacgc ataccgctt gcagtttgta aggtaccggg ggatcacaaac ttgccctctg 13980
aagaggaaga acagaaggat gccacaactc tcctgctggc tactctccag tggtttcatc 14040
ttacttctga tggcatttcc ctctagaaag tgctactatc atccacacat ttctacctga 14100
gaccacccaa aggaccctcc caaattctct tcctctctga gtagtctcca cacctgttac 14160
caccatccca gaattaaaat cctaactgca ctctggcgtg tgacttgctt cagtccttgc 14220
aataagagtt gttggcagtg ccaggcgtgg tggcgccagc ctttaattcc agcacttggg 14280
aggcagaggc aggcggattt ctgagttcga ggccagcctg gtctacagag tgagttccag 14340
gacagccagg gctatacaga gaaaccctgt gtcgaaaaac caaaaaaaaa aaaaaaagtt 14400
gttggcagag tgtgggttat ataccagggt gagatttcaa atgagtggct gaagctgtag 14460
ccagaaggaa cttagaggat agctcataac ttaaaaagaa atgtagagag tagcagaaac 14520
attgagagag tgggcacaca gccactgtgt gaatgtggca gaacacaatc cagccagcta 14580
tacatgcata agtgtatatt ggcgccatcc tgactgatga gacacaggaa aacagataga 14640
cgggggttagg tggccatggc ctttctctgc tgccctctcc taagggtcat ctcaagacct 14700
tatgctctct taactcttcc attgctactt agcttctaga tatcacctcc agattagtct 14760
ccttgggtac atcagtgatc ctgggtgatc ccagggtctc ctgattccat ctttgtcata 14820
gaggctgcaa ctaaagaggt cttcttaata cttcacaccc tgatgccaaa aggaagacac 14880
agaagttcac agaggtgaag tgattcatgt aggcataca gtgagcaagc atcagggtcc 14940
ggattatctg actctactct aacttttatg taaatgtgct ttatgccatt aacactgtca 15000
ttcctgtgct tcagctctgg gagactccca agcactctta ggcacaagcc acaattaagg 15060
gactctgaca ctctgcattg attaatagc atggtggtct ctatgtttcc agattcatga 15120
ttgtttcact ttccatatag gctatgaagg gtgtgaggaa attttttggg gacagaattg 15180
gaggcaatcc acctctctca ggaagcctct atctggaaa gcttacaact cagggacagt 15240
aactgtaggc ccagtccttg gtgtccaaaa tgggttttat ggtttgaatc tgcaaagcct 15300
tccatgtgct caaaggtttg aacatggagc ctcctcctgg taacactgta ttggaggctt 15360
ttgagactgg atgctctttg gtcccatgtt ttgctacatc atctgtcaag atatgacca 15420
ggcatgctac cagctaccac agactatgcc tctccagctt tcatgttctc cccaccatga 15480
tagacttgta tctcctaaaa atggaatcaa agcaaaactt tcctgcatta agtttttttt 15540
tttctgttaa gtgtttggtc acagggacaa gaaaacactc aatacagata attagtacca 15600
gagttgaggt tcattgctct agcaagttgg atcaaatttt tagggctttg gaactgattt 15660
ataagagaca tgtagaagag tctgaagctg tgggctacag aagtgtcacc agtttttaag 15720
aatagtttaa tacaccatgg gaattgtgaa aatcagaatg ctcacacaaa ggcagacagg 15780
aaaacgtgag catgtggcgt gtgagagggc ataagaagga acctaggggg aaatgagcta 15840
gaagccattc ggctacgtta gggaacgtgt gtggctgtgc ttggcccatg ccctggcaat 15900
ctgaatgagg ccaaatttta aaggagtggc ctaactcgat tgtcagagaa aatatcaaga 15960
cagaccacca ctcaggctat gccgtgtttg tgaccgacca gctactctta gccagctcta 16020
ttgtgaaatt ccagagcaat tatcagagca tgaagataca tacagttagg tgaagtaagg 16080
ggtgtgggtc cctaagtggc tgggtcataa atctatgtag gtgatgccta agtgacactt 16140
gataatccaa aatatcagca atgtggaatg tcttccaagg agacctgtag acacacattt 16200
tagaactttg ctcatggctg taataaatag ctagctagaa atcatttctt gaagaggtta 16260
gtctgagtta cggttccagg gcaaacattc agtgatggca aggaaggcat tgcagtcagg 16320
agccaaaggt cagctggctc cattgcatca agagtagaga gtcagagtgt gagtagaaag 16380
aggatacagg ttataaaacc tcactgtcca ctctcagcaa tccattttct cctaaaaggc 16440

```

```

tttaccttct aaagatttta gtcttcaaaa ccagtaccag tagcctggga acaaaagttg 16500
aaacaaatga gcctttgtgg ggcatttcac acttaaaaca gggcatcacc taggaggagc 16560
cctgtgtgca gtaggaagtg tggcctctgt gtcaggaatg ctcaggctaa taaggggtcc 16620
tctatctgag ggaccctatg aagattcaac aagtagttgt gagaattccc tgtaaattgga 16680
tgctaccaat ttgacatttg tagacctgct attgtgtgct tctttattgg gctctcccat 16740
ctcccaactt tccaacccat attccacatt aatcccttcc accaccatgc aacactaggt 16800
aggagagaag gaagggttaga agagaaagtg ggtatagatc tatttagact acttcctgct 16860
gattaggggc aagtccaatc gtcattgtca ggatacctcc aaccagcaac cagcaaacca 16920
gcaaatcaga aacagcaaaa gcagccaaca aggcagcact aaccagcagg attgggggtcg 16980
gtagcgtggg agcagtcact actggtcttc tcatggcttt ggcattaata ctctctcaag 17040
aaattccgta attttttccc caccacctga aattccgtaa ttttaaattgc aaactatcta 17100
cagctggcaa aaatcacatc tctcctagag cacaagacaa atcatagtta ctggctatatt 17160
gcaatctgaa gcatctcaat atcccacacc tgggattaaa acaaaaacat attcacatca 17220
cataactgtt ttttttttcc aattttttat taggtatttt ctttattttac atttcaaattg 17280
ctatcccga agtcccctat accctcccac ctccctgctc ccctacacac ccactcccac 17340
tttttgaccc tggagttccc cggtactggg gcatataaag tttgcaagac caaggggcct 17400
ctcttcccag tgatggccga ctaagccatc ttctgctaca tatgcagata gagacacgag 17460
ctctgggggt actagttagt tcatattggt gttccacctc taggggtcgca gaccccttca 17520
gctccttggg tactttgtct agctcctcca ctgggggctc tgtgttttat ctaatagatg 17580
actgtgagca tccacttctg tatttgacag gcactggcct agcgtcacat gagccagcta 17640
tatcaggggc ctttcagcaa aaccttgctg gcatgtgcaa tagtgtctgc gtttggtggt 17700
tgattatggg atggatccac tagttctaga gc 17732

```


INTERNATIONAL SEARCH REPORT

International Application No

PCT/CA 00/00430

A. CLASSIFICATION OF SUBJECT MATTER
IPC 7 A01K67/027 C12N9/16

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A01K C12N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

STRAND, EPO-Internal, WPI Data, PAJ, MEDLINE, BIOSIS, EMBASE

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	WO 97 48812 A (UNITED KINGDOM GOVERNMENT ;YANKE LINDSEY JAY (CA); CHENG KUO JOAN) 24 December 1997 (1997-12-24) page 18, line 27 - line 31 ---	1-69
X	WO 99 17610 A (UNIV CALIFORNIA) 15 April 1999 (1999-04-15) page 7, line 12 - line 26 page 10, line 21 -page 11, line 22 ---	1-5, 10, 50-52, 62 6-9
Y	---	
	-/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

29 September 2000

Date of mailing of the international search report

13/10/2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Sprinks, M

INTERNATIONAL SEARCH REPORT

International Application No

PCT/CA 00/00430

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	SELINGER, L. B. (1) ET AL: "The rumen: A unique source of enzymes for enhancing livestock production." ANAEROBE, (1996) VOL. 2, NO. 5, PP. 263-284. XP000940728	21,22, 26,28, 29,50
Y	abstract page 267, column 2 page 276, column 1 -page 277, column 1 ----	15,30, 39,40, 45,46, 48,49
X	ZHANG J X ET AL: "Expression of a bacterial endo (1-4)-beta-glucanase gene in mammalian cells and post translational modification of the gene product" BIOCHIMICA ET BIOPHYSICA ACTA-MOLECULAR CELL RESEARCH, (27 JUN 1997) VOL. 1357, NO. 2, PP. 215-224. PUBLISHER: ELSEVIER SCIENCE BV, PO BOX 211, 1000 AE AMSTERDAM, NETHERLANDS. ISSN: 0167-4889., XP000940605 abstract ----	50,62
Y	WO 99 08539 A (DIVERSA CORP) 25 February 1999 (1999-02-25) Discloses a phytase - relevant for present SEQ ID NO:7 figure 1 ----	11-20, 30,31, 36,37, 39-49, 53-61, 63-69
Y	DATABASE EMBL 'Online! ID: AF062078, 18 May 1998 (1998-05-18) DENNIS ET AL.: "Cloning vector p34S-Cm" XP002148835 Relevant for SEQ ID NO:4 abstract ----	56,63,65
Y	DATABASE EMBL 'Online! ID: MMPSPG, 3 November 1992 (1992-11-03) MIKKELSEN: "M. musculus Psp gene for parotid secretory protein" XP002148836 Relevant for SEQ ID NO:1,7 abstract ----- -/--	1-7, 10-14, 16-69

INTERNATIONAL SEARCH REPORT

Intr. National Application No

PCT/CA 00/00430

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	<p>DATABASE EMBL 'Online! ID: BLCAT3DNA, 26 February 1992 (1992-02-26) LUCKOW: "Plasmid pBLCAT3 gene for beta-lactamase and CAT gene for chloramphenicol acetyltransferase" XP002148837 Relevant for SEQ ID NO:2,6 abstract</p> <p style="text-align: center;">---</p>	47,56, 63,65
Y	<p>DATABASE EMBL 'Online! ID: MMU73190, 4 November 1996 (1996-11-04) LAURSEN ET AL.: "Mus musculus positive acting regulatory region of the parotid secretory protein (PSP) gene" XP002148838 Relevant for SEQ ID NO:7 abstract</p> <p style="text-align: center;">---</p>	1-7, 10-14, 16-69
Y	<p>DATABASE EMBL 'Online! ID: CVCATBLA, 24 January 1992 (1992-01-24) BOSHART ET AL.: "Cloning vector pBLCAT6 encoding chloramphenicol acetyltransferase (CAT) and beta-lactamase (bla) genes" XP002148839 Relevant for SEQ ID NO:3,5 abstract</p> <p style="text-align: center;">---</p>	14,20, 31,36, 44,47, 57-61, 64-69
Y	<p>DATABASE EMBL 'Online! ID: RNRP15, 12 May 1991 (1991-05-12) LIN ET AL.: "Rat salivary proline-rich protein (RP15) gene" XP002148840 Relevant for SEQ ID NO:3,5 abstract</p> <p style="text-align: center;">---</p>	1-5, 8-14, 16-69
Y	<p>DATABASE EMBL 'Online! ID: ECAPPAA, 5 February 1991 (1991-02-05) DASSA ET AL.: "E. coli periplasmic phosphoanhydride phosphohydrolase (appA) gene" XP002148841 Encodes a phytase - relevant for present SEQ ID NO:3,5,7 abstract</p> <p style="text-align: center;">-----</p>	11-20, 30,31, 36,37, 39-49, 53-61, 63-69

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/CA 00/00430

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 9748812 A	24-12-1997	US 5939303 A	17-08-1999
		US 5985605 A	16-11-1999
		AU 716845 B	09-03-2000
		AU 3021697 A	07-01-1998
		BR 9709793 A	11-01-2000
		CA 2257101 A	24-12-1997
		EP 0904385 A	31-03-1999
		NO 985804 A	10-02-1999
		PL 330532 A	24-05-1999
WO 9917610 A	15-04-1999	US 6004944 A	21-12-1999
		AU 9668998 A	27-04-1999
		EP 1030557 A	30-08-2000
WO 9908539 A	25-02-1999	US 5876997 A	02-03-1999
		AU 8904498 A	08-03-1999
		EP 1003379 A	31-05-2000
		US 6110719 A	29-08-2000